LOAN DOCUMENT

	PHOTOGRAPH THIS	SHEET
N NUMBER	LEVEL	INVENTORY
DTIC ACCESSION NUMBER	e-hocitic Technical his	to tree · · ·
	DISTRIBUTION Approved for F Distribution	Public Release Dunlimited
/	DISTRIBUTIO	DN STATEMENT L
NTIS CRAM DITIC TRAC UNANNOUNCED JUSTIFICATION BY DISTRIBUTION/ AVAILABILITY CODES DISTRIBUTION AVAILABILITY AND/OR SPECIAL DISTRIBUTION STAMP		DATE ACCESSIONED DATE ACCESSIONED CA R R E
		DATE RETURNED
2000112		
	CIVED IN DTIC HOTOGRAPH THIS SHEET AND RETURN TO DTIC-FD	REGISTERED OR CERTIFIED NUMBER
DTIC FORM 70A	DOCUMENT PROCESSING SHEET	PREVIOUS EDITIONS MAY BE USED UNTIL

LOAN DOCUMENT

SITE-SPECIFIC TECHNICAL REPORT FOR FREE PRODUCT RECOVERY TESTING AT SITE 160 AND SPILL SITE 2, EAKER AFB, ARKANSAS

DRAFT



PREPARED FOR:

AIR FORCE CENTER FOR ENVIRONMENTAL EXCELLENCE
TECHNOLOGY TRANSFER DIVISION
(AFCEE/ERT)
8001 ARNOLD DRIVE
BROOKS AFB, TEXAS 78235-5357

AND

EAKER AFB, ARKANSAS

20 MAY 1997

703 767 9244

DEFENSE TECHNICAL INFORMATION CENTER REQUEST FOR SCIENTIFIC AND TECHNICAL REPORTS

	THE SOLUTION SOLUTION AND TECHNICAL REPORTS					
Tit	AFCEE Collection	***************************************				
	Nanauraupha, e	- through habite				
			######################################	**************************************		
l	Report Availability (Please check one box)	11	umber of s Forwarded	2b. Forwarding Date		
X	This report is available. Complete sections 2a - 2f. This report is not available. Complete section 3.			n /-		
Źc.	. Distribution Statement (Please check ONE DOX)		each	July/2000		
Dol	Directive 5230.24. "Distribution Statements on Technical Documents	- " 18 Mar	A7 contains savar	o distribution statements as		
des	cribed briefly below. Technical documents MUST be assigned a distrib	bution sta	atement.	I Olstributivii statemene, es		
M	DISTRIBUTION STATEMENT A: Approved for public rel					
	DISTRIBUTION STATEMENT B: Distribution authorized			·		
	DISTRIBUTION STATEMENT C: Distribution authorized contractors.	l to U.S.	. Government A	Agencies and their		
	DISTRIBUTION STATEMENT D: Distribution authorized to U.S. Department of Defense (DoD) and U.S DoD contractors only.					
	☐ DISTRIBUTION STATEMENT E: Distribution authorized to U.S. Department of Defense (DoD) components only.					
	DISTRIBUTION STATEMENT F: Further dissemination only as directed by the controlling DoD office indicated below or by higher authority.					
	DISTRIBUTION STATEMENT X: Distribution authorized individuals or enterprises eligible to obtain export-control Directive 5230.25, Withholding of Unclassified Technical	lled tech Data fro	inical data in ac om Public Discl	ccordance with DoD losure, 6 Nov 84.		
2d.	Reason For the Above Distribution Statement (in according	dance wil	th Dall Directive 5	220 24)		
	The Fiber Distribution Statement (in accordance with Dou Directive 5230,24)					
Ze,	Controlling Office		Date of Distri termination	bution Statement		
=	HQ AFLEE		15 No.	2000		
3.	This report is NOT forwarded for the following reason:	s. (Plea:	se check appropris	ato box)		
	It was previously forwarded to DTIC on(d	late) and	the AD numbe	r is		
	It will be published at a later date. Enter approximate dat					
	In accordance with the provisions of DoD Directive 3200, because:	12, the	requested docu	ument is not supplied		
		***************************************	***************************************	***************************************		
	SECTION AND SECTION ASSESSMENT OF THE SECTIO	***************************************	***************************************	**************************************		
Prin	nt or Type Name	Lung				
La	Signal Signal	Cere	1.)		
	ephone	1	(For DTIC Use On	ly a		
1	10-536-1431		AQ Number	101-01-0324		

DRAFT

SITE-SPECIFIC TECHNICAL REPORT (A003)

for

FREE PRODUCT RECOVERY TESTING AT SITE 160 AND SPILL SITE 2, EAKER AFB, ARKANSAS

by

A. Leeson, L. Cumming, J. Eastep, and S. Walton

for

Mr. Patrick Haas
U. S. Air Force Center for Environmental Excellence
Technology Transfer Division
(AFCEE/ERT)
Brooks AFB, Texas 78235

20 May 1997

Battelle 505 King Avenue Columbus, Ohio 43201-2693

Contract No. F41624-94-C-8012

This report is a work prepared for the United States Government by Battelle. In no event shall either the United States Government or Battelle have any responsibility or liability for any consequences of any use, misuse, inability to use, or reliance upon the information contained herein, nor does either warrant or otherwise represent in any way the accuracy, adequacy, efficacy, or applicability of the contents hereof.

TABLE OF CONTENTS

LIST OF TABLES	iii
LIST OF FIGURES	iv
EXECUTIVE SUMMARY	v
	1
	1 2
	3
	3
	5
	5
	5
	5 7
	8
	8
2.2.5.1 System Setup	9
	9
	9
	ر 11
	11
1 ,	13
	13
	13
	13
	14
	14
	14
	15
	15
	15
2.3.3.2 Bioslurper Pump Test Results	19
2.3.3.3 Second Skimmer Pump Test	19
2.3.3.4 Drawdown Pump Test	19
2.3.3.5 Drawdown Pump Test (vacuum enhanced)	21
·	21
	23
	23
•	23
2.4 Discussion	25
3.0 FREE PRODUCT RECOVERY TESTING AT SPILL SITE 2	27

3.	1 Sit	e Desci	ription	27
3.	2 Pil	ot Test	Methods	29
		3.2.1	Initial LNAPL/Groundwater Measurements and Baildown Testing	29
		3.2.2	Well Construction Details	30
		3.2.3	Soil Gas Monitoring Point Installation	30
		3.2.4	Soil Sampling and Analysis	32
•		3.2.5	LNAPL Recovery Testing	32
			3.2.5.1 System Setup	32
			3.2.5.2 Initial Skimmer Pump Test	33
			3.2.5.3 Bioslurper Pump Test	33
			3.2.5.4 Second Skimmer Pump Test	34
			3.2.5.5 Drawdown Pump Test	34
			3.2.5.6 Off-Gas Sampling and Analysis	35
			3.2.5.7 Groundwater Sampling and Analysis	35
		3.2.6	Bioventing Analyses	35
			3.2.6.1 Soil Gas Permeability Testing	35
			3.2.6.2 In Situ Respiration Testing	36
3.	3 Pil	ot Test	Results	36
		3.3.1	Baildown Test Results	36
				38
		3.3.3	A	40
			3.3.3.1 Initial Skimmer Pump Test Results	40
				40
			· · · · · · · · · · · · · · · · · · ·	40
			1	40
			· · · · · · · · · · · · · · · · · · ·	43
		3.3.4		43
			•	43
			A	43
3.	.4 Di	scussio	n	47
4.0 REF	EREN	ICES		49
APPEND	TV A.		SITE-SPECIFIC TEST PLAN FOR BIOSLURPER FIELD	
APPEND	IX A:		ACTIVITIES AT EAKER AFB, ARKANSAS	\-1
APPEND	IX B:		LABORATORY ANALYTICAL REPORTS I	3-1
APPEND	IX C:		SYSTEM CHECKLIST	C-1
APPEND	IX D:		DATA SHEETS FROM THE SHORT-TERM PILOT TESTS) -1
APPEND	IX E:		SOIL GAS PERMEABILITY TEST RESULTS I	E-1
APPEND	IX F:		IN SITU RESPIRATION TEST RESULTS	F-1

LIST OF TABLES

Table 1.	Initial Soil Gas Compositions at Site 160	8
Table 2.		15
Table 3.	TPH and BTEX Concentrations in Soil Samples from Site 160	16
Table 4.	Physical Characterization of Soils from Site 160	16
Table 5.	Pump Test Results at Monitoring Well TW1105, Site 160	17
Table 6.	In Situ Oxygen Concentrations During the Bioslurper Pump Test at Monitoring	
	Well TW1105, Site 160	21
Table 7.	BTEX and TPH Concentrations in Extracted Groundwater During the Bioslurper	
	Pump Test at Site 160	22
Table 8.	BTEX and TPH Concentrations in Off-Gas During the Bioslurper Pump Test at	
		22
Table 9.	BTEX Concentrations in LNAPL at Site 160	23
Table 10.		25
Table 11.		32
Table 12.		37
Table 13.		38
Table 14.		39
		39
Table 16.		42
Table 17.	In Situ Oxygen Concentrations During the Bioslurper Pump Test at Monitoring	
		42
Table 18.	BTEX and TPH Concentrations in Extracted Groundwater During the Bioslurper	
	•	44
Table 19.	BTEX and TPH Concentrations in Off-Gas During the Bioslurper Pump Test at	
		44
		45
Table 21.	In Situ Respiration Test Results at Site 2	47

LIST OF FIGURES

Schematic Diagram Illustrating Groundwater Elevations at the BX Shoppette	
Service Station	4
Schematic Diagram Showing Construction Details of Monitoring Well TW1105	
and Soil Gas Monitoring Points at Site 160	6
Drop Tube Placement and Valve position for the Bioslurper Pump Test	10
Drop Tube Placement and Valve position for the Drawdown Pump Test	12
Fuel Recovery Versus Time During Each Pump Test at Site 160	18
Fuel Recovery Rate Versus Time During the Bioslurper Pump Test at Site 160	20
Radius of Influence Determination Based on Soil Gas Pressure Change Versus	
Distance from Extraction Well at Site 160	24
Schematic Diagram Showing Monitoring Well Locations and Total Volatile	
Organic Compounds in Soil Gas at Spill Site 2	28
Schematic Diagram Showing Construction Details for Monitoring Well MW-316	
and Soil Gas Monitoring Points at Spill Site 2	31
Fuel Recovery Versus Time During Each Pump Test at Spill Site 2	41
Radius of Influence Determination Based on Soil Gas Pressure Change Versus	
Distance from Extraction Well at Spill Site 2	46
	Schematic Diagram Showing Construction Details of Monitoring Well TW1105 and Soil Gas Monitoring Points at Site 160 Drop Tube Placement and Valve position for the Bioslurper Pump Test Drop Tube Placement and Valve position for the Drawdown Pump Test Fuel Recovery Versus Time During Each Pump Test at Site 160 Fuel Recovery Rate Versus Time During the Bioslurper Pump Test at Site 160 Radius of Influence Determination Based on Soil Gas Pressure Change Versus Distance from Extraction Well at Site 160 Schematic Diagram Showing Monitoring Well Locations and Total Volatile Organic Compounds in Soil Gas at Spill Site 2 Schematic Diagram Showing Construction Details for Monitoring Well MW-316 and Soil Gas Monitoring Points at Spill Site 2 Fuel Recovery Versus Time During Each Pump Test at Spill Site 2 Radius of Influence Determination Based on Soil Gas Pressure Change Versus

EXECUTIVE SUMMARY

This report summarizes the field activities conducted at Eaker AFB, for a short-term field pilot test to compare vacuum-enhanced free-product recovery (bioslurping) to traditional free-product recovery techniques to remove light, nonaqueous-phase liquid (LNAPL) from subsurface soils and aquifers. The field testing at Eaker AFB is part of the Bioslurper Initiative, which is funded and managed by the U.S. Air Force Center for Environmental Excellence (AFCEE) Technology Transfer Division. The AFCEE Bioslurper Initiative is a multisite program designed to evaluate the efficacy of the bioslurping technology for (1) recovery of LNAPL from groundwater and the capillary fringe, and (2) enhancing natural in situ degradation of petroleum contaminants in the vadose zone via bioventing.

The main objective of the Bioslurper Initiative is to develop procedures for evaluating the potential for recovering free-phase LNAPL present at petroleum-contaminated sites. The overall study is designed to evaluate bioslurping and identify site parameters that are reliable predictors of bioslurping performance. To measure LNAPL recovery in a wide variety of in situ conditions, tests are being performed at many sites. The tests at Eaker AFB are two of over 40 similar field tests to be conducted at various locations throughout the United States and its possessions.

The intent of field testing is to collect data to support determination of the predictability of LNAPL recovery and to evaluate the applicability, cost, and performance of the bioslurping technology for removal of free product and remediation of the contaminated area. The on-site testing is structured to allow direct comparison of the LNAPL recovery achieved by bioslurping with the performance of more conventional LNAPL recovery technologies. The test method included an initial site characterization followed by LNAPL recovery testing. The three LNAPL recovery technologies tested at Eaker AFB were skimmer pumping, bioslurping, and drawdown pumping.

Bioslurper pilot test activities were conducted at two sites at Eaker AFB: Site 160 and Spill Site 2. Results from the two test sites are presented separately in the following sections.

Site characterization activities were conducted to evaluate site variables that could affect LNAPL recovery efficiency and to determine the bioventing potential of the site. Testing included baildown testing to evaluate the mobility of LNAPL, soil sampling to determine physical/chemical site characteristics, soil gas permeability testing to determine the radius of influence, and in situ respiration testing to evaluate site microbial activity.

Following the site characterization activities, the pump tests were conducted. At Site 160, pilot tests for skimmer pumping, bioslurping, and drawdown pumping were conducted at monitoring

well TW1105. The LNAPL recovery testing was conducted in the following sequence: 25.5 hours in the skimmer configuration, approximately 92 hours in the bioslurper configuration (there were three shutdowns for system modifications), an additional 23 hours in the skimmer configuration, 6.2 hours in the drawdown configuration, and an additional 5 hours in the drawdown configuration under vacuum-enhanced conditions. Measurements of extracted soil gas composition, LNAPL thickness, and groundwater level were taken throughout the testing. The volume of LNAPL recovered and groundwater extracted were quantified over time.

At Spill Site 2, pilot tests for skimmer pumping, bioslurping, and drawdown pumping were conducted at monitoring well MW-316. The LNAPL recovery testing was conducted in the following sequence: 47 hours in the skimmer configuration, approximately 90 hours in the bioslurper configuration (there was one shutdown overnight), an additional 12.5 hours in the skimmer configuration, and 8.6 hours in the drawdown configuration. Measurements of extracted soil gas composition, LNAPL thickness, and groundwater level were taken throughout the testing. The volume of LNAPL recovered and groundwater extracted were quantified over time.

Site 160

A baildown recovery test was conducted at monitoring well TW1105. Baildown recovery tests provide a qualitative indication of the presence of mobile, free-phase LNAPL and LNAPL recovery potential. Overall the baildown recovery test indicated a relatively slow rate of LNAPL recovery into the well. Also, the baildown recovery resulted in an LNAPL thickness substantially less than the initial apparent thickness. The initial LNAPL thickness in the monitoring well was 5.83 ft and, 14 hours after baildown, had recovered to 1.12 ft. Although the recovery rate during the baildown test was relatively low, several sites under the Bioslurper Initiative have shown good LNAPL recovery during bioslurping despite low recovery rates during baildown tests. Therefore, this monitoring well was used for the pump tests.

A series of pump tests were conducted at monitoring well TW1105: skimmer pumping (before and after bioslurping), bioslurping, and drawdown pumping (atmospheric and vacuum-enhanced). Skimmer pump testing initially was conducted in a continuous extraction mode for approximately 25.5 hours. No significant free-phase LNAPL was recovered during skimmer pump testing, indicating that gravity-driven recovery is minimal. Bioslurper testing was conducted for approximately four days resulting in relatively high recovery in comparison to skimmer pumping. During the first day, the recovery rate averaged 54 gallons/day and dropped to 10 gallons/day by day 2. The LNAPL

recovery rate appeared to stabilize by day 4 at approximately 8.9 gallons/day. Vacuum levels in the well were relatively high at approximately 18"Hg. LNAPL recovery during the second skimmer pump test was even lower than the first skimmer pump test, with an average recovery rate of 0.019 gallons/day. Drawdown pump testing was conducted to determine if a cone of groundwater depression would enhance LNAPL recovery. The water table was depressed 26 inches below the static water table. No measurable free-phase LNAPL and minimal groundwater was recovered in this mode during 6.2 hours of continuous extraction. In an effort to enhance recovery, vacuum was applied to the well once the water table was drawn down. Although groundwater was produced under these conditions, no free-phase LNAPL could be recovered. These results illustrate that the vacuum gradient maintained during the bioslurper test resulted in higher fluid recovery rates than the 26-inch groundwater drawdown test.

Groundwater production rates during bioslurping were significantly higher than rates during the skimmer or drawdown pump tests. The average rate was 98 gallons/day, which was transferred to a 21,000 gallon storage tank.

Bioslurping also promotes mass removal in the form of volatilization and in situ biodegradation via aeration of the vadose zone. Vapor phase mass removal is the result of soil gas extraction as well as volatilization that may occur during the movement of free-phase LNAPL through the extraction network. Given, the measured vapor flowrate and vapor concentrations, initial hydrocarbon removal rates were approximately 165 lb/day of TPH and 7.5 lb/day of benzene. Thus, initially, mass removal in the vapor phase is significant. However, this short-term test does not provide a good indication as to whether these rates would be sustained. Higher vapor mass removal rates are more often sustained at those sites where liquid product recovery is sustained.

In situ biodegradation rates of 13 to 17 mg/kg-day were measured at three different locations. Based on the radius of influence of 48 ft and a hydrocarbon-impacted soil thickness of 19 ft, mass removal rates via biodegradation are on the order of 160 to 200 lbs of hydrocarbon per day. Thus, mass removal rates via biodegradation could be significant. These results indicate that bioventing is feasible at this site. Air injection bioventing is preferable over bioslurping and soil vapor extraction with respect to the elimination of hydrocarbon vapor emissions.

The initial soil gas profiles at the site displayed oxygen-deficient, carbon dioxide-rich, high total volatile hydrocarbon vapor conditions across the 3 to 17 ft bgl horizons. These conditions indicate that natural biodegradation of residual petroleum hydrocarbons has occurred, but is limited by oxygen availability. Soil gas concentrations were measured during the bioslurper test at monitoring

points adjacent to monitoring well TW1105 to determine if the vadose zone was being oxygenated via the bioslurper action. Oxygen concentrations were most influenced at monitoring point MPA, 10 ft from the bioslurper well; however, oxygen increases were low and not consistent throughout the test. Based on the soil gas permeability test, where a radius of influence of 48 ft was measured, it is likely that these areas will become fully aerated. In short, a four day extraction time frame at 11 scfm is insufficient to exchange sufficient pore volumes of soil gas to fully oxygenate the zone of influence.

In summary, the on-site testing at Site 160, Eaker AFB, included the direct testing of gravity-driven and vacuum-driven LNAPL recovery techniques, bioventing, physical sampling, and tests relevant to soil vapor extraction. Liquid phase recovery was only sustainable in the bioslurper mode and therefore, bioslurping is recommended at this site provided a cost-effective means for long-term water treatment is viable. The generation of off-gas is undesirable and sustained rates of off-gas discharge cannot be estimated accurately from this test, since typically off-gas concentrations will decrease with time. The in situ respiration test and vadose zone radius of influence testing demonstrate that bioventing is feasible at this site.

Spill Site 2

A baildown recovery test was conducted at two monitoring wells at Spill Site 2: MW-316 and MW-306. Overall, the baildown recovery test indicated a relatively slow rate of LNAPL recovery into the monitoring wells. Also, the baildown recovery resulted in an LNAPL thickness approximately ½ to ½ that of the initial apparent thickness. The initial LNAPL thickness in monitoring well MW-316 was 3.75 ft and, approximately 24 hours after baildown, recovered to 1.09 ft. Recovery at monitoring well MW-306 was more rapid, where the initial LNAPL thickness was 5.17 ft and recovered to 2.60 ft approximately 4 hours after baildown. Two additional baildown tests were conducted at monitoring well MW-306 to verify the recovery rate. Recovery was less rapid during this test, with an LNAPL thickness less than half of the initial apparent thickness after 24 hours. Although the recovery rate during the baildown test was relatively low, several sites under the Bioslurper Initiative have shown good LNAPL recovery during bioslurping despite low recovery rates during baildown tests. Therefore, monitoring well MW-316 was selected for the bioslurper pump tests.

A series of pump tests were conducted at monitoring well MW-316: skimmer pumping (before and after bioslurping), bioslurping, and drawdown pumping. Skimmer pump testing was conducted in a continuous extraction mode for approximately 47 hours. Recovery of free-phase

LNAPL was low, indicating that gravity-driven recovery is minimal. LNAPL recovery decreased further during bioslurper testing, with a total of 0.33 gallons recovered during approximately four days of continuous extraction. No LNAPL was recovered until day 3. LNAPL recovery during the second skimmer pump test was significantly lower than the first skimmer pump test, with an average recovery rate of 0.30 gallons/day. Drawdown pump testing was conducted to determine if a cone of groundwater depression would enhance LNAPL recovery. The water table was depressed to 1.0 ft below the static water table. No measurable free-phase LNAPL or groundwater was recovered in this mode during 8.6 hours of continuous extraction. These results indicate that either the mobility of free-phase LNAPL is low or that the quantity of free-phase LNAPL is small, such that none of the recovery technologies are capable of sustaining significant recovery.

Groundwater production rates during bioslurping were significantly higher than rates during the skimmer or drawdown pump tests. The average rate was 380 gallons/day, which was transferred to a 21,000 gallon storage tank.

Bioslurping also promotes mass removal in the form of volatilization and in situ biodegradation via aeration of the vadose zone. Vapor phase mass removal is the result of soil gas extraction as well as volatilization that may occur during the movement of free-phase LNAPL through the extraction network. Given, the measured vapor flowrate and vapor concentrations, initial hydrocarbon removal rates were approximately 730 lb/day of TPH and 3.5 lb/day of benzene. Thus, initially, mass removal in the vapor phase is significant. However, this short-term test does not provide a good indication as to whether these rates would be sustained. Higher vapor mass removal rates are more often sustained at those sites where liquid product recovery is sustained.

In situ biodegradation rates of 46 to 50 mg/kg-day were measured at three different locations. Based on the radius of influence of 70 ft and a hydrocarbon-impacted soil thickness of 11 ft, mass removal rates via biodegradation are on the order of 680 to 740 lbs of hydrocarbon per day. Thus, mass removal rates via biodegradation could be as significant as the initial vapor phase removal rates measured during the bioslurper test. These results indicate that bioventing is feasible at this site. Air injection bioventing is preferable over bioslurping and soil vapor extraction with respect to the elimination of hydrocarbon vapor emissions.

The initial soil-gas profiles at the site displayed oxygen-deficient, carbon dioxide-rich, high total volatile hydrocarbon vapor conditions across the 8- to 12-ft below ground surface horizons. These conditions indicate that natural biodegradation of residual petroleum hydrocarbons has occurred, but is limited by oxygen availability. Soil-gas concentrations were measured during the

bioslurper test at monitoring points adjacent to monitoring well MW-316 to determine if the vadose zone was being oxygenated via the bioslurper action. Oxygen concentrations were influenced at all monitoring points. Based on the soil-gas permeability test, where a radius of influence of approximately 70 ft was measured, it is likely that these areas will become fully aerated. In short, a four day extraction time frame at 13 scfm is insufficient to exchange sufficient pore volumes of soil gas to fully oxygenate the zone of influence.

In summary, the on-site testing at Spill Site 2, Eaker AFB, included the direct testing of gravity-driven and vacuum-driven LNAPL free product recovery techniques, bioventing, physical sampling, and tests relevant to soil vapor extraction. Liquid-phase recovery was not sustainable in any of the extraction modes. The vacuum-enhanced mode is significant because if liquid phase LNAPL recovery is not sustainable under high vacuum conditions, then it is unlikely that it will be sustainable under any conditions. Vapor phase mass removal rates measured during bioslurper testing may be the result of soil-gas removal (i.e., SVE) or volatilization during liquid entrainment. The generation of off-gas is undesirable and sustained rates of off-gas discharge cannot be estimated accurately from this test. The in situ respiration test and vadose zone radius of influence testing demonstrate that bioventing is feasible at this site.

Periodic baildown recovery tests are recommended as a useful indicator of free-phase LNAPL recovery potential. Based on the conduct of identical pilot tests at over 25 different sites, there have been several sites where apparent LNAPL product thicknesses are significant (>3 ft). However, once the LNAPL free product is removed from the well, it may take weeks or months to return to initial apparent thicknesses. LNAPL free product continues to accumulate in monitoring wells, but not at a rate to make free product recovery worthwhile. The periodic baildown recovery test is the best method to verify whether or not Spill Site 2 is like the sites described above. Periodic hand bailing may also represent removing LNAPL free product to the extent practicable. A bioventing system may be installed for continued remediation of the vadose zone.

DRAFT SITE-SPECIFIC TECHNICAL REPORT (A003)

for

FREE PRODUCT RECOVERY TESTING AT SITE 160 AND SPILL SITE 2, EAKER AFB, ARKANSAS

20 May 1997

1.0 INTRODUCTION

This report describes activities performed and data collected during field tests at Eaker Air Force Base (AFB), Arkansas, to compare vacuum-enhanced free-product recovery (bioslurping) to traditional free-product recovery technologies for removal of light, nonaqueous-phase liquid (LNAPL) from subsurface soils and aquifers. The field testing at Eaker AFB is part of the Bioslurper Initiative, which is funded and managed by the U.S. Air Force Center for Environmental Excellence (AFCEE) Technology Transfer Division. The AFCEE Bioslurper Initiative is a multisite program designed to evaluate the efficacy of the bioslurping technology for (1) recovery of LNAPL from groundwater and the capillary fringe and (2) enhancing natural in situ degradation of petroleum contaminants in the vadose zone via bioventing.

1.1 Objectives

The main objective of the Bioslurper Initiative is to develop procedures for evaluating the potential for recovering free-phase LNAPL present at petroleum-contaminated sites. The overall study is designed to evaluate bioslurping and identify site parameters that are reliable predictors of bioslurping performance. To measure LNAPL recovery in a wide variety of in situ conditions, tests are being performed at many sites. The tests at Eaker AFB are two of over 40 similar field tests to be conducted at various locations throughout the United States and its possessions. Aspects of the testing program that apply to all sites are described in the Test Plan and Technical Protocol for Bioslurping (Battelle, 1995). Test provisions specific to activities at Eaker AFB were described in the Site-Specific Test Plan provided in Appendix A.

The intent of field testing is to collect data to support determination of the predictability of LNAPL recovery and to evaluate the applicability, cost, and performance of the bioslurping technology for removal of free product and remediation of the contaminated area. The on-site testing

is structured to allow direct comparison of the LNAPL recovery achieved by bioslurping with the performance of more conventional LNAPL recovery technologies. The test method included an initial site characterization followed by LNAPL recovery testing. The three LNAPL recovery technologies tested at Eaker AFB were skimmer pumping, bioslurping, and drawdown pumping. The specific test objectives, methods, and results for the Eaker AFB test program are discussed in the following sections.

1.2 Testing Approach

Bioslurper pilot test activities were conducted at two sites at Eaker AFB: Site 160 and Spill Site 2. Results from the two test sites are presented separately in the following sections.

Site characterization activities were conducted to evaluate site variables that could affect LNAPL recovery efficiency and to determine the bioventing potential of the site. Testing included baildown testing to evaluate the mobility of LNAPL, soil sampling to determine physical/chemical site characteristics, soil gas permeability testing to determine the radius of influence, and in situ respiration testing to evaluate site microbial activity.

Following the site characterization activities, the pump tests were conducted. At Site 160, pilot tests for skimmer pumping, bioslurping, and drawdown pumping were conducted at monitoring well TW1105. The LNAPL recovery testing was conducted in the following sequence: 25.5 hours in the skimmer configuration, approximately 92 hours in the bioslurper configuration (there were three shutdowns for system modifications), an additional 23 hours in the skimmer configuration, 6.2 hours in the drawdown configuration, and an additional 5 hours in the drawdown configuration under vacuum-enhanced conditions. Measurements of extracted soil gas composition, LNAPL thickness, and groundwater level were taken throughout the testing. The volume of LNAPL recovered and groundwater extracted were quantified over time.

At Spill Site 2, pilot tests for skimmer pumping, bioslurping, and drawdown pumping were conducted at monitoring well MW-316. The LNAPL recovery testing was conducted in the following sequence: 47 hours in the skimmer configuration, approximately 90 hours in the bioslurper configuration (there was one shutdown overnight), an additional 12.5 hours in the skimmer configuration, and 8.6 hours in the drawdown configuration. Measurements of extracted soil gas composition, LNAPL thickness, and groundwater level were taken throughout the testing. The volume of LNAPL recovered and groundwater extracted were quantified over time.

2.0 FREE PRODUCT RECOVERY TESTING AT SITE 160

2.1 Site Description

The information presented in this section was obtained from site-specific information received by Battelle from Eaker AFB. Eaker AFB is located in Arkansas. The Base Exchange Shoppette Service Station is located on the corner of 3rd and Arkansas Avenue near residential units in the west central portion of the base (Figure 1). The service station has been in operation since 1969 and consists of two 10,000 gallon and one 6,000 gallon underground storage tanks (USTs) which were used to store unleaded gasoline. An additional 1,000 gallon UST with no form of corrosion protection contained waste oil and hydraulic fluid.

Records of past contamination include a 1974 leak in the UST fuel line, which resulted in an unknown amount of fuel spillage. In 1989 tank tightness tests were performed on the USTs. One of the 10,000 gallon tanks tested positive for leaks and therefore was deactivated.

Site geology consists of sand or sandy clay to a depth of 10 ft bgs with an underlying unit of gray to gray brown clay. Below this can be found a unit of medium to coarse grained sand which is poorly sorted and not laterally continuous.

Depth to groundwater at the service station is 7.5 to 10 ft bgs, with a depression in the water table being found in the vicinity of the UST pit. Indications suggest that water flows to this point from the northwest and the southeast. Free product has been found at various wells on site with greater than 4 ft being present at TW-1105. Additional wells which were bailed periodically by base personnel include TW-508 and B-20.

Past site investigations reveal that the highest concentrations of organic compounds were found in shallow subsurface soils near the gasoline pit and fuel lines. A 1991 investigation by PSI indicated the maximum BTEX concentration in subsurface soils to be 785 mg/kg at B-20 and the maximum TPH concentration to be 559 mg/kg at B-5. A 1992 investigation by Halliburton showed subsurface soils to have maximum concentrations of 172 mg/kg at TW-1110 and 172 mg/kg at TW-1109 for BTEX and TPH, respectively. BTEX concentrations in deeper soil tend to be higher in areas south and east of the tank pit. The full lateral and vertical extent of the plume has not yet been defined.




Figure 1. Schematic Diagram Illustrating Groundwater Elevations at the BX Shoppette Service Station

In addition to soil samples, groundwater samples from 8 permanent monitoring wells were analyzed for BTEX and TPH. Only two wells contained detectable levels of BTEX and TPH (MW-1110, MW-1111), with maximum concentrations found to be 14 mg/kg and 2.7 mg/kg respectively.

2.2 Pilot Test Methods

This section documents the initial conditions at the test site and describes the test equipment and methods used for the short-term pilot test at Eaker AFB.

2.2.1 Initial LNAPL/Groundwater Measurements and Baildown Testing

Monitoring well TW1105 was evaluated for use in the bioslurper pilot testing. Initial depths to LNAPL and to groundwater were measured using an oil/water interface probe (ORS Model #1068013). LNAPL was removed from the well with a Teflon® bailer until the LNAPL thickness could no longer be reduced. The rate of increase in the thickness of the floating LNAPL layer was monitored using the oil/water interface probe for approximately 14 hours.

2.2.2 Well Construction Details

A short-term bioslurper pump test was conducted at existing monitoring well TW1105. The well is constructed of 2-inch-diameter, schedule 40 polyvinyl chloride (PVC). The precise construction details for the monitoring well have not been received from the Base. A schematic diagram showing general construction details and location of the monitoring well is shown in Figure 2.

2.2.3 Soil Gas Monitoring Point Installation

Three monitoring points were installed in the area of monitoring well TW1105 and were labeled MPA, MPB, and MPC. The locations and construction details of the monitoring points are illustrated in Figure 2.

The monitoring points consisted of sets of ¼-inch tubing, with 1-inch-diameter, 6-inch-long screened areas. The screened lengths were positioned at the appropriate depths, and the annular space




Figure 2. Schematic Diagram Showing Construction Details of Monitoring Well TW1105 and Soil Gas Monitoring Points at Site 160

filled with silica sand. The interval between the screened

lengths was filled with bentonite clay chips, as was the space from the top of the shallowest screened length to the ground surface. After placement, the bentonite clay was hydrated with water to expand the chips and provide a seal. The monitoring points were installed at depths as follows:

- Monitoring point MPA was installed at a depth of 15.5 ft into a 6-inch diameter borehole. The monitoring point was screened to three depths: 3.5 to 4.0, 7.5 to 8.0 ft, and 12.0 to 12.5 ft. A Type K thermocouple was installed with the screened interval at 7.5 to 8.0 ft.
- Monitoring point MPB was installed at a depth of 15.5 ft into a 6-inch diameter borehole. The monitoring point was screened to four depths: 2.5 to 3.0 ft, 7.5 to 8.0 ft, 13.2 to 13.7 ft, and 15.0 to 15.5 ft.
- Monitoring point MPC was installed at a depth of 17.5 ft into a 6-inch diameter borehole. The monitoring point was screened to three depths: 6.5 to 7.0 ft, 11.5 to 12.0 ft, and 16.0 to 16.5 ft.

After installation of the monitoring points, initial soil gas measurements were taken with a GasTechtor portable O_2/CO_2 meter and a GasTech Trace-Techtor portable hydrocarbon meter. In general, oxygen-deficient, carbon dioxide-rich, high total volatile hydrocarbon vapor conditions were observed across the 3- to 17-ft bgs horizons (Table 1).

2.2.4 Soil Sampling and Analysis

Three soil samples were collected during the installation of monitoring point MPA and were labeled Facility 160-14.0-14.5, Facility 160-14.5-15.0, and Facility 160-15.0-15.5. The soil samples were collected in a brass sleeve using a split-spoon sampler. The samples were placed in an insulated cooler, chain-of-custody records and shipping papers were completed, and the samples were sent to Alpha Analytical, Inc., in Sparks, Nevada. All samples were analyzed for alkalinity, BTEX, bulk density, moisture content, particle size, pH, porosity, total iron, total Kjeldahl nitrogen (TKN), total phosphorus, and TPH. The laboratory analytical report is provided in Appendix B.

Table 1. Initial Soil Gas Compositions at Site 160

Monitoring Point	Depth (ft)	Oxygen (%)	Carbon Dioxide (%)	TPH (ppmv)
MPA	4.0	0	>25.0	>20,000
	8.0	0	24.5	>20,000
	12.6	0	24.0	>20,000
MPB	3.0	0	>25.0	>20,000
	8.0	0	>25.0	>20,000
	13.7	0	24.3	>20,000
MPC	7.0	0	>25.0	>20,000
	12.0	0.3	>25.0	>20,000
	16.5	0.5	>25.0	>20,000

2.2.5 LNAPL Recovery Testing

2.2.5.1 System Setup

The bioslurping pilot test system is a trailer-mounted mobile unit. The vacuum pump (Atlantic Fluidics Model A100, 7.5-hp liquid ring pump), oil/water separator, and required support equipment are carried to the test location on a trailer. The trailer was located near monitoring well TW1105, the well cap was removed, a coupling and tee were attached to the top of the well, and the slurper tube was lowered into the well. The slurper tube was attached to the vacuum pump. Different configurations of the tee and the placement depth of the slurper tube allow for simulation of skimmer pumping, operation in the bioslurping configuration, or simulation of drawdown pumping. Extracted groundwater was treated by passing the effluent through an oil/water separator to a 375 gallon tank and then pumped to a 21,000 gallon storage tank.

A brief system startup test was performed prior to LNAPL recovery testing to ensure that all system components were working properly. The system checklist is provided in Appendix C. All site data and field testing information were recorded in a field notebook and then transcribed onto pilot test data sheets provided in Appendix D.

2.2.5.2 Initial Skimmer Pump Test

Prior to test initiation, depths to LNAPL and groundwater were measured. A peristaltic pump was used to conduct the skimmer pump test. The tube was held in place at the oil/water interface and the peristaltic pump was started at 8 am, 10 September 1996, to begin the skimmer pump test. The test was operated continuously for 25.5 hours. The LNAPL and groundwater extraction rates were monitored throughout the test, as were all other relevant data for the skimmer pump test. Test data sheets are provided in Appendix D.

2.2.5.3 Bioslurper Pump Test

Prior to test initiation, depths to LNAPL and groundwater were measured. The slurper tube was then set at the LNAPL/groundwater interface. The PVC connecting tee was removed, sealing the wellhead and allowing the pump to establish a vacuum in the well (Figure 3). A pressure gauge was installed at the wellhead to measure the vacuum inside the extraction well. The liquid ring pump and oil/water separator were primed with known amounts of groundwater to ensure that any LNAPL or groundwater entering the system could be quantified. The flow totalizers for the LNAPL and aqueous effluent were zeroed, and the liquid ring pump was started at 10:56 am, 12 September 1996, to begin the bioslurper pump test. The test was initiated approximately 25 hours after the skimmer pump test and was operated continuously for approximately 92 hours. The pump head vacuum was approximately 24.5"Hg, the well head vacuum was approximately 18"H₂O, the drop tube vacuum was approximately 18.6"Hg, and the vapor flowrate was approximately 9.5 scfm. The LNAPL and groundwater extraction rates were monitored throughout the test, as were all other relevant data for the bioslurper pump test. Test data sheets are provided in Appendix D.

2.2.5.4 Second Skimmer Pump Test

Upon completion of the bioslurper pump test, preparations were made to begin the second skimmer pump test. Prior to test initiation, depths to LNAPL and groundwater were measured. A peristaltic pump was used to conduct the skimmer pump test. The tube was held in place at the oil/water interface and the peristaltic pump was started at 11:30 am, 16 September 1996, to begin the




Figure 3. Drop Tube Placement and Valve position for the Bioslurper Pump Test

second skimmer pump test. The test was initiated approximately 0.5 hour after the bioslurper pump test and was operated continuously for 23 hours.


An LNAPL sample was collected during the second skimmer test and was labeled EAK-160-F. The sample was sent to Alpha Analytical, Inc., Sparks, Nevada for analysis of BTEX and TPH only. The LNAPL and groundwater extraction rates were monitored throughout the test, as were all other relevant data for the bioslurper pump test. Test data sheets are provided in Appendix D.

2.2.5.5 Drawdown Pump Test

Upon completion of the second skimmer pump test, preparations were made to begin the drawdown pump test. Prior to test initiation, depths to LNAPL and groundwater were measured. The slurper tube was then set so that the tip was 26 inches below the oil/water interface with the PVC connecting tee open to the atmosphere (Figure 4). The liquid ring pump and oil/water separator were primed with known amounts of groundwater to ensure that any LNAPL or groundwater entering the system could be quantified. The flow totalizers for the LNAPL and aqueous effluent were zeroed, and the liquid ring pump was started at 1535, 17 September 1996, to begin the drawdown pump test. The test was initiated approximately 5 hours after the second skimmer pump test and was operated continuously for 6.2 hours. The pump head vacuum was approximately 17"Hg and the vapor flowrate was approximately 40 scfm. The LNAPL and groundwater extraction rates were monitored throughout the test, as were all other relevant data for the drawdown pump test. Test data sheets are provided in Appendix D.

2.2.5.6 Drawdown Pump Test (Vacuum-Enhanced)

Due to poor recovery during normal drawdown conditions, a vacuum was applied to the monitoring well when the pump was set up in a drawdown configuration. The slurper tube remained in the same position as during the atmospheric drawdown pump test. The pump head vacuum was approximately 26.5"Hg, the well head vacuum was approximately 21.9"H₂O, the drop tube vacuum was approximately 23.5"Hg, and the vapor flowrate was approximately 7.4 scfm. The vacuum on the wellhead was 21 inches of Hg. The test was initiated 12.75 hours after the atmospheric drawdown pump test and was operated continuously for 5 hours. The LNAPL and groundwater



NKA/Kittel/10-01d

Figure 4. Drop Tube Placement and Valve position for the Drawdown Pump Test

extraction rates were monitored throughout the test, as were all other relevant data for the drawdown pump test. Test data sheets are provided in Appendix D.

2.2.5.7 Off-Gas Sampling and Analysis

Two soil gas samples were collected from the bioslurper off-gas during the bioslurper pump test. The samples were collected in a Tedlar® bag and transferred to Summa® canisters. The samples were labeled EAK-160-1 and EAK-160-2 and were collected 66 hours after initiation of bioslurping. The samples were sent under chain of custody to Air Toxics, Ltd., in Rancho Cordova, California, for analyses of BTEX and TPH.

2.2.5.8 Groundwater Sampling and Analysis

One groundwater sample was collected during the bioslurper pump test. The sample was collected from the oil/water separator and labeled EAK-160-OWS. The sample was collected in a 40-mL VOA vial containing HCl preservative. The sample was checked to ensure no headspace was present and was then shipped on ice and sent under chain of custody to Alpha Analytical, Inc., in Sparks, Nevada for analyses of BTEX and TPH.

2.2.6 Bioventing Analyses

2.2.6.1 Soil Gas Permeability Testing

Soil gas permeability test data were collected during the bioslurper pump test in monitoring well TW1105. Before a vacuum was established in the extraction well, the initial soil gas pressures at the monitoring points were recorded. The start of the bioslurper pump test created a steep pressure drop in the extraction well which was the starting point for the soil gas permeability testing. Soil gas pressures were measured at each of the three monitoring points at all depths to track the rate of outward propagation of the pressure drop in the extraction well. Soil gas pressure data were collected frequently during the first 20 minutes of the test. The soil gas pressures were recorded throughout the bioslurper pump test to determine the bioventing radius of influence. Test data are provided in Appendix E.

2.2.6.2 In Situ Respiration Testing

Air containing approximately 1.3% helium was injected into three monitoring points for approximately 23 hours beginning on 16 September 1996. The setup for the in situ respiration test is described in the Test Plan and Technical Protocol a Field Treatability Test for Bioventing (Hinchee et al., 1992). A ½-hp diaphragm pump was used for air and helium injection. Air and helium were injected through the following monitoring points at the depths indicated: MPA-8.0′, MPA-12.5′, and MPB-13.7′. After the air/helium injection was terminated, soil gas concentrations of oxygen, carbon dioxide, TPH, and helium were monitored periodically. The in situ respiration test was terminated on September 18, 1996. Oxygen utilization and biodegradation rates were calculated as described in Hinchee et al. (1992). Raw data for these tests are presented in Appendix F.

Helium concentrations were measured during the in situ respiration test to quantify helium leakage to or from the surface around the monitoring points. Helium loss over time is attributable to either diffusion through the soil or leakage. A rapid drop in helium concentration usually indicates leakage. A gradual loss of helium along with a first-order curve generally indicates diffusion. As a rough estimate, the diffusion of gas molecules is inversely proportional to the square root of the molecular weight of the gas. Based on molecular weights of 4 for helium and 32 for oxygen, helium diffuses approximately 2.8 times faster than oxygen, or the diffusion of oxygen is 0.35 times the rate of helium diffusion. As a general rule, we have found that if helium concentrations at test completion are at least 50 to 60% of the initial levels, measured oxygen uptake rates are representative. Greater helium loss indicates a problem, and oxygen utilization rates are not considered representative.

2.3 Pilot Test Results

This section documents the results of the site characterization, the comparative LNAPL recovery pump test, and other supporting tests conducted at Eaker AFB.

2.3.1 Baildown Test Results

Results from the baildown test in monitoring well TW1105 are presented in Table 2. A total volume of 9.0 L (2.4 gallons) was removed by hand bailing from monitoring well TW1105. The

Table 2. Results of Baildown Testing at Monitoring Well TW1105, Site 160

Sample Collection Time	Time (hr)	Depth to Groundwater (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)
Initial Reading 9/9/96 - 1610	0	19.05	13.22	5.83
9/9/96 - 1704	0.93	18.07	17.94	0.13
9/9/96 - 1902	2.87	15.73	14.91	0.82
9/10/96 - 0715	15.08	15.51	14.39	1.12

LNAPL recovery rate was relatively slow and the LNAPL thickness did not recover to initial levels by the end of the 14-hour test period. Pilot testing was initiated in this well to determine if vacuum-enhanced conditions would facilitate free product recovery.

2.3.2 Soil Sample Analyses

Table 3 shows the BTEX and TPH concentrations measured in the soil samples collected from Site 160. BTEX and TPH concentrations were relatively high at an average total BTEX concentration of 6,200 mg/kg and an average TPH concentration of 28,000 mg/kg. The results of the physical characterization of the soil are presented in Table 4.

2.3.3 LNAPL Pump Test Results

2.3.3.1 Initial Skimmer Pump Test Results

The LNAPL thickness prior to the initial skimmer pump test was 1.12 ft. A total of 0.12 gallons of LNAPL was recovered during this test, with an average recovery rate of 0.11 gallons/day (Table 5). A total of 7.7 gallons of groundwater was produced with an average production rate of 7.2 gallons/day. Figure 5 illustrates the fuel recovery versus time during each pump test.

Table 3. TPH and BTEX Concentrations in Soil Samples from Site 160

		Concentration (mg/kg)	
Parameter	FAC 160-14.0-14.5	FAC 160-14.5-15.0	FAC 160-15.0-15.5
TPH (purgeable)	24,000	26,000	33,000
Benzene	170	200	240
Toluene	1,900	2,400	2,600
Ethylbenzene	480	580	670
Total Xylenes	2,500	3,200	3,600

Table 4. Physical Characterization of Soils from Site 160

Parameter		Sample				
		Facility 160-14.0- 14.5	Facility 160-14.5- 15.0	Facility 160-15.0- 15.5		
Alkalinity (mg	g/kg)	320	340	380		
Density (g/cm ³)		1.61	1.73	1.62		
Moisture Content (%)		12.2	14.6	14.3		
Particle Size	Sand	89.7	81.4	90.4		
	Silt	7.5	11.1	5.7		
	Clay	2.8	7.5	3.9		
pН		9.4	9.54	9.5		
Porosity (%)		39.2	34.7	38.9		
Total Iron (mg/kg)		5,100	8,400	4,200		
Total Kjeldah (mg/kg)	l Nitrogen	263	209	194		
Total Phospho	orus (mg/kg)	23	60	46		

Table 5. Pump Test Results at Monitoring Well TW1105, Site 160

					Recovery 1	Recovery Rate (gallons/day)				
Time	Skimme	Skimmer Pump Test	Bioslurp	Bioslurper Pump Test	Secon Pu	Second Skimmer Pump Test	Drawdov	Drawdown Pump Test	Drawdo (Vacuu	Drawdown Pump Test (Vacuum Enhanced)
(days)	LNAPL	Groundwater	LNAPL	Groundwater	LNAPL	Groundwater	LNAPL	Groundwater	LNAPL	Groundwater
1	0.11	7.2	54	130	0.019	7.8	0	1.1	0	114
2	NA	NA	10	09	NA	NA	NA	NA	NA	NA
3	NA	NA	22	150	NA	NA	NA	NA	NA	NA
4	NA	NA	6.8	63	NA	NA	NA	NA	NA	NA
Average	0.11	7.2	25	86	0.019	7.8	0	1.1	0	114
Total	0.12	L.T	94.3	373	0.018	7.8	0	1.1	0	24
Recovery (gal)										

NA = Not applicable.




Figure 5. Fuel Recovery Versus Time During Each Pump Test at Site 160

2.3.3.2 Bioslurper Pump Test Results

LNAPL recovery rates increased significantly during the bioslurper pump test as compared to the skimmer pump test. A total of 94.3 gallons of LNAPL and 373 gallons of groundwater were extracted during the bioslurper pump test (Table 5). The initial free product recovery rate was 54 gallons/day, but decreased significantly by day 2 and had dropped to 8.9 gallons/day by day 4. Figure 6 presents the fuel recovery rate versus time during the bioslurper pump test.

Soil gas concentrations were measured at monitoring points during the bioslurper pump test to determine whether the vadose zone was being oxygenated. Oxygen concentrations were impacted slightly at most monitoring points in the vicinity of TW1105 (Table 6). However, these increases were low and not consistent with respect to depth or distance from the bioslurper well. It is likely that over time, these areas would become oxygenated, given that a radius of influence of 48 ft was determined during the soil gas permeability test. It is our experience that areas where a pressure change is observed will generally become oxygenated.

2.3.3.3 Second Skimmer Pump Test

Totals of 0.018 gallons of LNAPL and 7.8 gallons of groundwater were recovered during the second skimmer pump test, with daily average recovery rates of 0.019 gallons/day for LNAPL and 7.8 gallons/day for groundwater (Table 5). These results demonstrate that operation of the bioslurper system in the skimmer mode was not an effective means of free-product recovery.

2.3.3.4 Drawdown Pump Test

Drawdown pump testing was conducted to determine if a cone of groundwater depression would enhance LNAPL recovery. The water table was depressed 26 inches below the static water table. No measurable free-phase LNAPL and minimal groundwater (1.1 gallons/day) was recovered in this mode during 6.2 hours of continuous extraction under normal atmospheric conditions (Table 5). These results demonstrate that operation of the bioslurper system in the drawdown mode was not an effective means of free-product recovery.




Figure 6. Fuel Recovery Rate Versus Time During the Bioslurper Pump Test at Site 160

Table 6. In Situ Oxygen Concentrations During the Bioslurper Pump Test at Monitoring Well TW1105, Site 160

24	Oxygen Concentrations (%) Versus Time (hours)					
Monitoring Point	0	56	71	97		
MPA-4.0	0	2.8	4.5	1.5		
MPA-8.0	0	0.5	0.5	0		
MPA-12.0	0	0	4.5	0		
MPB-3.0	0	0	0	0		
MPB-8.0	0	0.3	0	4.0		
MPB-13.7	0	0.5	0	0		
MPC-7.0	0	0	0	0		
MPC-12.0	0.	0.01	0.7	1.5		
MPC-16.5	0.5	0	0	0		

2.3.3.5 Drawdown Pump Test (vacuum enhanced)

In an effort to enhance fluid recovery, a vacuum was applied to the well in the drawdown configuration. No LNAPL and very little groundwater was extracted, with totals of 0 gallons of LNAPL and 23.8 gallons of groundwater extracted (Table 5). These results demonstrate that operation of the bioslurper system in the drawdown mode under vacuum enhanced conditions was not an effective means of free-product recovery.

2.3.3.6 Extracted Groundwater, LNAPL, and Off-Gas Analyses

One groundwater sample was collected during the bioslurper pump test. TPH concentration was low, with a concentration of 86 mg/L (Table 7). The total BTEX concentration was 40.5 mg/L.

Off-gas samples from the bioslurper system also were collected during the bioslurper pump test. The results from the off-gas analyses are presented in Table 8. Given a vapor discharge rate of 9.4 scfm and using a concentration of 47,000 ppmv TPH and 2,750 ppmv benzene, approximately

Table 7. BTEX and TPH Concentrations in Extracted Groundwater During the Bioslurper Pump Test at Site 160

	Concentration (mg/L)
Parameter	EAK-160-OWS
TPH (purgeable)	86
Benzene	5.6
Toluene	22
Ethylbenzene	1.9
Total Xylenes	11

Table 8. BTEX and TPH Concentrations in Off-Gas During the Bioslurper Pump Test at Site 160

Parameter	Concentration (mg/L)		
	EAK-160-1	EAK-160-2	
TPH referenced to gasoline	51,000	43,000	
C2 - C4 Hydrocarbons	25,000	17,000	
Benzene	3,000	2,500	
Toluene	8,900	7,800	
Ethylbenzene	660	740	
Total Xylenes	2,400	2,700	

165 lb/day of TPH and 7.5 lb/day benzene was emitted to the air during the bioslurper pump test. The composition of LNAPL in terms of BTEX is shown in Table 9.

Table 9. BTEX Concentrations in LNAPL at Site 160

Compound	Concentration (mg/kg)
Benzene	1,300
Toluene	42,000
Ethylbenzene	21,000
Total Xylenes	110,000

2.3.4 Bioventing Analyses

2.3.4.1 Soil Gas Permeability and Radius of Influence

The radius of influence is calculated by plotting the log of the pressure change at a specific monitoring point versus the distance from the extraction well. The radius of influence is then defined as the distance from the extraction well where 0.1 inch of H_2O can be measured. Based on this definition, the radius of influence during the bioslurper pump test at monitoring well TW1105 was approximately 48 ft (Figure 7).

2.3.4.2 In Situ Respiration Test Results

Results from the in situ respiration test are presented in Table 10. Oxygen depletion was relatively fast, with oxygen utilization rates ranging from 0.80 to $1.0~\%O_2/hr$. Biodegradation rates ranged from 13 to 17 mg/kg-day.




Figure 7. Radius of Influence Determination Based on Soil Gas Pressure Change Versus Distance from Extraction Well at Site 160

Table 10. In Situ Respiration Test Results at Site 160

Monitoring Point	Oxygen Utilization Rate (%/hr)	Biodegradation Rate (mg/kg-day)
MPA-8.0	0.94	15
MPA-12.6	1.03	17
MPA-13.7	0.80	13

2.4 Discussion

A baildown recovery test was conducted at monitoring well TW1105. Baildown recovery tests provide a qualitative indication of the presence of mobile, free-phase LNAPL and LNAPL recovery potential. Overall the baildown recovery test indicated a relatively slow rate of LNAPL recovery into the well. Also, the baildown recovery resulted in an LNAPL thickness substantially less than the initial apparent thickness. The initial LNAPL thickness in the monitoring well was 5.83 ft and, 14 hours after baildown, had recovered to 1.12 ft. Although the recovery rate during the baildown test was relatively low, several sites under the Bioslurper Initiative have shown good LNAPL recovery during bioslurping despite low recovery rates during baildown tests. Therefore, this monitoring well was used for the pump tests.

A series of pump tests were conducted at monitoring well TW1105: skimmer pumping (before and after bioslurping), bioslurping, and drawdown pumping (atmospheric and vacuum-enhanced). Skimmer pump testing initially was conducted in a continuous extraction mode for approximately 25.5 hours. No significant free-phase LNAPL was recovered during skimmer pump testing, indicating that gravity-driven recovery is minimal. Bioslurper testing was conducted for approximately four days resulting in relatively high recovery in comparison to skimmer pumping. During the first day, the recovery rate averaged 54 gallons/day and dropped to 10 gallons/day by day 2. The LNAPL recovery rate appeared to stabilize by day 4 at approximately 8.9 gallons/day. Vacuum levels in the well were relatively high at approximately 18"Hg. LNAPL recovery during the second skimmer pump test was even lower than the first skimmer pump test, with an average recovery rate of 0.019 gallons/day. Drawdown pump testing was conducted to determine if a cone of groundwater depression would enhance LNAPL recovery. The water table was depressed 26 inches below the

static water table. No measurable free-phase LNAPL and minimal groundwater was recovered in this mode during 6.2 hours of continuous extraction. In an effort to enhance recovery, vacuum was applied to the well once the water table was drawn down. Although groundwater was produced under these conditions, no free-phase LNAPL could be recovered. These results illustrate that the vacuum gradient maintained during the bioslurper test resulted in higher fluid recovery rates than the 26-inch groundwater drawdown test.

Groundwater production rates during bioslurping were significantly higher than rates during the skimmer or drawdown pump tests. The average rate was 98 gallons/day, which was transferred to a 21,000 gallon storage tank.

Bioslurping also promotes mass removal in the form of volatilization and in situ biodegradation via aeration of the vadose zone. Vapor phase mass removal is the result of soil gas extraction as well as volatilization that may occur during the movement of free-phase LNAPL through the extraction network. Given, the measured vapor flowrate and vapor concentrations, initial hydrocarbon removal rates were approximately 165 lb/day of TPH and 7.5 lb/day of benzene. Thus, initially, mass removal in the vapor phase is significant. However, this short-term test does not provide a good indication as to whether these rates would be sustained. Higher vapor mass removal rates are more often sustained at those sites where liquid product recovery is sustained.

In situ biodegradation rates of 13 to 17 mg/kg-day were measured at three different locations. Based on the radius of influence of 48 ft and a hydrocarbon-impacted soil thickness of 19 ft, mass removal rates via biodegradation are on the order of 160 to 200 lbs of hydrocarbon per day. Thus, mass removal rates via biodegradation could be significant. These results indicate that bioventing is feasible at this site. Air injection bioventing is preferable over bioslurping and soil vapor extraction with respect to the elimination of hydrocarbon vapor emissions.

The initial soil gas profiles at the site displayed oxygen-deficient, carbon dioxide-rich, high total volatile hydrocarbon vapor conditions across the 3 to 17 ft bgl horizons. These conditions indicate that natural biodegradation of residual petroleum hydrocarbons has occurred, but is limited by oxygen availability. Soil gas concentrations were measured during the bioslurper test at monitoring points adjacent to monitoring well TW1105 to determine if the vadose zone was being oxygenated via the bioslurper action. Oxygen concentrations were most influenced at monitoring point MPA, 10 ft from the bioslurper well; however, oxygen increases were low and not consistent throughout the test. Based on the soil gas permeability test, where a radius of influence of 48 ft was measured, it is likely

that these areas will become fully aerated. In short, a four day extraction time frame at 11 scfm is insufficient to exchange sufficient pore volumes of soil gas to fully oxygenate the zone of influence.

In summary, the on-site testing at Site 160, Eaker AFB, included the direct testing of gravity-driven and vacuum-driven LNAPL recovery techniques, bioventing, physical sampling, and tests relevant to soil vapor extraction. Liquid phase recovery was only sustainable in the bioslurper mode and therefore, bioslurping is recommended at this site provided a cost-effective means for long-term water treatment is viable. The generation of off-gas is undesirable and sustained rates of off-gas discharge cannot be estimated accurately from this test, since typically off-gas concentrations will decrease with time. The in situ respiration test and vadose zone radius of influence testing demonstrate that bioventing is feasible at this site.


3.0 FREE PRODUCT RECOVERY TESTING AT SPILL SITE 2

3.1 Site Description

The Underground Waste Oil Tank (UWOT) site (Facility #1344) has operated since 1972 and is still active. The UWOT is located in the northwest portion of the base about 800 ft south of the FPTA (Figure 8). The facility consists of two currently empty 10,000 gallon USTs installed in 1988 which previously contained waste oil and JP-4 jet fuel. A concrete pad containing a drain leading to an oil/water separator was installed in 1988 for vehicles transferring waste oil. The surface of the UWOT is gravel paved over soil and discoloration is evident in the vicinity of the transfer area. Facility #1344 is used to store hazardous and nonhazardous waste oils until their removal to off-site disposal facilities which occurs about once every 3 months. Four 4,000 gallon USTs and one 500 gallon UST were previously located at the site until their removal in 1987. The tanks had been used to hold waste oils, solvents, and JP-4 jet fuel and were not cathodically protected.

Site geology consists predominately of clay to a depth of 22 ft bgs. The unit below this depth tends to be dominated by sand. Depth to groundwater at the site ranges from 9 to 12 ft bgs and groundwater flow is to the south.

Investigations have been made to characterize the site, however, data collection is insufficient to define the extent of the contamination. Soil and groundwater samples taken from five 25 ft borings were analyzed in 1987. Four monitoring wells (MW501, MW502, MW503, and MW504) were



Schematic Diagram Showing Monitoring Well Locations and Total Volatile Organic Compounds in Soil Gas at Spill Site 2 Figure 8.

installed in 1988, three of which had depths of 25 to 30 ft bgs and one of which had a depth of 70 ft bgs. Volatile organic compounds (VOCs) were found at concentrations of up to 169 mg/L in soil gas during this 1988 investigation. In 1991, groundwater samples were taken from existing wells in addition to soil gas sampling. Samples were analyzed for BTEX, VOCs, and chlorinated hydrocarbons. Soil samples were taken from the vadose and saturated zones again in 1992. Results revealed the highest concentrations of organic compounds downgradient from the UWOT. Organic compounds were detected at depths of 2 to 19 ft bgs with maximum concentrations being found at 3 to 11 ft bgs. A maximum TPH concentration of 8,900 mg/kg and a maximum xylene concentration of 25 mg/kg were found.

In general, low levels of organic and inorganic compounds were found in the groundwater. None of the organic compounds at the site exceeded MCLs in the sampling conducted by Halliburton NUS in 1988 and 1991. Inorganic analytes exceeding MCLs were antimony and cadmium. There was, however, about 6 ft of free product found in TW508. Free product was encountered in a sandy unit at 16 ft bgs and is thought to have migrated through vertical sand-filled fractures since it does not appear to be present in clay units at the same depth. Groundwater sampling conducted in 1995 revealed the presence of small amounts of chlorinated compounds. Maximum concentrations of 1,2-Dichloroethene, 1,4-Dichlorobenzene, and 1,2-Dichlorobenzene were 45, 75, and 9 ppb, respectively.

3.2 Pilot Test Methods

This section documents the initial conditions at the test site and describes the test equipment and methods used for the short-term pilot test at Eaker AFB.

3.2.1 Initial LNAPL/Groundwater Measurements and Baildown Testing

Monitoring wells MW-306 and MW-316 was evaluated for use in the bioslurper pilot testing. Initial depths to LNAPL and to groundwater were measured using an oil/water interface probe (ORS Model #1068013). LNAPL was removed from the well with a Teflon® bailer until the LNAPL thickness could no longer be reduced. The rate of increase in the thickness of the floating LNAPL layer was monitored using the oil/water interface probe for approximately 19 hours at monitoring well MW-316. At monitoring well MW-306, the baildown test was conducted for approximately 4 hours, at which point the well was bailed down again and monitored for approximately 2 hour. A final

baildown test was performed in monitoring well MW-306 the following day and was monitored for approximately 5 hours.


3.2.2 Well Construction Details

A short-term bioslurper pump test was conducted at existing monitoring well MW-316. The well is constructed of 4-inch-diameter, schedule 40 PVC. Precise construction details have not been received from the Base to date. A schematic diagram illustrating general monitoring well construction details and location is shown in Figure 9.

3.2.3 Soil Gas Monitoring Point Installation

Three monitoring points were installed in the area of monitoring well MW-316 and were labeled MPA, MPB, and MPC. The locations and construction details of the monitoring points are illustrated in Figure 9. The monitoring points consisted of sets of ¼-inch tubing, with 1-inch-diameter, 6-inch-long screened areas. The screened lengths were positioned at the appropriate depths, and the annular space corresponding to the screened length was filled with silica sand. The interval between the screened lengths was filled with bentonite clay chips, as was the space from the top of the shallowest screened length to the ground surface. After placement, the bentonite clay was hydrated with water to expand the chips and provide a seal. The monitoring points were installed to a depth of 12.5 ft into a 6-inch diameter borehole. Each monitoring point was screened to three depths: 3.5 to 4.0, 7.5 to 8.0, and 11.5 to 12.0 ft. A Type K thermocouple was installed at monitoring point MPB-4.0' and MPC-12.5'.

After installation of the monitoring points, initial soil gas measurements were taken with a GasTechtor portable O_2/CO_2 meter and a GasTech Trace-Techtor portable hydrocarbon meter. In general, oxygen limitation was observed at the deeper depths (8 ft and greater) of all three monitoring points. Also, TPH levels were greater than 20,000 ppmv at all monitoring points at depths 8.0 ft and greater (Table 11).



Schematic Diagram Showing Construction Details for Monitoring Well MW-316 and Soil Gas Monitoring Points at Spill Site 2 Figure 9.

Table 11. Initial Soil Gas Compositions at Site 2

Monitoring Point	Depth (ft)	Oxygen (%)	Carbon Dioxide (%)	TPH (ppmv)
MPA	4.0	10.0	10	8,600
	8.0	1.0	22	>20,000
	12.0	0.30	17	>20,000
MPB	4.0	17.5	5.5	320
	8.0	3.0	15	>20,000
·	12.0	0	14	>20,000
MPC	4.0	18.8	3.0	520
	8.0	2.0	16	>20,000
	12.0	0	13	>20,000

3.2.4 Soil Sampling and Analysis

Three soil samples were collected during the installation of monitoring point MPA and was labeled EAFB-2 10.5-11.0, EAFB-2 11.0-11.5, and EAFB-2 11.5-12.0. The soil samples were collected in a brass sleeve using a split-spoon sampler. The samples were placed in an insulated cooler, chain-of-custody records and shipping papers were completed, and the samples were sent to Alpha Analytical, Inc., in Sparks, Nevada. All samples were analyzed for alkalinity, BTEX, bulk density, moisture content, particle size, porosity, pH, total iron, total Kjeldahl nitrogen (TKN), total phosphorus, and TPH. The laboratory analytical report is provided in Appendix B.

3.2.5 LNAPL Recovery Testing

3.2.5.1 System Setup

The bioslurping pilot test system is a trailer-mounted mobile unit. The vacuum pump (Atlantic Fluidics Model A100, 7.5-hp liquid ring pump), oil/water separator, and required support equipment are carried to the test location on a trailer. The trailer was located near monitoring well

MW-316, the well cap was removed, a coupling and tee were attached to the top of the well, and the slurper tube was lowered into the well. The slurper tube was attached to the vacuum pump. Different configurations of the tee and the placement depth of the slurper tube allow for simulation of skimmer pumping, operation in the bioslurping configuration, or simulation of drawdown pumping. Extracted groundwater was treated by passing the effluent through an oil/water separator to a 375 gallon tank and then pumped into a 21,000 gallon storage tank. Per request by Eaker AFB, the groundwater was discharged on an impermeable liner located on base and allowed to evaporate.

A brief system startup test was performed prior to LNAPL recovery testing to ensure that all system components were working properly. The system checklist is provided in Appendix C. All site data and field testing information were recorded in a field notebook and then transcribed onto pilot test data sheets provided in Appendix D.

3.2.5.2 Initial Skimmer Pump Test

Prior to test initiation, depths to LNAPL and groundwater were measured. A peristaltic pump was used to conduct the skimmer pump test. The tube was held in place at the oil/water interface and the peristaltic pump was started 1020, 11 September 1996, to begin the skimmer pump test. The test was operated continuously for approximately 47 hours. The LNAPL and groundwater extraction rates were monitored throughout the test, as were all other relevant data for the skimmer pump test. Test data sheets are provided in Appendix D.

3.2.5.3 Bioslurper Pump Test

Prior to test initiation, depths to LNAPL and groundwater were measured. The slurper tube was then set at the LNAPL/groundwater interface. The PVC connecting tee was removed, sealing the wellhead and allowing the pump to establish a vacuum in the well (Figure 3). A pressure gauge was installed at the wellhead to measure the vacuum inside the extraction well. The liquid ring pump and oil/water separator were primed with known amounts of groundwater to ensure that any LNAPL or groundwater entering the system could be quantified. The flow totalizers for the LNAPL and aqueous effluent were zeroed, and the liquid ring pump was started at 1045, 13 September 1996, to begin the bioslurper pump test. The test was initiated approximately 1.5 hr after the skimmer pump test and was operated for approximately 90 hours with one shutdown overnight. The pump head vacuum was

approximately 25"Hg, the well head vacuum was approximately 10"H₂O, and the vapor flowrate was approximately 9.7 scfm. The LNAPL and groundwater extraction rates were monitored throughout the test, as were all other relevant data for the bioslurper pump test. Test data sheets are provided in Appendix D.

An LNAPL sample was collected during the bioslurper pump test and was labeled EAK-2-F. The sample was sent to Alpha Analytical, Inc., Sparks, Nevada for analysis of BTEX and TPH only.

3.2.5.4 Second Skimmer Pump Test

Upon completion of the bioslurper pump test, preparations were made to begin the second skimmer pump test. Prior to test initiation, depths to LNAPL and groundwater were measured. A peristaltic pump was used to conduct the skimmer pump test. The tube was held in place at the oil/water interface and the peristaltic pump was started at 1145, 17 September 1996, to begin the second skimmer pump test. The test was initiated approximately 45 minutes after the bioslurper pump test and was operated continuously for 12.5 hours. The LNAPL and groundwater extraction rates were monitored throughout the test, as were all other relevant data for the bioslurper pump test. Test data sheets are provided in Appendix D.

3.2.5.5 Drawdown Pump Test

Upon completion of the second skimmer pump test, preparations were made to begin the drawdown pump test. Prior to test initiation, depths to LNAPL and groundwater were measured. The slurper tube was then set so that the tip was 1.0 ft below the oil/water interface with the PVC connecting tee open to the atmosphere (Figure 4). The liquid ring pump and oil/water separator were primed with known amounts of groundwater to ensure that any LNAPL or groundwater entering the system could be quantified. The flow totalizers for the LNAPL and aqueous effluent were zeroed, and the liquid ring pump was started at 0940, 18 September 1996, to begin the drawdown pump test. The test was initiated approximately 9.5 hours after the bioslurper pump test and was operated continuously for 8.6 hours. The pump head vacuum was approximately 15.5"Hg and the vapor flowrate was approximately 35 scfm. The LNAPL and groundwater extraction rates were monitored throughout the test, as were all other relevant data for the drawdown pump test. Test data sheets are provided in Appendix D.

3.2.5.6 Off-Gas Sampling and Analysis

Soil gas samples were collected from the bioslurper off-gas during the bioslurper pump test. The samples were collected in a Tedlar® bag and transferred to a Summa® canister. The samples were labeled EAK-S2-1 and EAK-S2-2 and were collected approximately 48 hr after test initiation. The samples were sent under chain of custody to Air Toxics, Ltd., in Rancho Cordova, California, for analyses of BTEX and TPH.

3.2.5.7 Groundwater Sampling and Analysis

Two groundwater samples were collected during the bioslurper pump test. Samples were collected from the oil/water separator and the 21,000 gallon tank and were labeled EAK-2-OWS and EAK-2-TW, respectively and were collected approximately 77 hr after test initiation. Samples were collected in 40-mL VOA vials containing HCl preservative. Samples were checked to ensure no headspace was present and were then shipped on ice and sent under chain of custody to Alpha Analytical, Inc., in Sparks, Nevada for analyses of BTEX and TPH.

3.2.6 Bioventing Analyses

3.2.6.1 Soil Gas Permeability Testing

Soil gas permeability test data were collected during the bioslurper pump test in monitoring well MW-316. Before a vacuum was established in the extraction well, the initial soil gas pressures at the monitoring points were recorded. The start of the bioslurper pump test created a steep pressure drop in the extraction well which was the starting point for the soil gas permeability testing. Soil gas pressures were measured at each of the three monitoring points at all depths to track the rate of outward propagation of the pressure drop in the extraction well. Soil gas pressure data were collected frequently during the first 20 minutes of the test. The soil gas pressures were recorded throughout the bioslurper pump test to determine the bioventing radius of influence. Test data are provided in Appendix E.

3.2.6.2 In Situ Respiration Testing

Air containing approximately 0.4 to 1% helium was injected into three monitoring points for approximately 21 hours beginning on September 17, 1996. The setup for the in situ respiration test is described in the Test Plan and Technical Protocol a Field Treatability Test for Bioventing (Hinchee et al., 1992). A ½-hp diaphragm pump was used for air and helium injection. Air and helium were injected through the following monitoring points at the depths indicated: MPA-12.0′, MPB-12.0′, and MPC-12.0′. After the air/helium injection was terminated, soil gas concentrations of oxygen, carbon dioxide, TPH, and helium were monitored periodically. The respiration test was terminated on September 22, 1996. Oxygen utilization and biodegradation rates were calculated as described in Hinchee et al. (1992). Raw data for these tests are presented in Appendix F.

Helium concentrations were measured during the in situ respiration test to quantify helium leakage to or from the surface around the monitoring points. Helium loss over time is attributable to either diffusion through the soil or leakage. A rapid drop in helium concentration usually indicates leakage. A gradual loss of helium along with a first-order curve generally indicates diffusion. As a rough estimate, the diffusion of gas molecules is inversely proportional to the square root of the molecular weight of the gas. Based on molecular weights of 4 for helium and 32 for oxygen, helium diffuses approximately 2.8 times faster than oxygen, or the diffusion of oxygen is 0.35 times the rate of helium diffusion. As a general rule, we have found that if helium concentrations at test completion are at least 50 to 60% of the initial levels, measured oxygen uptake rates are representative. Greater helium loss indicates a problem, and oxygen utilization rates are not considered representative.

3.3 Pilot Test Results

This section documents the results of the site characterization, the comparative LNAPL recovery pump test, and other supporting tests conducted at Eaker AFB.

3.3.1 Baildown Test Results

Results from the baildown tests in monitoring wells MW-306 and MW-316 are presented in Tables 12 and 13. The initial LNAPL thickness in monitoring well MW-316 was 3.75 ft and, approximately 24 hours after baildown, recovered to 1.09 ft. Recovery at monitoring well MW-306

Table 12. Results of Baildown Testing in Monitoring Well MW-306, Site 2

Sample Collection Time	Depth to Groundwater (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)			
Initial Reading 9/10/96	19.27	14.10	5.17			
9/10/96 - 1008	17.12	16.51	0.61			
9/10/96 - 1012	17.00	15.90	1.10			
9/10/96 - 1019	16.95	15.27	1.68			
9/10/96 - 1033	17.03	14.83	2.20			
9/10/96 - 1252	17.18	14.63	2.55			
9/10/96 - 1415	17.20	14.60	2.60			
	Second I	Baildown				
9/10/96 - 1422	15.89	15.80	0.09			
9/10/96 - 1444	15.30	15.20	0.10			
9/10/96 - 1635	15.31	15.135	0.18			
	Third Baildown					
9/11/96 - 0920	15.98	15.10	0.88			
9/11/96 - 1444	15.99	14.99	1.00			

Table 13. Results of Baildown Testing in Monitoring Well MW-316, Site 2

Sample Collection Time	Depth to Groundwater (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)
Initial Reading 9/10/96	19.21	15.46	3.75
9/10/96 - 1425	18.82	18.73	0.09
9/10/96 - 1441	18.54	18.00	0.54
9/10/96 - 1544	17.89	17.11	0.78
9/10/96 - 1632	17.56	16.78	0.78
9/11/96 - 0925	17.18	16.09	1.09

was more rapid, where the initial LNAPL thickness was 5.17 ft and recovered to 2.60 ft approximately 4 hours after baildown. Two additional baildown tests were conducted at monitoring well MW-306 to verify the recovery rate. Recovery was less rapid during these tests, with an LNAPL thickness less than half of the initial apparent thickness after 24 hours. Although the recovery rate during the baildown test was relatively low, several sites under the Bioslurper Initiative have shown good LNAPL recovery during bioslurping despite low recovery rates during baildown tests. Therefore, monitoring well MW-316 was selected for the bioslurper pump tests.

3.3.2 Soil Sample Analyses

Table 14 shows the BTEX and TPH concentrations measured in the soil samples collected from Site 2. BTEX and TPH concentrations were relatively high at a total BTEX concentration ranging from 80 to 150 mg/kg and a TPH concentration ranging from 2,600 to 4,500 mg/kg. Toluene was below detection limits at depths from 11.0 to 12.0 ft. The results of the physical characterization of the soil are presented in Table 15.

Table 14. TPH and BTEX Concentrations in Soil Samples from Site 2

Parameter	Concentration (mg/kg)					
	EAFB-2 10.5-11.0	EAFB-2 11.5-12.0				
TPH (purgeable)	4,500	2,600	3,600			
Benzene	9.1	5.7	11			
Toluene	1.2	<1.0	<1.0			
Ethylbenzene	22	12	20			
Total Xylenes	120	62	110			

Table 15. Physical Characterization of Soils from Site 2

			Sample			
Parameter		EAFB-2-10.5-11.0	EAFB-2-11.0-11.5	EAFB-2-11.5-12.0		
Alkalinity (mg	g/kg)	730	660	730		
Density (g/cm	³)	1.25	1.25	1.26		
Moisture Con	tent (%)	23.6	23.1	23.3		
Particle Size	Sand	22.5	29.2	30.0		
	Silt	55.8	51.3	50.9		
	Clay	21.7	19.2	19.1		
pН		9.46	9.62	9.54		
Porosity	prosity 52.8		52.8	52.4		
Total Iron (mg/kg)		15,000	14,000	16,000		
Total Kjeldahl Nitrogen (mg/kg)		278	388	347		
Total Phospho	orus (mg/kg)	232	319	244		

3.3.3 LNAPL Pump Test Results

3.3.3.1 Initial Skimmer Pump Test Results

A total of 5.01 gallons of LNAPL was recovered during this test, with an average recovery rate of 2.6 gallons/day (Table 16). A total of 17.06 gallons of groundwater was produced with an average production rate of 9.5 gallons/day (Table 16). Fuel recovery versus time during each pump test is shown in Figure 10.

3.3.3.2 Bioslurper Pump Test Results

LNAPL recovery rates were very low during the bioslurper pump test (Figure 10). A total of 0.33 gallons of LNAPL and 1,498 gallons of groundwater were extracted during the bioslurper pump test, with daily average recovery rates of 0.083 gallons/day for LNAPL and 380 gallons/day for groundwater (Table 16). These results demonstrate that operation of the bioslurper system in the bioslurper mode was not an effective means of free-product recovery.

Soil gas concentrations were measured at monitoring points during the bioslurper pump test to determine whether the vadose zone was being oxygenated. Oxygen concentrations generally increased at all monitoring points in the vicinity of MW-316 (Table 17). These results correlate with radius of influence results from the soil gas permeability test.

3.3.3.3 Second Skimmer Pump Test

Totals of 0.16 gallons of LNAPL and 4.8 gallons of groundwater were recovered during the second skimmer pump test, with daily average recovery rates of 0.31 gallons/day for LNAPL and 9.3 gallons/day for groundwater (Table 16). These results demonstrate that operation of the bioslurper system in the skimmer mode was not an effective means of free-product recovery.

3.3.3.4 Drawdown Pump Test

Drawdown pump testing was conducted to determine if a cone of groundwater depression would enhance LNAPL recovery. The water table was depressed 1 ft below the static water table.




Figure 10. Fuel Recovery Versus Time During Each Pump Test at Spill Site 2

Table 16. Pump Test Results at Monitoring Well MW-316, Site 2

	Recovery Rate (gallons/day)							
Time	Skimmer Pump Test		Bioslurper Pump Test		Second Skimmer Pump Test		Drawdown Pump Test	
(days)	LNAPL	Groundwater	LNAPL	Groundwater	LNAPL	Groundwater	LNAPL	Groundwater
1	2.6	6.1	0	260	0.31	9.3	0	0
2	2.5	13	0	390	NA	NA	NA	NA
3	NA	NA	0.14	460	NA	NA	NA	NA
4	NA	NA	0.19	370	NA	NA	NA	NA
Average	2.6	8.7	0.083	380	0.31	9.3	0	0
Total Recovery (gal)	5.0	17.05	0.33	1,498	0.16	4.8	0	0

NA = Not applicable

Table 17. In Situ Oxygen Concentrations During the Bioslurper Pump Test at Monitoring Well MW-316, Site 2

	Oxygen Concentrations (%) Versus Time (hours)			
Monitoring Point	0	48	76	96
MPA-4.0	10	19.1	14.9	14.9
MPA-8.0	1.0	11.9	9.0	9.0
MPA-12.0	0.3	2.0	1.0	0.8
MPB-4.0	17.5	20	14.5	15.8
MPB-8.0	3.0	7.0	9.0	7.9
MPB-12.0	0	0	0.5	0.5
MPC-4.0	18.8	20	19.5	19.5
MPC-8.0	2.0	8.9	10.0	7.3
MPC-12.0	0	0	0	1.8

No measurable free-phase LNAPL and minimal groundwater (9.3 gallons/day) was recovered in this mode during 8.6 hours of continuous extraction (Table 16). These results demonstrate that operation of the bioslurper system in the drawdown mode was not an effective means of free-product recovery.

3.3.3.5 Extracted Groundwater, LNAPL, and Off-Gas Analyses

Two groundwater samples were collected during the bioslurper pump test. TPH concentrations were low, with an average concentration of 5.1 mg/L (Table 18). Toluene was present below detection limits. The average BTEX concentration was 2.8 mg/L.

Off-gas samples from the bioslurper system also were collected during the bioslurper pump test. The results from the off-gas analyses are presented in Table 19. Given a vapor discharge rate of 9.7 scfm and using an average concentration of 130,000 ppmv TPH and 1,250 ppmv benzene, approximately 730 lb/day of TPH and 3.5 lb/day benzene was emitted to the air during the bioslurper pump test. The composition of LNAPL in terms of BTEX concentrations is shown in Table 20.

3.3.4 Bioventing Analyses

3.3.4.1 Soil Gas Permeability and Radius of Influence

The radius of influence is calculated by plotting the log of the pressure change at a specific monitoring point versus the distance from the extraction well. The radius of influence is then defined as the distance from the extraction well where 0.1 inch of H_2O can be measured. However, based on this data and the clayey soils, a pressure of 1 inch of H_2O appears to be a more reasonable value for determining the radius of influence. Based on this definition, the radius of influence during the bioslurper pump test at monitoring well MW-316 was approximately 70 ft (Figure 11). Pressure data from the shallow monitoring points were not used, since no significant response was obtained.

3.3.4.2 In Situ Respiration Test Results

Results from the in situ respiration test are presented in Table 21. Oxygen depletion was relatively fast, with oxygen utilization rates ranging from 2.8 to 3.0 %O₂/hr. Biodegradation rates ranged from 46 to 50 mg/kg-day.

Table 18. BTEX and TPH Concentrations in Extracted Groundwater During the Bioslurper Pump Test at Site 2

	Concentration (mg/L) EAK-2-OWS EAK-2-TW		
Parameter			
TPH (purgeable)	6.5	3.6	
Benzene	1.8	0.57	
Toluene	< 0.010	< 0.0020	
Ethylbenzene	0.39	0.10	
Total Xylenes	2.1	0.60	

Table 19. BTEX and TPH Concentrations in Off-Gas During the Bioslurper Pump Test at Site 2

	Concentration (ppmv)		
Parameter	EAK-S2-1	EAK-S2-2	
TPH referenced to JP-4 jet fuel	130,000	130,000	
C2 - C4 Hydrocarbons	11,000	8,100	
Benzene	1,200	1,360	
Toluene Ethylbenzene	980	790	
	390	780	
Total Xylenes	5,300	1,100	

Table 20. BTEX Concentrations in LNAPL at Site 2

Compound	Concentration (mg/kg)
Benzene	<93
Toluene	300
Ethylbenzene	120
Total Xylenes	920




Figure 11. Radius of Influence Determination Based on Soil Gas Pressure Change Versus Distance from Extraction Well at Spill Site 2

Table 21. In Situ Respiration Test Results at Site 2

Monitoring Point	Oxygen Utilization Rate (%/hr)	Biodegradation Rate (mg/kg-day)
MPA-12.0	2.8	46
MPB-12.0	3.0	49
MPC-12.0	2.9	47

3.4 Discussion

A baildown recovery test was conducted at two monitoring wells at Spill Site 2: MW-316 and MW-306. Overall, the baildown recovery test indicated a relatively slow rate of LNAPL recovery into the monitoring wells. Also, the baildown recovery resulted in an LNAPL thickness approximately ½ to ½ that of the initial apparent thickness. The initial LNAPL thickness in monitoring well MW-316 was 3.75 ft and, approximately 24 hours after baildown, recovered to 1.09 ft. Recovery at monitoring well MW-306 was more rapid, where the initial LNAPL thickness was 5.17 ft and recovered to 2.60 ft approximately 4 hours after baildown. Two additional baildown tests were conducted at monitoring well MW-306 to verify the recovery rate. Recovery was less rapid during this test, with an LNAPL thickness less than half of the initial apparent thickness after 24 hours. Although the recovery rate during the baildown test was relatively low, several sites under the Bioslurper Initiative have shown good LNAPL recovery during bioslurping despite low recovery rates during baildown tests. Therefore, monitoring well MW-316 was selected for the bioslurper pump tests.

A series of pump tests were conducted at monitoring well MW-316: skimmer pumping (before and after bioslurping), bioslurping, and drawdown pumping. Skimmer pump testing was conducted in a continuous extraction mode for approximately 47 hours. Recovery of free-phase LNAPL was low, indicating that gravity-driven recovery is minimal. LNAPL recovery decreased further during bioslurper testing, with a total of 0.33 gallons recovered during approximately four days of continuous extraction. No LNAPL was recovered until day 3. LNAPL recovery during the second skimmer pump test was significantly lower than the first skimmer pump test, with an average recovery rate of 0.30 gallons/day. Drawdown pump testing was conducted to determine if a cone of

groundwater depression would enhance LNAPL recovery. The water table was depressed to 1.0 ft below the static water table. No measurable free-phase LNAPL or groundwater was recovered in this mode during 8.6 hours of continuous extraction. These results indicate that either the mobility of free-phase LNAPL is low or that the quantity of free-phase LNAPL is small, such that none of the recovery technologies are capable of sustaining significant recovery.

Groundwater production rates during bioslurping were significantly higher than rates during the skimmer or drawdown pump tests. The average rate was 380 gallons/day, which was transferred to a 21,000 gallon storage tank.

Bioslurping also promotes mass removal in the form of volatilization and in situ biodegradation via aeration of the vadose zone. Vapor phase mass removal is the result of soil gas extraction as well as volatilization that may occur during the movement of free-phase LNAPL through the extraction network. Given, the measured vapor flowrate and vapor concentrations, initial hydrocarbon removal rates were approximately 730 lb/day of TPH and 3.5 lb/day of benzene. Thus, initially, mass removal in the vapor phase is significant. However, this short-term test does not provide a good indication as to whether these rates would be sustained. Higher vapor mass removal rates are more often sustained at those sites where liquid product recovery is sustained.

In situ biodegradation rates of 46 to 50 mg/kg-day were measured at three different locations. Based on the radius of influence of 70 ft and a hydrocarbon-impacted soil thickness of 11 ft, mass removal rates via biodegradation are on the order of 680 to 740 lbs of hydrocarbon per day. Thus, mass removal rates via biodegradation could be as significant as the initial vapor phase removal rates measured during the bioslurper test. These results indicate that bioventing is feasible at this site. Air injection bioventing is preferable over bioslurping and soil vapor extraction with respect to the elimination of hydrocarbon vapor emissions.

The initial soil-gas profiles at the site displayed oxygen-deficient, carbon dioxide-rich, high total volatile hydrocarbon vapor conditions across the 8- to 12-ft below ground surface horizons. These conditions indicate that natural biodegradation of residual petroleum hydrocarbons has occurred, but is limited by oxygen availability. Soil-gas concentrations were measured during the bioslurper test at monitoring points adjacent to monitoring well MW-316 to determine if the vadose zone was being oxygenated via the bioslurper action. Oxygen concentrations were influenced at all monitoring points. Based on the soil-gas permeability test, where a radius of influence of approximately 70 ft was measured, it is likely that these areas will become fully aerated. In short, a

four day extraction time frame at 13 scfm is insufficient to exchange sufficient pore volumes of soil gas to fully oxygenate the zone of influence.

In summary, the on-site testing at Spill Site 2, Eaker AFB, included the direct testing of gravity-driven and vacuum-driven LNAPL free product recovery techniques, bioventing, physical sampling, and tests relevant to soil vapor extraction. Liquid-phase recovery was not sustainable in any of the extraction modes. The vacuum-enhanced mode is significant because if liquid phase LNAPL recovery is not sustainable under high vacuum conditions, then it is unlikely that it will be sustainable under any conditions. Vapor phase mass removal rates measured during bioslurper testing may be the result of soil-gas removal (i.e., SVE) or volatilization during liquid entrainment. The generation of off-gas is undesirable and sustained rates of off-gas discharge cannot be estimated accurately from this test. The in situ respiration test and vadose zone radius of influence testing demonstrate that bioventing is feasible at this site.

Periodic baildown recovery tests are recommended as a useful indicator of free-phase LNAPL recovery potential. Based on the conduct of identical pilot tests at over 25 different sites, there have been several sites where apparent LNAPL product thicknesses are significant (>3 ft). However, once the LNAPL free product is removed from the well, it may take weeks or months to return to initial apparent thicknesses. LNAPL free product continues to accumulate in monitoring wells, but not at a rate to make free product recovery worthwhile. The periodic baildown recovery test is the best method to verify whether or not Spill Site 2 is like the sites described above. Periodic hand bailing may also represent removing LNAPL free product to the extent practicable. A bioventing system may be installed for continued remediation of the vadose zone.

4.0 REFERENCES

Battelle. 1995. Test Plan and Technical Protocol for Bioslurping, Report prepared by Battelle Columbus Operations for the U.S. Air Force Center for Environmental Excellence, Brooks Air Force Base, Texas.

Hinchee, R.E., S.K. Ong, R.N. Miller, D.C. Downey, and R. Frandt. 1992. Test Plan and Technical Protocol for a Field Treatability Test for Bioventing (Rev. 2), Report prepared by Battelle Columbus Operations, U.S. Air Force Center for Environmental Excellence, and Engineering Sciences, Inc. for the U.S. Air Force Center for Environmental Excellence, Brooks Air Force Base, Texas.

APPENDIX A

SITE-SPECIFIC TEST PLAN FOR BIOSLURPER FIELD ACTIVITIES AT EAKER AFB, ARKANSAS

SITE-SPECIFIC TEST PLAN FOR BIOSLURPER TESTING AT EAKER AIR FORCE BASE, ARKANSAS

DRAFT



PREPARED FOR:

AIR FORCE CENTER FOR ENVIRONMENTAL EXCELLENCE
TECHNOLOGY TRANSFER DIVISION
(AFCEE/ERT)
8001 ARNOLD DRIVE
BROOKS AFB, TEXAS 78235-5357

AND

EAKER AFB, ARKANSAS

18 APRIL 1996

SITE-SPECIFIC TEST PLAN FOR BIOSLURPER TESTING AT EAKER AIR FORCE BASE, ARKANSAS CONTRACT NO. F41624-94-C-8012

DRAFT

to

Air Force Center for Environmental Excellence Technology Transfer Division (AFCEE/ERT) 8001 Arnold Drive Building 642 Brooks AFB, Texas 78235-5357

and

Eaker Air Force Base, Arkansas

18 April 1996

by

Battelle 505 King Avenue Columbus, Ohio 43201-2693 This report is a work prepared for the United States Government by Battelle. In no event shall either the United States Government or Battelle have any responsibility or liability for any consequences of any use, misuse, inability to use, or reliance upon the information contained herein, nor does either warrant or otherwise represent in any way the accuracy, adequacy, efficacy, or applicability of the contents hereof.

TABLE OF CONTENTS

LIS	T OF TABLES	iv
LIS	T OF FIGURES	iv
AC	RONYMS AND ABBREVIATIONS	v
1.0	INTRODUCTION	1
2.0	SITE DESCRIPTION 2.1 Base Exchange Shoppette Service Station 2.2 SWMU No. 2, Underground Waste Oil Tank	2
3.0		7 7 7
	3.3.1 System Setup 3.3.2 System Shakedown 3.3.3 System Startup and Test Operations 3.3.4 Soil Gas Profile/Soil Gas Radius of Influence Test 3.3.5 Soil Gas Permeability Tests 3.3.6 LNAPL and Groundwater-Level Monitoring 3.3.7 In Situ Respiration Test 3.3.8 Install and Checkout	12 15 15 15 16 16 16 17
4.0	4.1 Vapor Discharge Disposition	18 18 19 20
5.0	SCHEDULE	20
6.0	6.1 Battelle Activities	20 21 21 22
7.0	REFERENCES	23

APPENDIX	A: ANALYTES DETECTED IN SUBSURFACE SOILS AT BX SHOPPETTE SERVICE STATION, EAKER AFB, ARKANSAS	A- 1
APPENDIX	B: BTEX DISTRIBUTION IN SOILS AT THE BASE EXCHANGE SHOPPETTE SERVICE STATION, EAKER AFB, ARKANSAS	B-1
APPENDIX	C: ANALYTICAL RESULTS OF SUBSURFACE SOIL SAMPLES AT UWOT SITE, EAKER AFB, ARKANSAS	C-1
	LIST OF TABLES	
Table 2. Be Table 3. Air	hedule of Biosluper Pilot Test Activities	19
	LIST OF FIGURES	
Figure 1.	Schematic Diagram of the BX Shoppette Service Station, Eaker AFB, Arkansas, Along with Groundwater Elevations	. 3
Figure 2.	Schematic Diagram of the UWOT Site, Eaker AFB, Arkansas, Along with Total Volatile Organic Compounds Detected in Soil Gas	. 5
Figure 3.	General Bioslurper Well and Monitoring Point Arrangement	
Figure 4.	Schematic Diagram of a Typical Monitoring Point	11
Figure 5.	Bioslurper Process Flow at the BX Service Station and UWOT, Eaker AFB, Arkansas	13
Figure 6.	Schematic Diagram of a Typical Bioslurper Well	14
	Total BTEX Concentrations in Shallow Soils (0'-10') at the BX Shoppette Site, Eaker AFB, Arkansas	B-2
Figure B-2.	Total BTEX Concentrations in Soils (10'-17') at the BX Shoppette Site,	
	Eaker AFB, Arkansas	B-3
Figure B-3.	Total BTEX Concentration in Soils (17'-22') at the BX Shoppette Site, Eaker AFB, Arkansas	B-4

ACRONYMS AND ABBREVIATIONS

AFB

Air Force Base

AFCEE

Air Force Center for Environmental Excellence

amu

atomic mass unit

bgs

below ground surface

BTEX

benzene, toluene, ethylbenzene, and xylenes

BX

Base Exchange

FPTA

Fire Protection Training Area

gpm

gallon(s) per minute

LNAPL

light, nonaqueous-phase liquid

MCL

maximum contaminant level

MP MW monitoring point monitoring well

POC

Point-of-Contact

ppmv

part(s) per million by volume

SWMU

Solid Waste Management Unit

TPH

total petroleum hydrocarbons

UST UWOT underground storage tank Underground Waste Oil Tank

VOC

volatile organic compound

SITE-SPECIFIC TEST PLAN FOR BIOSLURPER TESTING AT EAKER AIR FORCE BASE, ARKANSAS

DRAFT

to

Air Force Center for Environmental Excellence
Technology Transfer Division
(AFCEE/ERT)
Brooks AFB, Texas 78235-5357

18 April 1996

1.0 INTRODUCTION

The U.S. Air Force Center for Environmental Excellence (AFCEE) Technology Transfer Division is conducting a nationwide application of an innovative technology for free-product recovery and soil bioremediation. The technologies tested in the Bioslurper Initiative include vacuum-enhanced free-product recovery/bioremediation (bioslurping) as well as traditional skimmer and groundwater depression approaches. The field test and evaluation are intended to demonstrate the feasibility of free-product recovery by measuring system performance in the field. System performance parameters, mainly free-product recovery, will be determined at numerous sites. Field testing will be performed at many sites to determine the effects of different organic contaminant types and concentrations and different geologic conditions on bioslurping effectiveness.

Plans for the field test activities are presented in two documents. The first is the overall Test Plan and Technical Protocol for the entire program entitled *Test Plan and Technical Protocol for Bioslurping* (Battelle, 1995). The overall plan is supplemented by plans specific to each test site. The concise site-specific plans effectively communicate planned site activities and operational parameters.

The overall Test Plan and Technical Protocol was developed as a generic plan for the Bioslurper Initiative to improve the accuracy and efficiency of site-specific Test Plan preparation. The field program involves installation and operation of the bioslurping system supported by a wide variety of site characterization, performance monitoring, and chemical analysis activities. The basic methods to be applied from site to site do not change. Preparation and review of the overall Test Plan and Technical Protocol allow efficient documentation and review of the basic approach to the test

program. Peer and regulatory review were performed for the overall Test Plan and Technical Protocol to ensure the credibility of the overall program.

This report is the site-specific Test Plan for application of bioslurping at Eaker Air Force Base (AFB), Arkansas. It was prepared based on site-specific information received by Battelle from Eaker AFB and other pertinent site-specific information to support the overall Test Plan and Technical Protocol.

Site-specific information for Eaker AFB has identified subsurface hydrocarbon contamination at the Base Exchange (BX) Shoppette Service Station and at the Underground Waste Oil Tank (UWOT) site. The contamination at the service station is generally associated with unleaded gasoline, waste oil, and hydraulic fluid. JP-4 jet fuel and waste oil are the primary contaminants at the UWOT site. Free product, as light, nonaqueous-phase liquid (LNAPL), has been found in various wells at both sites. A free-product thickness of greater than 4 ft was measured in well TW1105 at the service station site and a thickness of approximately 6 ft was found in well TW508 at the UWOT site. Based on these thicknesses, these wells are candidates for the bioslurper demonstration.

2.0 SITE DESCRIPTION

The information presented in this section was obtained from site-specific information received by Battelle from Eaker AFB.

Eaker AFB is located in Arkansas. The two sites under investigation for bioslurping activity include the BX Shoppette Service Station (Facility #160) and the Solid Waste Management Unit (SWMU) No. 2 UWOT site (Facility #1344).

2.1 Base Exchange Shoppette Service Station

The BX Shoppette Service Station (Facility #160) is located on the corner of 3rd Street and Arkansas Avenue near residential units in the west central portion of the base (Figure 1). The service station has been in operation since 1969 and consists of two 10,000-gallon and one 6,000-gallon underground storage tanks (USTs) that were used to store unleaded gasoline. An additional 1,000-gallon UST with no form of corrosion protection contained waste oil and hydraulic fluid.




Figure 1. Schematic Diagram of the BX Shoppette Service Station, Eaker AFB, Arkansas, Along with Groundwater Elevations.

Records of past contamination include a 1974 leak in the UST fuel line, which resulted in an unknown amount of fuel spillage. In 1989, tank tightness tests were performed on the USTs. When one of the 10,000-gallon tanks tested positive for leaks, it was deactivated.

The site geology consists of sand or sandy clay to a depth of 10 ft bgs with an underlying unit of gray to gray-brown clay. Below this can be found a unit of medium- to coarse-grained sand that is poorly sorted and is not laterally continuous.


The depth to groundwater at the service station is 7.5 to 10 ft below ground surface (bgs), with a depression in the water table being found in the vicinity of the UST pit. Indications suggest that water flows to this point from the northwest and the southeast. Free product has been found at various wells on site with a thickness of greater than 4 ft being present at TW1105. Additional wells that were bailed periodically by base personnel include TW508 and B20.

Past site investigations reveal that the highest concentrations of organic compounds were found in shallow subsurface soils near the gasoline pit and fuel lines. A 1991 investigation by PSI indicated the maximum benzene, toluene, ethylbenzene and xylenes (BTEX) concentration in subsurface soils to be 785 mg/kg at B20 and the maximum total petroleum hydrocarbon (TPH) concentration to be 559 mg/kg at B5. An investigation by Halliburton NUS (1992) showed subsurface soils to have maximum concentrations of 172 mg/kg at TW1110 and 172 mg/kg at TW1109 for BTEX and TPH, respectively (Appendix A). BTEX concentrations in deeper soil tend to be higher in areas south and east of the tank pit. Figures in Appendix B show the distribution of BTEX at various soil depths. The full lateral and vertical extent of the plume has not yet been defined.

In addition to soil samples, groundwater samples from 8 permanent monitoring wells (MWs) were analyzed for BTEX and TPH. Only two wells contained detectable levels of BTEX and TPH (MW1110, MW1111), with maximum concentrations found to be 14 mg/L and 2.7 mg/L, respectively.

2.2 SWMU No. 2, Underground Waste Oil Tank

The UWOT site (Facility #1344) has operated since 1972 and is still active. The UWOT is located in the northwest portion of the base about 800 ft south of the Fire Protection Training Area (FPTA) (Figure 2). The facility consists of two currently empty 10,000-gallon USTs installed in 1988 that previously contained waste oil and JP-4 jet fuel. A concrete pad containing a drain leading



Schematic Diagram of the UWOT Site, Eaker AFB, Arkansas, Along with Total Volatile Organic Compounds Detected in Soil Gas. Figure 2.

to an oil/water separator was installed in 1988 for vehicles transferring waste oil. The surface of the UWOT is gravel paved over soil, and discoloration is evident in the vicinity of the transfer area. Facility #1344 is used to store hazardous and nonhazardous waste oils until their removal to offsite disposal facilities which occurs about once every 3 months. Four 4,000-gallon USTs and one 500-gallon UST had been located at the site until their removal in 1987. The tanks had been used to hold waste oils, solvents, and JP-4 jet fuel and were not cathodically protected.

The site geology consists predominately of clay to a depth of 22 ft bgs. The unit below this depth tends to be dominated by sand. Depth to groundwater at the site ranges from 9 to 12 ft bgs and groundwater flow is to the south.

Investigations have been made to characterize the site; however, data collection is insufficient to define the extent of the contamination. Soil and groundwater samples taken from five 25-ft borings were analyzed in 1987. Four monitoring wells (MW501, MW502, MW503, and MW504) were installed in 1988, three of which had depths of 25 to 30 ft bgs and one of which had a depth of 70 ft bgs. Volatile organic compounds (VOCs) were found at concentrations of up to 169 mg/L in soil gas during this 1988 investigation. The locations of highest concentration are shown in Figure 2. In 1991, groundwater samples were taken from existing wells in addition to the soil gas samples. The groundwater samples were analyzed for BTEX, VOCs, and chlorinated hydrocarbons. Soil samples were taken from the vadose and saturated zones again in 1992. The results revealed the highest concentrations of organic compounds downgradient from the UWOT. Organic compounds were detected at depths of 2 to 19 ft bgs with maximum concentrations being found at 3 to 11 ft bgs. A maximum TPH concentration of 8,900 mg/kg and a maximum xylene concentration of 25 mg/kg were found. Analytical results of the 1992 subsurface soil samples are found in Appendix C.

In general, low levels of organic and inorganic compounds were found in the groundwater. None of the organic compounds at the site exceeded the maximum contaminant levels (MCLs) in the sampling conducted by Halliburton NUS in 1988 and 1991. Inorganic analytes exceeding MCLs were antimony and cadmium. There was, however, about 6 ft of free product found in well TW508. Free product was encountered in a sandy unit at 16 ft bgs and is thought to have migrated through vertical sand-filled fractures since it does not appear to be present in clay units at the same depth.

Groundwater sampling conducted in 1995 revealed the presence of small amounts of chlorinated compounds. Maximum concentrations of 1,2-dichloroethene, 1,4-dichlorobenzene, and 1,2-dichlorobenzene were 45, 75, and 9 ppb, respectively.

3.0 PROJECT ACTIVITIES

The field activities discussed in the following sections are planned for the bioslurper pilot test at Eaker AFB. Additional details about the activities are presented in the overall Test Plan and Technical Protocol (Battelle, 1995). As appropriate, specific sections in the overall Test Plan and Technical Protocol are referenced. Table 1 presents the schedule of activities for the Bioslurper Initiative at Eaker AFB.

3.1 Mobilization to the Site

After the site-specific Test Plan is approved, Battelle staff will mobilize equipment to the site. Some of the equipment will be shipped via air express to Eaker AFB prior to staff arrival. The Base Point-of-Contact (POC) will have been asked in advance to find a suitable holding facility to receive the bioslurper pilot test equipment so that it will be easily accessible to the Battelle staff when they arrive with the remainder of the equipment. The exact mobilization date will be confirmed with the Base POC as far in advance of fieldwork as is possible. The Battelle POC will provide the Base POC with information on each Battelle employee who will be on site. Battelle personnel will be mobilized to the site after confirmation that the shipped equipment has been received by Eaker AFB.

3.2 Site Characterization Tests

3.2.1 Baildown Tests

The baildown test is the primary test for selection of the bioslurper test well. Baildown tests are also useful for the evaluation of actual versus apparent free-product thicknesses. Baildown tests will be performed at wells that contain measurable thicknesses of LNAPL to estimate the LNAPL recovery potential at those particular wells. In most cases, the well exhibiting the highest rate of LNAPL recovery will be selected for the bioslurper extraction well. A sample of free LNAPL will be collected at this point for analyses of boiling point distribution and BTEX concentration. Detailed procedures for the baildown tests are provided in Section 5.6 of the overall Test Plan and Technical Protocol.

Table 1. Schedule of Bioslurper Pilot Test Activities

Pilot Test Activity	Schedule
Mobilization	Day 1-2
Site Characterization	Day 2-3
LNAPL/Groundwater Interface Monitoring and Baildown Tests	
Soil Gas Survey (Limited)	
Monitoring Point Installation (3 monitoring points)	
Soil Sampling (BTEX, TPH, physical characteristics)	
System Installation	Day 2-3
Test Startup	Day 3
Skimmer Pump Test (2 days)	Day 3-4
Bioslurper Pump Test (4 days)	Day 6-9
Soil Gas Permeability Testing	Day 6
Skimmer Pump Test (continued)	Day 10
In Situ Respiration Test - Air/Helium Injection	Day 10
In Situ Respiration Test - Monitoring	Day 11-16
Drawdown Pump Test (2 days)	Day 11-12
Demobilization/Mobilization	Day 13-14

3.2.2 Soil Gas Survey (Limited)

A small-scale soil gas survey will be conducted to identify the best location for installation of the bioslurping system. The soil gas survey will be conducted in areas where historical site data indicated the highest contamination levels. These areas will be surveyed to select the locations for installation of soil gas monitoring points. Monitoring points will be located in areas that exhibit the following soil gas characteristics.

- 1. Relatively high TPH concentrations (10,000 ppmv or greater).
- 2. Relatively low oxygen concentrations (between 0% and 2%).
- 3. Relatively high carbon dioxide concentrations (depending on soil type, between 2% and 10% or greater).

Additional information on the soil gas survey is provided in Section 5.2 of the overall Test Plan and Technical Protocol.

3.2.3 Monitoring Point Installation

Monitoring points must be installed to determine the radius of influence of the bioslurper system in the vadose zone. A general arrangement of the bioslurping well and monitoring points is shown in Figure 3. Upon completion of the initial soil gas survey and baildown tests, at least three soil gas monitoring points will be installed (unless existing monitoring points are available for use) to measure soil gas changes that occur during bioslurper operation. These monitoring points should be located in highly contaminated soils within the free-phase plume and should be positioned to allow detailed monitoring of the in situ changes in soil gas composition caused by the bioslurper system. A schematic diagram of a typical monitoring point is shown in Figure 4. Information on monitoring point installation can be found in Section 4.2.1 of the overall Test Plan and Technical Protocol.




Figure 4. General Bioslurper Well and Monitoring Point Arrangement




Figure 4. Schematic Diagram of a Typical Monitoring Point.

3.2.4 Soil Sampling

Soil samples will be collected from each boring to determine the physical and chemical composition of the soil near the bioslurper test site. Soil samples will be collected from the boreholes advanced for monitoring point installation at two or three locations at the site chosen for the bioslurper test. Generally, samples will be collected from the capillary fringe over the free product.

Soil samples from each boring will be analyzed for BTEX, bulk density, moisture content, particle size distribution, porosity, and TPH. Section 5.5.1 of the overall Test Plan and Technical Protocol contains additional information on field measurements and sample collection procedures for soil sampling.

3.3 Bioslurper System Installation and Operation

Once the well to be used for the bioslurper test installation at Eaker AFB has been identified, the bioslurper pump and support equipment will be installed and pilot testing will be initiated.

3.3.1 System Setup

After the preliminary site characterization has been completed and the bioslurper candidate well has been selected, the shipped equipment will be mobilized from the holding facility to the test site, and the bioslurper system will be assembled. Figure 5 shows a flow diagram of the bioslurper process. Figure 6 illustrates a typical bioslurper well that will be used at Eaker AFB.

Before the LNAPL recovery tests are initiated, all relevant baseline field data will be collected and recorded. These data will include soil gas concentrations, initial soil gas pressures, the depth to groundwater, and the LNAPL thickness. Ambient soil and all atmospheric conditions (e.g., temperature, barometric pressure) also will be recorded. All emergency equipment (i.e., emergency shutoff switches and fire extinguishers) will be installed and checked for proper operation at this time.

A clear, level 20-ft by 10-ft area near the well selected for the bioslurper test installation will be identified to station the equipment required for bioslurper system operation. Additional information on bioslurper system installation is provided in Section 6.0 of the overall Test Plan and Technical Protocol.




Figure 5. Bioslurper Process Flow at the BX Service Station and UWOT, Eaker AFB, Arkansas.




Figure 6. Schematic Diagram of a Typical Bioslurper Well.

3.3.2 System Shakedown

A brief startup test will be conducted to ensure that the system is constructed properly and operates safely. All system components will be checked for problems and/or malfunctions. A checklist will be provided to document the system shakedown.

3.3.3 System Startup and Test Operations

After installation is complete and the bioslurper system is confirmed to be operating properly, the LNAPL recovery tests will be started. The Bioslurper Initiative has been designed to evaluate the effectiveness of bioslurping as an LNAPL recovery test technology relative to conventional gravity-driven LNAPL recovery technologies. The Bioslurper Initiative includes three separate LNAPL recovery tests: (1) a skimmer pump test, (2) a bioslurper pump test, and (3) a drawdown pump test. The three recovery tests are described in detail in Section 7.3 of the overall Test Plan and Technical Protocol.

The bioslurper system operating parameters that will be measured during operation are vapor discharge, aqueous effluent, LNAPL recovery volume rates, vapor discharge volume rates, and groundwater discharge volume rates. Vapor monitoring will consist of periodic monitoring of TPH using hand-held instruments supplemented by two samples collected for detailed laboratory analysis. Two samples of aqueous effluent will be collected for analysis of BTEX and TPH. Recovered LNAPL volume will be recorded using an in-line flow-totalizing meter. The off-gas discharge volume will be measured using a calibrated pitot tube, and the groundwater discharge volume will be recorded using an in-line flow-totalizing meter. Section 8.0 of the overall Test Plan and Technical Protocol describes process monitoring of the bioslurper system.

3.3.4 Soil Gas Profile/Soil Gas Radius of Influence Test

Changes in soil gas profiles will be measured before and during the bioslurper pump test. Soil gas will be monitored for concentrations of oxygen, carbon dioxide, and TPH using field instruments. These measurements will be used to determine the oxygen radius of influence of the bioslurper.

3.3.5 Soil Gas Permeability Tests

A soil gas permeability test will be conducted concurrently with startup of the bioslurper pump test. Soil gas permeability data will support the process of estimating the vadose zone radius of influence of the bioslurper system. Soil gas permeability results also will aid in determining the number of wells required if it is decided to treat the site with a full-scale bioslurper system. The soil gas permeability test method is described in Section 5.7 of the overall Test Plan and Technical Protocol.

3.3.6 LNAPL and Groundwater-Level Monitoring

During the bioslurper pump test, the LNAPL and groundwater levels will be monitored in a well adjacent to the extraction well if such a well exists. The top of the monitoring well will be sealed from the atmosphere so the subsurface vacuum will be contained. Additional information for the monitoring of fluid levels is provided in Section 4.3.4 of the overall Test Plan and Technical Protocol.

3.3.7 In Situ Respiration Test

An in situ respiration test will be conducted after completion of the bioslurper pilot tests. The in situ respiration test will involve injection of air and helium into selected soil gas monitoring points followed by monitoring changes in concentrations of oxygen, carbon dioxide, TPH, and helium in soil gas at the injection point. Measurement of the soil gas composition typically will be conducted at 2, 4, 6, and 8 hours and then every 4 to 12 hours for about 2 days. Timing of the tests will be adjusted based on the oxygen-use rate. If oxygen depletion occurs rapidly, more frequent monitoring will be required. If oxygen depletion is slow, less frequent readings will be acceptable. The oxygen utilization rate will be used to estimate the biodegradation rate at the site. Further information on the procedures and data collection of the in situ respiration test is provided in Section 5.8 of the overall Test Plan and Technical Protocol.

3.3.8 Install and Checkout

The Air Force has the option of extending the operation of the bioslurper system for up to 6 months at Eaker AFB, if LNAPL recovery rates are promising. If extended testing is to be performed, additional site support will be required. The Air Force will need to provide electrical power for long-term operation of the bioslurper pump. Disposition of all generated wastes and routine operation and maintenance of the system will be the Air Force's responsibility. Battelle will provide technical support during the extended testing operation.

If the extended testing option is exercised, Battelle is scoped to remain on site an additional 2 days after the short-term pilot test is completed. The additional time on site will allow for connection of the bioslurper system to Air Force-supplied power. Battelle will provide the base with a detailed operation manual for the bioslurper system and will provide operations training to Air Force personnel. The Base POC will be given a project record book to record system data. The POC will be given a Battelle contact and an alternative contact for technical assistance and will be contacted weekly for updates on system operation. At the end of the extended testing option (up to 6 months of operation) Battelle will return to the site to remove all bioslurper equipment. All waste generated during the operation of the bioslurper system will be the responsibility of the Air Force.

3.4 Demobilization

If the install and checkout option is not employed, the equipment will be disassembled by Battelle staff. The equipment then will be moved back to the holding facility, where it will remain until its next destination is determined. Battelle staff will receive this information and will be responsible for shipment of the equipment to the next site before they leave Eaker AFB.

4.0 BIOSLURPER SYSTEM DISCHARGE

4.1 Vapor Discharge Disposition

Battelle understands that an air discharge permit will not be required for the operation of the bioslurper pilot test system at Eaker AFB unless the TPH discharge rate exceeds 10 tons/site/year. Based on the average discharge rates at two other gasoline-contaminated bioslurper test sites (Hickam AFB and Bolling AFB), it can be assumed that the concentrations of TPH and benzene released to the atmosphere at the BX Shoppette Service Station will be approximately 386 lb/day and 0.6 lb/day. respectively. The contaminant type at Hickam AFB does, however, differ in that it is aviation gasoline. Therefore, the discharge rates at the BX site may be different than the average of Hickam AFB and Bolling AFB. Estimates for vapor discharge at the UWOT site are based on three previous bioslurper test sites (Johnston Atoll, Travis AFB, and Wright-Patterson AFB) that are contaminated with a similar type of fuel. Using an average flowrate of 11 scfm and average concentrations of 4.123 ppmy TPH and 33 ppmy benzene in off-gas, a site contaminated with JP-4 jet fuel can be expected to have a discharge rate of approximately 19 lb/day for TPH and 0.11 lb/day for benzene. The discharge rate for TPH was calculated using a molecular weight of 111 atomic mass units (amu) for jet fuel. Discharge rates may vary depending on concentrations in soil gas and the permeability of the soil. The data for benzene and TPH discharge levels for previous bioslurper sites are presented in Table 2. Using the average TPH discharge rates from the former sites as the discharge rates for the BX and UWOT sites, the discharge limit of 10 tons/year will not be exceeded.

Table 2. Benzene and TPH Vapor Discharge Levels at Previous Bioslurper Test Sites

Site Location	Fuel Type	Extraction Rate (scfm)	Benzene (ppmv)	TPH (ppmv)	Benzene Discharge (lb/day)	TPH Discharge (lb/day)
Andrews AFB	No. 2 Fuel Oil	8.0	16	2,000	0.0010	0.20
Site 1, Bolling AFB	No. 2 Fuel Oil	4.0	0.20	153	0.00030	0.0090
Site 2, Bolling AFB	Gasoline	21	370	70,000	2.3	470
Hickam	Gasoline	11	ND	100,000	0	453
Johnston Atoll	Jet Fuel	10	0.60	975	0.0017	4.0
Travis AFB	Jet Fuel	20	100	10,800	0.58	89
Wright-Patterson AFB	Jet Fuel	3.0	ND	595	0	0.7

ND=Not detected.

To ensure the safety and regulatory compliance of the bioslurper system, field soil gas screening instruments will be used to monitor the vapor discharge concentrations. The volume of vapor discharge will be monitored daily using air flow instruments. Air release information is presented in Table 3.

Table 3. Air Release Summary Information

Data Item	Air Release Information
Contractor Point-of-Contact	Jeff Kittel, (614) 424-6122
Contractor address	Battelle, 505 King Avenue, Columbus, OH 43201
Estimated total quantity of petroleum product to be recovered	To be determined
Description of petroleum product to be recovered BX Shoppette Service Station UWOT	Motor gasoline JP-4 jet fuel
Planned date of test start	To be determined
Test duration	4 days-Bioslurper pump test 3 days-Skimmer pump test 2 days-Drawdown pump test
Maximum expected volatile organic compound level in air BX Shoppette Service Station UWOT	~386 lb/day TPH, 0.6 lb/day benzene ~19 lb/day TPH, 0.11 lb/day benzene
Stack height above ground level	10 ft

4.2 Aqueous Influent/Effluent Disposition

The groundwater recovered at both the BX and the UWOT site will be collected in a 20,000-gallon holding tank after being passed through an oil/water separator. The flowrate of groundwater pumped by the bioslurper will be less than 5 gpm, and the extraction rate is expected to be approximately 1 gpm. Therefore, during the 9 days of pumping the bioslurper is expected to recover approximately 13,000 gallons of water at each site. Two samples of the recovered water will be collected during the operation of the bioslurper system and will be sent to a laboratory for analysis of TPH and BTEX. Battelle expects that the recovered groundwater from the BX site will be discharged to the sanitary sewer; however, the water may be discharged under permit to the ground surface using

an irrigation-style dripline. Depending on the analytical results of the effluent samples collected during the bioslurper test, the recovered groundwater may need to be treated prior to discharge. It is anticipated that the recovered water from the UWOT site will be discharged to the surface using an irrigation-style dripline. It is also likely that this water will need to be treated prior to being discharged to meet the discharge permit requirements.

4.3 Free-Product Recovery Disposition

The bioslurper system will recover free-phase product from the pilot tests performed at Eaker AFB. Recovered free product will be turned over to the Base for disposal and/or recycling. The volume of free product recovered from the Base will not be known until the tests have been performed. The maximum recovery rate for this system is 5 gpm, but the actual rate of LNAPL recovery likely will be much lower.

5.0 SCHEDULE

The schedule for the bioslurper fieldwork at Eaker AFB will depend on approval of the project Test Plan. Battelle will determine a definitive schedule as soon as possible after approval is received. Battelle will have two to three staff members on site for approximately 2 weeks to conduct all necessary pilot testing. At the conclusion of the field testing at Eaker AFB, all staff will return their Base passes. Battelle staff will remove all bioslurper field testing equipment from the Base before they leave the site.

6.0 PROJECT SUPPORT ROLES

This section outlines some of the major functions of personnel from Battelle, Eaker AFB, and AFCEE during the bioslurper field test.

6.1 Battelle Activities

The obligations of Battelle in the Bioslurper Initiative at Eaker AFB will be to supply the staff and equipment necessary to perform all the tests on the bioslurper system. Battelle also will provide technical support in the areas of water and vapor discharge permitting, digging permits, staff support during the extended testing period, and any other technical areas that need to be addressed.

6.2 Eaker AFB Support Activities

To support the necessary field tests at Eaker AFB, the Base must be able to provide the following:

- a. Any digging permits and utility clearances that need to be obtained prior to the initiation of the fieldwork. Any underground utilities should be clearly marked to reduce the chance of utility damage and/or personal injury during soil gas probe and possible well installation. Battelle will not begin field operations without these clearances and permits.
- b. The Air Force will be responsible for obtaining Base and site clearance for the Battelle staff that will be working at the Base. The Base POC will be furnished with all necessary information on each staff member at least 1 week prior to field startup.
- c. Access to the local sanitary sewer must be furnished so that Battelle staff can discharge the bioslurper aqueous effluent directly to the Base treatment facility.
- d. Regulatory approval, if required, must be obtained by the Base POC prior to startup of the bioslurper pilot test. As stated previously, it is likely that a waiver or permit to allow air releases or a point source air release registration will be required for emissions of approximately 386 lb/day of TPH and 0.6 lb/day benzene without treatment at the BX Shoppette Service Station and for emissions of approximately 19 lb/day of TPH and 0.11 lb/day benzene at the UWOT site. A waiver for pumping and discharging groundwater at a rate of 5 gpm may be required. The Base POC will obtain all necessary Base permits

prior to mobilization to the site. Battelle will provide technical assistance in preparing regulatory approval documents.

- e. The Base also will be responsible for the disposition of all waste generated from the pilot testing. Such waste includes any soil cuttings generated from drilling, and all aqueous wastestreams produced from the bioslurper tests. All free product recovered from the bioslurper operation will be disposed of or recycled by the Base. Battelle will provide technical assistance in disposing of the waste generated from the bioslurper pilot test.
- f. Before field activities begin, the Health and Safety Plan will be finalized with information provided by the Base POC. Table 4 is a checklist for the information required to complete the Health and Safety Plan. All emergency information will be obtained by the Site Health and Safety office before operations begin.
- g. If extended testing is to be performed, additional site support will be required. The Air Force will be responsible for the routine operation and maintenance of the system, during which time they will also record system data in a project record book. Battelle will provide technical support during the extended testing period. In addition, the Air Force will need to provide electrical power for long-term operation of the bioslurper pump.

6.3 AFCEE Activities

The AFCEE POC will act as a liaison between Battelle and Eaker AFB staff. The AFCEE POC will ensure that all necessary permits are obtained and the space required to house the bioslurper field equipment is found.

Table 4 shows the contacts at Battelle, AFCEE, and Eaker AFB who can be contacted in case of emergency and/or for required technical support during the Bioslurper Initiative tests at Eaker AFB.

Table 4. Health and Safety Information Checklist

Emergency Contacts	Name	Telephone Number
Hospital		
Fire Department	Emergency Switchboard	911/
Ambulance and Paramedics	Emergency Switchboard	911/
Police Department	Emergency Switchboard	911/
EPA Emergency Response Team	Switchboard	(800) 424-8802
Program Contacts		
Air Force	Patrick Haas	(210) 536-4314
Battelle	Jeff Kittel	(614) 424-6122
	Eric Drescher	(614) 424-3088
Eaker AFB		
Other		
Emergency Routes		
Hospital		
Other		

7.0 REFERENCES

Battelle. 1995. Test Plan and Technical Protocol for Bioslurping. Prepared by Battelle Columbus Operations for the U.S. Air Force Center for Environmental Excellence, Brooks Air Force Base, Texas.

Halliburton NUS. 1992. Technical Memorandum (Step 1) for the Remedial Investigation/Feasibility Study (Revised).

PSI - PSI, maps sent to Battelle from Eaker AFB, January, 1995.

APPENDIX A

ANALYTES DETECTED IN SUBSURFACE SOILS AT BX SHOPPETTE SERVICE STATION, EAKER AFB, ARKANSAS

TABLE 3-16A

ANALYTES DETECTED IN SUBSURFACE SOILS BX SHOPPETTE, PSI REPORT FEBRUARY 1991

Boring	Depth (Feet)	Benzene	Toluene	Ethyl- benzene	Xylenes	BTEX	ТРН
B-1	5-10*	6.2	47	.14	80	147.2	322
B-1	15	2.4	8.2	4.5	17	32.1	176
B-2	5-10*	2.3	24	7.7	40	74	248
B-2	15	3.1	8.6	0.3	2.1	14.1	478
B-3	5-10*	14	250	62	300	626	338
B-3	15	3.6	16	1.8	9.8	31.2	176
B-4	5-10*	BRL	22	3.7	14	39.7	484
B-4	15	BRL	BRL	BRL	BRL	BRL	477
B-5	5-10*	15	130	22	90	257	559
B-5	15	2.4	15	3.9	16	37.3	351
B-6	5-10*	1.5	18	2.5	14	36	218
B-6	15	1.6	6.2	1.0	4.6	13.4	147
B-7	5-10*	3.8	44	7.3	44	99.1	212
B-7	15	1.1	0.9	0.2	0.1	2.3	247
B-8	5-10*	5.0	27	7.0	39	78	157
B-8	15	BRD	BRL	BRL	BRL	BRL	163
B-9	5-10*	7.6	43	16	88	154.6	136
B-9	15	1.6	1.4	0.2	0.5	3.7	179
B-10	5-10*	11	72	20	110	213	152
B-10	15	BRL	BRL	BRL	BRL	BRL	203
B-11	5-10*	3.2	15	2.8	14	35	234
B-11	15	1.9	5.2	0.6	2.2	9.9	240
B-12	5-10*	6.3	35	8.2	44	93.5	207
B-12	15	1.6	5.2	0.5	2.4	9.7	210

Footnotes:

* - Composite collected at 5 and 10 feet BRL - Below Reported Limits

BTEX Detection Limits: 0.1 mg/kg

TPH Detection Limits: 5.0 mg/kg

Levels are in mg/kg (ppm)

TABLE 3-16B

ANALYTES DETECTED IN SUBSURFACE SOILS BX SHOPPETTE, PSI REPORT JUNE 1991

Boring	Depth (Feet)	Benzene	Toluene	Ethyl- benzene	Xylenes	BTEX	ТРН
B-13	5-10*	5.3	24	6.8	33	69.1	<30
B-13	15	0.7	1.1	BRL	0.4	2.2	<30
B-13	20	0.8	1.2	0.2	0.8	3.0	< 30
B-15	5-10*	5.1	4.2	9.4	73	91.7	46
B-15	15	7.9	30	6.1	27	7.1	<30
B-15	20	3.7	16	4.5	24	48.2	35
B-16	5-10*	9.0	37	11	46	103	< 30
B-16	15	BRL	BRL	BRL	BRL	BRL	<30
B-16	20	BRL	BRL	BRL	0.5	0.5	<30
B-17	5-10*	2.3	13	4.3	26	55.6	<30
B-18	5-10*	7.2	20 .	3.7	22	52.9	<30
B-18	15	6.2	19	5.2	24	54.4	< 30
B-19	5-10*	0.5	3.0	5.4	19	27.9	<30
B-19	15	0.6	1.8	BRL	0.7	3.1	<30
B-19	20	0.7	1.9	0.3	0.8	3.7	<30
B-20	5-10*	3.3	26	BRL	26	55.3	< 30
B-20	15	37	280	68	400	785	<30
B-20	20	14	130	31	160	335	< 30
B-21	5-10*	18	84	15	100	217	30
B-21	- 15	13	54	18	83	168	64
B-21	20	8.4	22	4.7	27	52.1	<30
B-22	5-10*	5.3	32	7.5	44	88.8	<30
B-22	20	15	65	10	51	121	<30
B-23	5-10*	1.0	17	7.1	28	53.1	<30
B-23	15	0.6	2.0	1.9	7.8	12.3	< 30
B-24	5-10*	1.3	17	11	29	58.3	< 30
B-24	15	0.2	2.3	1.6	7.1	11.2	< 30
B-24	20	0.2	0.6	0.2	0.9	1.9	< 30
B-25	5-10*	4.4	28	7.9	44	84.3	<30
B-25	15	0.2	0.8	0.1	0.8	1.9	<30
B-27	5-10*	2.4	23	9.2	36	70.6	<30
B-27	15	1.1	10	1.6	15	29.7	<30

Footnotes:

Levels are in mg/kg (ppm)

^{* -} Composite collected at 5 and 10 feet BRL - Below Reported Limits BTEX Detection Limits: 0.1 mg/kg TPH Detection Limits: 5.0 mg/kg

TABLE 11-3

ANALYTES DETECTED IN SUBSURFACE SOILS - BX SHOPPETTE, SITE ASSESSMENT REPORT


Location	Sample Number	Depth	Date Sampled	Benzene	Ethylbenzene	Toluene	m-Xylane	o-Xylene	p-Xylene	TPH (a)
Units				(ug/kg)	(ng/kg)	(B)/Bn)	(ug/kg)	(ug/kg)	(ug/kg)	(mg/kg)
						200				
rw1103	E11-SU-TW1103A	3,	12/11/91	<1,000	· <1,000	<1,000	3,000 (b)	<1,000	(p)	< 20
TW1103	E11-SU-TW1103B	10.	12/11/91	17	127	2	\ \	13	84	< 20
TW1103	E11-SU-TW1103C	22.	12/11/91	<1	8	4	17	4	4	< 20
TW1108	E11-SU-TW1108A	2,	12/14/91	< 1,000	<1,000	<1,000	< 1,000 (b)	3,000	(q)	< 20
TW1108	E11-SU-TW1108B	17.	12/14/91	< 1,000	1,000	< 1,000	4,000 (b)	<1,000	(p)	< 20
FW1108	E11-SU-TW1108C	21.	12/14/91	3	<1	11	7	-	V-1	< 20
FW1109	E11-SU-TW1109A	.9	12/14/91	000'5	17,000	17,000	53,000 (b)	25,000	(q)	172
FW1109	E11-SU-TW1109B	10,	12/14/91	12	4	3	4	\ \	<1	< 20
TW1109	E11-SU-TW1109C	18'	12/14/91	3	7	21	8	<1	\ \	< 20
TW1110	E11-SU-TW1110A	.2-9	12/14/91	2,000	19,000	58,000	63,000 (b)	30,000	(p)	23
TW1110	E11-SU-TW1110B	8.5'	12/14/91	1,000	< 1,000	19,000	37,000 (b)	14,000	(q)	< 20
TW1110	E11-SU-TW1110C	16.5	12/14/91	< 1,000	<1,000	3,000	< 1,000 (b)	3,000	(p)	< 20

Footnotes:

(a) TPH - Total Petroleum Hydrocarbons(b) m-and p- Xylene coelute; the concentration presented is the sum of the two analytes.

APPENDIX B

BTEX DISTRIBUTION IN SOILS AT THE BASE EXCHANGE SHOPPETTE SERVICE STATION, EAKER AFB, ARKANSAS



B-1. Total BTEX Concentrations in Shallow Soils (0'-10') at the BX Shoppette Site, Eaker AFB, Arkansas.




Figure B-2. Total BTEX Concentrations in Soils (10'-17') at the BX Shoppette Site, Eaker AFB, Arkansas.




Figure B-3. Total BTEX Concentrations in Soils (17'-22') at the BX Shoppette Site, Eaker AFB, Arkansas.

APPENDIX C

ANALYTICAL RESULTS OF SUBSURFACE SOIL SAMPLES AT UWOT SITE, EAKER AFB, ARKANSAS

TABLE 3-3C STEP 2 ANALYTICAL RESULTS - UNDERGROUND WASTE OIL TANK SITE

Donne	10100				•
filling	SBSOB	SB506	SB505	SB505	SB508
Sample number	E05-SU-SB505A	E05-SU-SB505C	E05-SU-SBE05D	E05-SU-SB505E	E05-SU-SB506A
Date Sampled	5/23/92	5/23/92	5/23/92	6/23/92	F123/92
Depth	1. <	11' S	16' S	19, 8	2015210
Sample Container	Glass Jar	Glass Jar	Glass Jar	Glace lor	A 7
ANALYTES				Senio	Giass Jar
VOCs (ug/kg)					
(Method EPA CLP, 1988a)					
Acetone		1400 J			
2-Butanone					
4-Methyl-2-Pentanone					
Methylene Chloride					۲,
Benzene			24		
Ethylbenzene		12000	12		
Toluene .					
Xylene (total)		25000	22	070	
Total BTEX		37000	58	070	
BNAs (ug/kg) (Method EPA CLP, 1988a)				0/2	
Bls (2-Ethylhexyl) Phtholate					
2-Methylnaphthalene		1000		1 071	
Nepthalene		440 J			
Phenanthrene					
PESTICIDES / PCBS (ug/kg) (Method EPA CLP, 1988a)					iglosia granda a granda gr
TPH (mg/kg)					
(Method EPA 418.1)		1300 J		170 1	100
INORGANICS (mg/kg)				- 18	
Arsenic (EPA 208.2 CLP-M)		5.8			
Beryllium (EPA 200.7 CLP-M)			0.84		77.0
Chromlum (EPA 200,7 CLP-M)		17.7 J	21.3	7.3	10.74
Copper (EPA 200.7 CLP-M)	5.4	29.8	28.3	2.9	17.0
Lead (EPA 239.2 CLP-M)	6.2 J	12.7 J	15.4 J	2.7 J	13.8
Selection (FPA 2007 CLP-M)		39.1	26.9		23.6
Zing (EDA 200 7 Cl D set				0.58	
Till (EFA 200.7 CLP-M)	25.7 3	91.1	6.89	14.1 J	58.3

TABLE 3-3C STEP 2 ANALYTICAL RESULTS - UNDERGROUND WASTE OIL TANK SITE

(PAGE TWO)

Boring	SB506	SB508	SB507	SB507	SB507
Sample number	E06-SU-SB506B	E05-SU-SBE06C	E05-SU-SB507A	E06-SU-SB507B	E05-SU-SRE07RD
Date Sampled	5/23/92	5/23/92	5/24/92	5/24/92	5/24/92
Depth	8, ∧	14' S	۷ ، ۲	11' S	16' S
Sample Container	Glass Jar	Glass Jar	Liner	1 2	1
ANALYTES			10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1000
VOCs (ug/kg)		1			
(Method EPA CLP, 1988a)					
Acetone			1500 J		
2-Butanone					
4-Mathyl-2-Pentanone					
Methylene Chloride					
Benzane		10			
Ethylbenzene			640 J		
Toluene					
Xylene (total)	45 J		1800		
Total BTEX	45 J	10	2340 J		ľ
BNAs (ug/kg)	*	2. 12 10 10 10 10 10 10 10 10 10 10 10 10 10			
(Method EPA CLP, 1988a)	41				
Bis (2-Ethylhexyl) Phthalate					
2-Methyinaphthalene			480		
Napthalene			220 J		
Phenanthrene					
PESTICIDES / PCBS (ug/kg) (Method EPA CLP, 1988a)					
TPH (mg/kg)					
(Method EPA 418.1)			F 08		
INORGANICS (mg/kg)					
Arsenic (EPA 206.2 CLP-M)			4.8		7 6
Beryllium (EPA 200.7 CLP-M)	0.75	0.85			6:/
Chromlum (EPA 200.7 CLP-M)	18.6	18	15.6 J	17.2.1	1 6 7 1
Copper (EPA 200.7 CLP-M)	31.9	28.2	18.8	28.2	28.1
Lead (EPA 239.2 CLP-M)	12.2 J	13	10.5 J	18.3 J	18.2 J
NICKO (EPA 200.7 CLP-M)	23.1	29.6	24.5	25.8	28.7
Selenium (EPA 270.2 CLP-M)					
Zing (EPA 200.7 CLP-M)	61.4	89.9	54.9 J	90.2	88.7

TABLE 3-3C STEP 2 ANALYTICAL RESULTS - UNDERGROUND WASTE OIL TANK SITE

(PAGE THREE)

Burroa	SB508	SB508	SB508	SBEOG	CBECO
Sample number	E05-SU-SB508A	E05-SU-SBE08C	E06-SU-SB508D	E05-S11-SB509A	FOR SILEBROOK
Date Sampled	6/24/92	5/24/92	5/24/92	5/25/92	5/25/92
Depth	3, 6	11' S	15° S	3, <	3, 7
Sample Container	Liner	Liner	Liner	linar	, and
ANALYTES					
VOCs (ug/kg)	***				
Ageing ErA CEF, 1908aj					
Pical dina	840 J				
2-Butanone					
4-Methyl-2-Pentanone					
Methylene Chloride					
Benzene	f 009	140 J	170		
Ethylbenzene	7200	54 J	48		
Toluene			6.3		
Xylene (tatai)		67 J	110		
Total BTEX	7800 J	281 J	333 J		
BNAs (ug/kg) (Method EPA CLP, 1988a)					
Bis (2-Ethylhexyl) Phihalate					
2-Methylnaphthalene	1200				
Napthalene	490				
Phenanthrene					
PESTICIDES / PCBS (ug/kg) (Method EPA CLP, 1988a)					•
TPH (mg/kg) (Method EPA 418.1)					
INORGANICS (mg/kg)					
Arsenic (EPA 206.2 CLP-M)	8.0	5.1	6.5	4 5	
Beryllum (EPA 200.7 CLP-M)				1.0	0.0
Chromlum (EPA 200.7 CLP-M)	10.6 J	15.7 J	20.4 J	11.5 J	1281
Copper (EPA 200.7 CLP-M)	14.1	27.8	25.7	14,6	16.3
Load (EPA 239.2 CLP-M)	13.6 J	15.8 J	18.0 J	9.0 J	11.2.1
MICKEL LEPA 200.7 CLP-M)	24.2	26.4	24.3	19	21.6
Selenium (EPA 2/0.2 CLP-M)	0.37	0.32	0.3		
ZING (EPA 200.7 CLP-M)	42.0 J	100	84.7	49.7 J	51.3 J

TABLE 3-3C STEP 2 ANALYTICAL RESULTS • UNDERGROUND WASTE OIL TANK SITE

(PAGE FOUR)

Rodug	00100				
Samula nimber	20209	SB509	SB510	SB510	SB510
Sample mumber	EU5-SU-SB509B	E05-SU-SB509D	E05-SU-SB510A	E05-SU-SB510B	FOR SILEBETON
Date Sampled	6/25/92	5/26/92	6/26/92	E 12E 102	20-30-389100
Depth	7. V	13, 8	2, 17	76/07/0	2
Sample Container	Liner	Inar	12	>	11. S
ANALYTES		io io	TINAL TO SERVICE STATE OF THE	Liner	Liner
VOCs (ug/kg) (Method EPA Ci P 1988s)					
Acetone					
2-Butanone					
4-Methyl-2-Pentanone					
Methylene Chloride		-			
Вепгеле					
Ethylbenzene					35
Toluene				,	70
Xylene (total)			, 0		
Total BTEX				91	120
BNAs (ug/kg) (Method EPA CLP, 1988a)			100	98	225
Bls (2-Ethylhexyl) Phthalate					
2-Methylnephthalene					
Napthalene					
Phenanthrene					
PESTICIDES / PCBS (ug/kg) (Method EPA CLP, 1988a)			Section 1		
TPH (mg/kg)					
(Method EPA 418.1)				7.87.67	
INORGANICS (mg/kg)				188	
Arsenic (EPA 206.2 CLP-M)	4.9 ا				
Beryllium (EPA 200.7 CLP-M)					
Chromlum (EPA 200.7 CLP-M)	13.9 J	16.1 J	101	0.78	0.87
Copper (EPA 200.7 CLP-M)	15.4	28.8	7.4	17.3	20.2
Lead (EPA 239.2 CLP-M)	7.7 J	17.8.1	1.,	18.0	27.5
Nickel (EPA 200.7 CLP-M)	21.6	28.8	14.9	16.2 J	22.8
Selenium (EPA 270.2 CLP-M)			2.4.	77.8	28.6
Zinc (EPA 200.7 CLP-M)	52.3 J	88	40	5.8	
		T		2	0.18

TABLE 3-3C STEP 2 ANALYTICAL RESULTS - UNDERGREEIND WASTE OIL TANK SITE

(PAGE FIVE)

E05-SU-SB511B	SB511	
E05-SU-SB511B E05-SU-SB511BD 5.5° V 5.6° V Liner Liner T 6.J T 6.J 4.7 J 6.4 J 0.74 J 15.6 J 11.8 J		58512 S8512
6.5° V 6.5° V Liner Liner Liner Characteristics of the control of	E05-SU-SB511D	E05-SU-SB512A E05-SU-SB512B
Liner Liner Liner Liner Liner T 6 J 7 6 J 7 6 J 7 1 J 1 J 1 J 1 J 1 J 1 J 1 J	6/27/92	-
Liner Liner T 6 J 7 6 J 6 J 7 16 J 15.0 14.1 15.0 14.1 15.8 11.8 J	V 12.6° S	30' V A F. V
7 6J	Liner	. ac
7 6 J 6 J 7 6 J 7 6 J 7 1 6 J 7 15 0 74 J 15.0 14.1 15.8 15.8 11.8 J		
7 6 J		
7 6J		
4.7 J 6.4 J 0.74 J 15.6 14.1 15.8 16.4 J 11.8 J 11.8 J	. F 6	
4.7 J 6.4 J 0.74 J 15.6 15.8 16.4 J 11.8 J 11.8 J	4	
4.7 J 6.4 J 0.74 J 15.6 14.1 15.8 16.4 J 11.8 J 11.8 J		
4.7 J 6.4 J 0.74 J 15.6 14.1 15.8 11.8 J 11.8 J		
4.7 J 6.4 J 0.74 J 15.6 14.1 15.8 11.8 J 11.8 J		9
4.7 J 6.4 J 0.74 J 15.6 14.1 15.8 11.8 J 11.8 J		2
4.7 J 6.4 J 0.74 J 0.74 J 15.0 14.1 16.4 J 11.8 J	C t	0 0
4.7 J 6.4 J 0.74 J 0.74 J 15.0 14.1 16.4 J 11.8 J	\$\frac{1}{2}\frac{1}{2	
4.7 J 6.4 J 6.4 J 0.74 J 0.74 J 15.0 14.1 15.5 15.8 16.4 J 11.6 J		
4.7 J 6.4 J 6.4 J 0.74 J 0.74 J 15.0 14.1 15.6 14.1 16.4 J 11.8 J 16.4 J 11.8 J		
4.7 J 6.4 J 0.74 J 0.74 J 15.0 14.1 16.4 J 11.8 J		
4.7 J 6.4 J 0.74 J 15.0 14.1 15.8 16.4 J 11.8 J 11.8 J		
4.7 J (0.74 J (0.77 J	Table of the control	
4.7 J 0 0.74 J 0 15.0 16.5		
4.7 J 0.74 J 0.74 J 15.0 16.4 J		
4,7 J 0,74 J 0 15,0 16,5 16,4 J		-
0.74 J 0 15.0 15.5 16.4 J 1	0.4	100 A
15.0 15.5 16.4 J	0.4.0	
16.4 J	0 1.1	0.50 J 0.76 J
16.4 J		11.3
16.4 J		15.0
	7	9.7 J 8.4 J
The state of the s	21.2 27.2	14.0 21.3
P-M)		
Zinc (Er'A 200.7 CLP-M) 47.5 J 47.8 J	91.3 J	47.8 J 42.8 J

TABLE 3-3C STEP 2 ANALYTICAL RESULTS - UNDERGROUND WASTE OIL TANK SITE

(PAGE SIX)

Boring	SB513	SB514	SB514	\$8616	SRE1E
Sample number	E05-SU-SB513B	E05-SU-SB514A	E05-SU-SB514B	FOR.SH.SRATEA	606 611 68456
Date Sampled	5/27/92	6/27/92	6177/92	F100.00	EVB-5U-5B5 5B
Depth	11' S	3. <	71 17	0120192	5/28/92
Sample Container	loar	- Cool	>	٦٠. ٥	6.5° V
ANALYTES		- FIII01	Linar	Liner	Liner
1000 for the 1				Dalle District Control of the	
(Method EPA CLP, 1988a)					
Acetone					
2-Butanone	6.3				
4-Methyl-2-Pentanone					
Methylene Chloride	5 J	13	a		
Benzene		10		0	12
Ethylbenzene		23			
Toluene .					
Xylene (total)	12	49			
Total BTEX	12	82			
BNAs (ug/kg)					
Bis (2-Ethylhexyl) Phthalate					
2-Methylnaphthalene					
Napthalane					
Phenanthrene					
PESTICIDES / PCBS (ug/kg) (Method EPA CLP, 1988a)		36			
TPH (mg/kg)					
(Method EPA 418.1)					
INORGANICS (mg/kg)					
Arsenic (EPA 208.2 CLP-M)	4.1 J	7.4 J	81	200	C. Market Market
Beryllium (EPA 200.7 CLP-M)	0.52 J	0.78.1	24.0	2.0 3	2.8 J
Chromium (EPA 200.7 CLP-M)	9.8	14.3	17.0	0.50 J	1.0 J
Copper (EPA 200.7 CLP-M)	12.6	19.9	14.0	8.8	11.9
Lead (EPA 239.2 CLP-M)	12.0 J	18 5.1	12.5	10.6	13.5
Nickel (EPA 200.7 CLP-M)	11.9	20.9	15.33	8.1.7	9.3 J
Selenium (EPA 270.2 CLP-M)				14.1	12.7
Zinc (EPA 200.7 CLP-M)	38.9 J	£ 6.09	45.4 J	48.7.1	. 000
				0 1:01	33.87

TABLE 3-3C STEP 2 ANALYTICAL RESULTS - UNDERGROUND WASTE OIL TANK SITE

(PAGE SEVEN)

Boring	SB516	SB516	58518
Sample number	E05-SU-SB518A	E05-SU-SB616AD	E05-SU-SB516B
Date Sampled	6/28/92	5/28/92	5/28/92
Depth	3.6' V	3.5' V	7 . V
Sample Container	Liner	Liner	Liner
ANALYTES		*	
VOCs (ug/kg) (Method EPA CLP, 1988a)			
Acetone			1.001
2-Butanone			203
4-Methyl-2-Pentanone			
Methylene Chloride	8	7	
Benzene			
Ethylbenzena			
Toluene			
Xylene (total)			
Total BTEX			
BNAs (ug/kg) (Method EPA CLP, 1988a)		10 p. 15	
Bis (2-Ethylhexyl) Phthalate			
2-Methylnaphthalene			
Napthalene			
Phenanthrene			
PESTICIDES / PCBS (ug/kg) (Method EPA CLP, 1988a)			38 18 18 (18) (18) (18) (18)
TPH (mg/kg)		8 8 1	
(Method EPA 418.1)			
INORGANICS (mg/kg)	3.00		
Arsonic (EPA 206.2 CLP-M)	7.4 J	6.5 J	F 0.9
Beryllum (EPA 200.7 CLP-M)	0.78 J	0.78 J	1.0 J
Chromlum (EPA 200.7 CLP-M)	14.5	14.5	12.8
Copper (EPA 200.7 CLP-M)	19.1	18.4	17.9
Lead (EPA 239.2 CLP-M)	19.1 J	18.0 J	11.2 J
Nickel (EPA 200.7 CLP-M)	14.2	15.3	16.8
Selenium (EPA 270.2 CLP-M)			
Zina (EPA 200.7 CLP-M)	L 2.08	54.9 J	52.8 J

TABLE 3-3C STEP 2 ANALYTICAL RESULTS - UNDERGROUND WASTE OIL TANK SITE

(PAGE EIGHT)

	lloS .	· Soil Grab Samples	
Boring	\$601	\$502	S503
Sample number	5/12/92	5/12/92	5/12/92
Date Sampled	11' - 12'	11' - 12'	11. 12.
Depth	Glass Jar	Glass Jar	Glass Jac
Sample Container			
ANALYTES			
VOCs (ug/kg)			
(Method EPA CLP, 1988a)			
Acetone			
2-Butanone			
4-Methyl-2-Pentanone			
Methylene Chloride			
Benzene			
Ethylbenzene			
Toluene			
Xylane			
Total BTEX			

Results are presented in micrograms/kilogram (ug/kg), or milligrams/kilograms (mg/kg) V or S qualitier in the Sample Depth row indicates samples collected from the vadose zone or saturated zone, respectively

VOCs - Volatile Organic Compounds

Total BTEX - Sum total of Benzana, Toluana, Ethylbanzana, and Xylana

TPH - Total Petroleum Hydrocarbons

BNAs - Base Neutral/Acids

NA - Not Analyzed

D qualitier in sample number indicates a field duplicate sample

D qualifier in data tables indicates concentration reported is taken from a dilution

J - compound is detected, but concentration is estimated

The presence of a compound group name (I.e., VOCs, BNAs) indicates that all the compounds in that group were analyzed. A list of all analyzed compounds, their quantitation limits, and their analytical method references may be found in Appendix L.

APPENDIX B LABORATORY ANALYTICAL REPORTS



Alpha Analytical, Inc.

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431 (702) 355-1044

FAX: 702-355-0406 1-800-283-1183 e-mail: alpha@powernet.net http://www.powernet.net/~alpha 2505 Chandler Avenue, Suite 1 Las Vegas, Nevada 89120 (702) 498-3312 FAX: 702-736-7523

1-800-283-1183

ANALYTICAL REPORT

Battelle 505 King Ave Columbus Ohio 43201

Job#: G462201-30C0301 Phone: (614) 424-6199

Attn: Tom Zwick

Sampled: 09/16/96

Received: 09/18/96

Analyzed: 09/21-24/96

Matrix: [

1 Soil

[X] Water

[] Wast

Analysis Requested: TPH - Total Petroleum Hydrocarbons-Purgeable

Quantitated As Gasoline

BTEX - Benzene, Toluene, Ethylbenzene, Xylenes

Methodology:

TPH - Modified 8015/DHS LUFT Manual/BLS-191

BTEX - Method 624/8240

Results:

Client ID/ Lab ID	Parameter	Concentration		ction mit
EAK-2-OWS /BMI091896-01	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	6.5 1,800 ND 390 2,100	5.0 10 10 10	mg/L ug/L ug/L ug/L ug/L
EAK-2-TW /BMI091896-02	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	3.6 570 ND 100 600	1.0 2.0 2.0 2.0 2.0	mg/L ug/L ug/L ug/L ug/L
EAK-160-OWS /BMI091896-03	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	86 5,600 22,000 1,900 11,000	25 50 50 50	mg/L ug/L ug/L ug/L ug/L

ND - Not Detected

Approved by:

Roger M. Scholl, Ph.D. Laboratory Director

9/27/96

Address						the same of the last of the la
City State Zin		(%) Phone (702) 355-1044	4			
Phone Number	Fax	Fax (702) 355-0406	7	Analy	Analyses Required	
Client Name (Scuto)	tolle	13.46201-00-10681-01	Also AFB /			-
Address		DWR #	20	/ / /0		<u> </u>
City, State, Zip		Phone # Fax #	740		\ \ \	<u> </u>
Time Date Matrix*	Office Use Sampled by	Report Attention TOM ZWILL	Total and type of		<i></i>	<u></u>
sampled Sampled See Ne		e Description	** See below		_	_
1/16 Ac	13mIm189601	BAK-2-0WS	+ + E			
7	(A)	7	7			
7	03	EAK-16005	ナナ			
					<i>-</i>	
,					Y	
					-	
						7
						1
						4
						,
REMARKS:			*,			1.
TOU	10	. المنافعة المواقعة المنافعة المواقعة المنافعة المنافعة المنافعة المنافعة المنافعة المنافعة المنافعة المنافعة ا				
					-	
	Signature	Print Name	0	Company	Date	Time
Relinquished by				U ·		(
Received by Relinquished by	amatalus	Minmy ispare	MANG	Malyri X	3/18/16	00
Received by						
Relinquished by						
Received by		A CONTRACTOR OF THE CONTRACTOR				

SAMPLE NAME: EAK-S2-1 (12034) ID#: 9609151B-03A

EPA METHOD TO-3

(Aromatic Volatile Organics in Air)

GC/PID

File Name:	6091820		Date of Collection:	
Dil. Factor:	5120		Date of Analysis:	9/18/96
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
Benzene	5.1	17	1200	3900
Toluene	5.1	20	980	3800
Ethyl Benzene	5.1	23	390	1700
Total Xylenes	· 5.1	23	1200	5300

TOTAL PETROLEUM HYDROCARBONS GC/FID

(Quantitated as JP-4 Jet Fuel)

File Name: 6 Dil. Factor:	091820 5120		Date of Collection:	
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
TPH* (C5+ Hydrocarbons)	51	330	130000	840000
C2 - C4** Hydrocarbons	51	93	11000	20000

^{*}TPH referenced to JP-4 Jet Fuel (MW=156)

^{**}C2 - C4 Hydrocarbons referenced to Propane (MW=44)

SAMPLE NAME: EAK-S2-2 (12027) ID#: 9609151B-04A

EPA METHOD TO-3

(Aromatic Volatile Organics in Air)

GC/PID

File Name:	6091821		Date of Collection:	
Dil. Factor:	5220		Date of Analysis: 9	9/18/96
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
Benzene	5.2	17	1300	4200
Toluene	5.2	20	790	3000
Ethyl Benzene	5.2	23	380	1700
Total Xylenes	5.2	23	1100	4800

TOTAL PETROLEUM HYDROCARBONS GC/FID

(Quantitated as JP-4 Jet Fuel)

File Name: 66 Dil. Factor:	091821 5220		Date of Collection: Date of Analysis:	
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
TPH* (C5+ Hydrocarbons)	52	340	130000	840000
C2 - C4** Hydrocarbons	52	95	8100	15000

^{*}TPH referenced to JP-4 Jet Fuel (MW=156)

^{**}C2 - C4 Hydrocarbons referenced to Propane (MW=44)

SAMPLE NAME: Lab Blank ID#: 9609151B-05A

EPA METHOD TO-3

(Aromatic Volatile Organics in Air)

GC/PID

File Name: Dil. Factor:	6091812 1.00		Date of Collection: Date of Analysis:	
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
Benzene	0.001	0.003	Not Detected	Not Detected
Toluene	0.001	0.004	Not Detected	Not Detected
Ethyl Benzene	0.001	0.004	Not Detected	Not Detected
Total Xylenes	0.001	0.004	Not Detected	Not Detected

TOTAL PETROLEUM HYDROCARBONS GC/FID

(Quantitated as JP-4 Jet Fuel)

File Name: 609181 Dil. Factor: 1.0			Date of Collection: Date of Analysis: 9	
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
TPH* (C5+ Hydrocarbons)	0.010	0.065	Not Detected	Not Detected
C2 - C4** Hydrocarbons	0.010	0.018	Not Detected	Not Detected

^{*}TPH referenced to JP-4 Jet Fuel (MW=156)

Container Type: NA

^{**}C2 - C4 Hydrocarbons referenced to Propane (MW=44)



AIR TOXICS LTD. AN ENVIRONMENTAL ANALYTICAL LABORATORY

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630-4719 (916) 985-1000 FAX: (916) 985-1020

CHAIN-OF-CUSTODY RECORD Nº 008455

ō

Contact F Company Address Phone	Contact Person AL POUACK Company BATTELLE Address Sos King Ave, Phone (6/4) 424-3753 Collected By: Signature Collected By: Signature	City Columbus FAX (LI4) 42	- State 0/+ Zip 4320/	Project Info: P.O. # Project # 6462201-30cc301 Project Name Biosturping TSATTELLE		Turn Around Time: ☑ Normal ☐ RushSpecify	díy
Lab I.D.	Field Sample I.D.	Date & Time	Analy	Analyses Requested	Canis Initial	Canister Pressure / Vacuum Initial Final Receipt	/ Vacuum Receipt
	EAK-160-1 (122.86)	15 SEP 96/1000	BTEX /TPH	645	28,75	0	1,0"14
		155896/			21,5		(,6'1145
450 041	EAK-52-1 (12034) EAK-52-2 (12021)	4) 155EP46/1050	187EX / TPH	JP-4 JP-4	28.5"	0 0	1.0°H
						:	
			4.				
Relinquished By (Signature) Relinquished By (Signature)	Relinquished By (Signature) Date/Time Relinquished By: (Signature) Date/Time	Print Name CREC HEA Received By: (Signature) Da	EADZNGTON)) Date/Time	Notes: DATA TO! A	TO! AL POLLMUK	J	
reiinquisnea b	Heinquisned by: (Signature) Date/ rime	Heceived By: (Signature) Da	1) Date time 4/17/4 1005				
Lab Use Only	Shipper Name (263	(CO)	Date/Time	Temp. (°C) Condition Custoc	Custody Seals Intact? Yes No (None) N/A	96091518	1518

SAMPLE NAME: EAK-160-1 (12286) ID#: 9609151A-01A

EPA METHOD TO-3

(Aromatic Volatile Organics in Air)

GC/PID

File Name:	6091817		Date of Collection:	
Dil. Factor:	52200 Det. Limit	Det. Limit	Date of Analysis: ! Amount	9/18/96 Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
Benzene	52	170	3000	9700
Toluene	52	200	8900	34000
Ethyl Benzene	52	230	660	2900
Total Xylenes	52	230	2400	10000

TOTAL PETROLEUM HYDROCARBONS GC/FID

(Quantitated as Gasoline)

File Name: 60918 Dil, Factor: 522			Date of Collection: Date of Analysis:	
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
TPH* (C5+ Hydrocarbons)	520	2200	51000	210000
C2 - C4** Hydrocarbons	520	950	25000	46000

^{*}TPH referenced to Gasoline (MW=100)

^{**}C2 - C4 Hydrocarbons referenced to Propane (MW=44)

SAMPLE NAME: EAK-160-2 (11629) ID#: 9609151A-02A

EPA METHOD TO-3

(Aromatic Volatile Organics in Air)

GC/PID

File Name:	6091818		Date of Collection:	9/15/96
Dil. Factor:	52200		Date of Analysis:	9/18/96
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
Benzene	52	170	2500	8100
Toluene	52	200	7800	30000
Ethyl Benzene	52	230	740	3300
Total Xylenes	52	230	2700	12000

TOTAL PETROLEUM HYDROCARBONS GC/FID

(Quantitated as Gasoline)

	1818 2200	N/6/9794 P0.TH ASSUME SECTION 1.50099	Date of Collection: Date of Analysis:	######################################
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
TPH* (C5+ Hydrocarbons)	520	2200	43000	180000
C2 - C4** Hydrocarbons	520	950	17000	31000

^{*}TPH referenced to Gasoline (MW=100)

^{**}C2 - C4 Hydrocarbons referenced to Propane (MW=44)

SAMPLE NAME: EAK-160-2 (11629) Duplicate ID#: 9609151A-02AA

EPA METHOD TO-3

(Aromatic Volatile Organics in Air)

GC/PID

File Name:	6091819	Mark Commencer (1971)	Date of Collection:	9/15/96
Dil. Factor:	52200		Date of Analysis: §	9/18/96
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
Benzene	. 52	170	2500	8100
Toluene	52	200	7800	30000
Ethyl Benzene	52	230	700	3100
Total Xylenes	52	230	2600	11000

TOTAL PETROLEUM HYDROCARBONS GC/FID

(Quantitated as Gasoline)

File Name: 609181 Dil. Factor: 5220			Date of Collection: Date of Analysis:	N. 040804803803890. P. G. S.
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
TPH* (C5+ Hydrocarbons)	520	2200	41000	170000
C2 - C4** Hydrocarbons	520	950	17000	31000

^{*}TPH referenced to Gasoline (MW=100)

^{**}C2 - C4 Hydrocarbons referenced to Propane (MW=44)

SAMPLE NAME: Method Spike ID#: 9609151A-03A

EPA METHOD TO-3

(Aromatic Volatile Organics in Air)

GC/PID

File Name:	6091803	D	ate of Collection: NA
Dil. Factor:	1,00	D	ate of Analysis: 9/18/96
	Det. Limit	Det. Limit	
Compound	(ppmv)	(uG/L)	% Recovery
Benzene	0.001	0.003	94
Toluene	0.001	0.004	93
Ethyl Benzene	0.001	0.004	95
Total Xylenes	0.001	0.004	95

TOTAL PETROLEUM HYDROCARBONS GC/FID

(Quantitated as Gasoline)

File Name: 609 Dil. Factor:	1807 1.00		Date of Collection: NA Date of Analysis: 9/18/96
	Det. Limit	Det. Limit	
Compound	(ppmv)	(uG/L)	% Recovery
TPH* (C5+ Hydrocarbons)	0.010	0.042	88
C2 - C4** Hydrocarbons	0.010	0.018	88

^{*}TPH referenced to Gasoline (MW=100)

Container Type: NA

^{**}C2 - C4 Hydrocarbons referenced to Propane (MW=44)

SAMPLE NAME: Lab Blank ID#: 9609151A-04A

EPA METHOD TO-3

(Aromatic Volatile Organics in Air)

GC/PID

File Name: Dil. Factor:	6091812 1.00		Date of Collection:	
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
Benzene	0.001	0.003	Not Detected	Not Detected
Toluene	0.001	0.004	Not Detected	Not Detected
Ethyl Benzene	0.001	0.004	Not Detected	Not Detected
Total Xylenes	0.001	0.004	Not Detected	Not Detected

TOTAL PETROLEUM HYDROCARBONS GC/FID

(Quantitated as Gasoline)

File Name: - 60 Dil. Factor:	091812 1.00		Date of Collection: Date of Analysis: 9	
	Det. Limit	Det. Limit	Amount	Amount
Compound	(ppmv)	(uG/L)	(ppmv)	(uG/L)
TPH* (C5+ Hydrocarbons)	0.010	0.042	Not Detected	Not Detected
C2 - C4** Hydrocarbons	0.010	0.018	Not Detected	Not Detected

^{*}TPH referenced to Gasoline (MW=100)

Container Type: NA

^{**}C2 - C4 Hydrocarbons referenced to Propane (MW=44)



AIR TOXICS LTD. AN ENVIRONMENTAL ANALYTICAL LABORATORY

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630-4719 (916) 985-1000 FAX: (916) 985-1020 NS 455 Page of Page of

CHAIN-OF-CUSTODY RECORD

,		42	1.40	J	1. 3030.	jji (nast	· ·	i segisi	Quis	 Korebri	S. A.			\$40 1		ē -
, ify		/ Vacuum	41.01	1.6" =	0,5/1/6	10.43								rder#	1514	
ind Time:		Canister Pressure / Vacuum	0	8	0	⟨0						<i>/</i> *		Work Order #	96091	
Turn Around Time: Normal Rush Spe	\$ 5.	Canister	28,75	31.5	28.75	28.5"						"LINCK				
Project info: P.O. # Project # ๕५६२२०१ - ३०८०३०। Project Name 3 เอรเบสท์ เป	BATTECLE	sted	GAS	GAS	JP-4	JP-4						ATA TO: AL POLINCK		Condition Custody Seals Intact?	Good Yes No (None N/A	
	Z. Z.	Analyses Requested	BTEX /TPH	BTEX/TPH	BTEX /TPH	Brex/TPH		The state of the s				375N Notes: DATA	1/7/94 1095	Temp. (°C)	9/17/1/ 1005 AMBIENT	
City Columbu S State 01+ Zip 43201 FAX (44) 424 - 3667		Date & Time	15 SEP 96 /1000 B	15 SEP 96/1005	15×196 /1040 B	15 SEP 96/1050 17						Print Name CREG HEKUZANGY Received By: (Signature) Date/Time	Heceived By: (Signature) Date Time	Opened By:	#	
	3 Hueling A	ple I.D.	51 (98 77)	(11629)	(ps acl) 1							76-5	Rece	Air Bill #	(263940510	
Company BATTELLE Address Sos Kivic Aute, Phone (6/4) 424-3753	Collected By: Signature	Field Sample I.D.	EAK-160-1	020 MA EAK-160-2	DEATH EAK-SZ-	OHAY EAK-52-2 (12027)							Relinquished By: (Signature) Date/Time	Shipper Name	FUDET	
Contact I Company Address Phone	Collected	Lab I.D.	αĄ	020 AA	Barro	dayto						Relinquished By:	Relinquished E	10	Lab Use	

Form 1293 rev. 06



AIR TOXICS LTD. AN ENVIRONMENTAL ANALYTICAL LABORATORY

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA 95630-4719 (916) 985-1000 FAX: (916) 985-1020 N° 008455

Page ___ of

CHAIN-OF-CUSTODY RECORD NO

Contact	Contact Person A L Toll ACK			Project info:	Tu	Turn Around Time:	d Time:	
Compan Address Phone C		(cid) 424	State (1/+ Zip 4320) - 3 (26.7	P.O. #		Normal Bush	Specify	
Lab I.D.	Field Sample I.D.	Date & Time	Analy	Analyses Requested		Canister F	Canister Pressure / Vacuum	Vacuum
	EAK-140-1 (122.86)	15 SEP 96 /1000	BTEX /TPH	4 245	18	28,75	0	
	EAK-160-2 (11629)		BTEX/TEH	-	3	3118	S	
	EAK-52-1 (12034)		BTEX/TPH	7-45	28.	28,75	0	
	CAK-52-2 (12027)	ISSEPAL/1050	BTEX/TPH	4-4°C	28	28,5"	0	
elinquisi	elinquished By; (Signature) Date/Time		ABENGTON	Notes: DATA TO: A	TO: AL POLLACIA	717		
elinquished	By: (Signature) pate/Time	Received By: (Signature) Date/	Time					
elinquished	elinquished By: (Signature) Date/Time	Received By: (Signature) Date/Time	Time					
Lab	Shipper Name Air Bill #	3iii # Opened By:	Date/Time	Temp. (°C) Condition Cust	Custody Seals Intact?	ct?	Work Order #	ler#
Use				Yes	Yes No None N/A	<u></u>		
			The second secon					

Battelle

CHAIN OF CUSTODY RECORD

Form No.

Remarks Received by: (Signature) Received by: (Signature) Containers ło Mumber Container No. Date/Time Date/Time SAMPLE TYPE (V) Remarks Relinquished by: (Signature) Relinquished by: (Signature) Date/Time Received for Laboratory by: (Signature) Received by: (Signature) Received by: (Signature) マピアン SAMPLE I.D. LAK- Z-Date/Time Date/Time Date/Time LAKER AFD Project Title TIME Relinquished by: (Signature) Relinquished by: (Signature) Relinquished by: (Signature) SAMPLERS: (Signature) Columbus Laboratories C4(12201-3000301 11.96 09-16 16 DATE

CHAIN OF CUSTODY RECORD

Form No.

Baffelle Columbus Laboratories

		Remarks	W as Ome													
	radmu fo eranietn			5) h								Received by:	(Signature)	Received by: (Signature)		
	.oV 19ni	sinoO	-									Date/Time		Date/Time		
SAMPLE TYPE (\(\)												ignature)		ignature)	Remarks	_
SAM												Relinquished by: (Signature)		Relinquished by: (Signature)	Date/Time	
	3/1	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	X	X >	+-									8	ory by:	-
	Ero ure Er	E I.D.	0WS (2/4)	M	1							Received by: (Signature)		Received by: (Signature)	Received for Laboratory by: (Signature)	
t Title	Santy Santy	SAMPLE 1.D.	EAK-2-04	12.	7091							Date/Time	Sh51 16251	Date/Time	Date/Time	
Project Title	\exists	TIME										(Signature)		(Signature)	(Signature)	
Proj. No.	SAMPLERS:(Signature)	DATE	09-16-76							,		Relinquished by: (Signature	Duegay A	Relinquished by: (Signature)	Relinquished by: (Signature)	

Battelle

CHAIN OF CUSTODY RECORD

Form No.

SOIL SAINTRES Remarks ÷ 1 Received by: Received by: (Signature) (Signature) Containers Remarks STAIN FASILITE TO ło Number Container No. Date/Time Date/Time allingur allin Seer pille SAMPLE TYPE (V) Ż Relinquished by: (Signature) Relinquished by: (Signature) Date/Time Received for Laboratory by: Received by: (Signature) 1215 HIS FROMITY 160-14.5-15.0 FACILITY 160-15.0-15.5 FAMILTY 160-14.6-14.5 11.0-11.5 BUSIURPIAK Received by: (Signature) (Signature) SAMPLE 1.D. (1)87 EAFE-2 1305 HWS EAFB-2 1309 HUS EAFB-2 Date/Time Date/Time Date/Time TAVIK AFE, (Alle) **Project Title** 143712 Sall 1121 301 11 17 00 HV TIME Relinquished by: (Signature) Relinquished by: (Signature) Relinquished by: (Signature) SAMPLERS: (Signature) Columbus Laboratories 6462201-11-11-60 07-11-96 06-11-60 96-11-6 07-11-96 11-61 300030 DATE Proj. No.

Baffelle

CHAIN OF CUSTODY RECORD

Form No.

SAMMES Remarks > 1 5011 Received by: Received by: (Signature) (Signature) Containers Tent KINTEL
SOS KINS AVE ło Иптрег 12Eh OIHO, SUBMUDOO Container No. Date/Time Date/Time SAMPLE TYPE (V) Relinquished by: (Signature) Relinquished by: (Signature) Date/Time Received for Laboratory by: Received by: (Signature) 12(5 HPS FACILITY 160-14:5-15.0 1200 HKS FACILITY 160-14.0-14.5 FACILITY 160-15.0-15.5 11.5-12.0 BIUSLURPING 10.5-11.0 Received by: (Signature) (Signature) SAMPLE I.D 0800 HAS EAFB-2 rope to primary EAFB-2 1309 HIS EAFB - 2 Date/Time Date/Time Date/Time EAKER AFB, 1/2/1/2/ Project Title EASTED 1305 HRS 1301 HB 1210 HRS TIME nquished by: (Signature) Relinquished by: (Signature) Relinquished by: (Signature) SAMPLERS: (Signature) Columbus Laboratories 96-11-60 96-11-60 96-11-60 09-11-96 96-11-50 96-11-60 9462201 300030, 00 DATE Proj. No.

0	20	1		_	\	_	,										
	roge	1.0%	O) A		/											
	1 /2	17	رد	7	42	/	\succ	\checkmark	\nearrow	X	¥	<i>ب</i>					
			1	7	74		X	X	A	γ.	X	٧					
	red	1	1.0	, 	A	(X	X	Х.	X	ید	K					
of	equi		25	\(\frac{1}{2}\)		3/	ン	X	×	X	ح	یر					
~ Î	ses F	U	772		17/	11	Z	乂	×	<u> </u>	×	メ					
	Analyses Required			<u> </u>	M	2/	\searrow	>	<u></u>	メ	بد	<u> </u>					
#			\ \	<u> </u>	14	1	7	/		Υ		· ·					
Page #	N3/	1/0	· ·	!! Q.	(A)	7	<u>/</u> У	グ	<u> </u>)	`	×					
ш		-	7. Y	20	10	7	<u>/</u> ×	\rightarrow	,	\ . :	<u>ر</u>	, X					
		-	\mathcal{L}	0/1/9	H	1	,	<i>></i>		<i>></i>	×.	× '					
		-		8	£ (2)		+	7	7	(- 1						
		050			10	//		+	ł	f	1	+					
<mark>5. ك</mark>		-4162201-3000201			Total and type of	** See below	S113811	,	1	\	ı	\					
al, Ir Suite	- 4	18			Total	\$ \$	-	,	•		,						
Alpha Analytical, Inc. 255 Glendale Avenue, Suite 21	Sparks, Nevada 89431 Phone (702) 355-1044 Fax (702) 355-0406	46			_))	1.0	C		(2					
Anal	Sparks, Nevada 894. Phone (702) 355-10 Fax (702) 355-0406	#qor	# HMO	Fax#	40		11.0	1.5	2,0	5 '	160- 14.5.15,0	5.0-15.0-15.5					
Glenc	irks, _N				158 K 14e		<u> </u>	1.0-11	(1 -S.)	5 hl- 0h1 -0	5-1	0-1					
Al 255	Pho Pa				I	ption	.510	о	5.	57	14.	15					
/						Descri)		_	(1	- 0					
	E		*	*	Report Attention	Sample Description	a	α	3	\geq							
		P.O. #	# SMd	Phone #	Report		EAFR. 2	CAFB-2	EAFB-2	Facility	Faciling	Facilin 1					
							7 1	٩È	AF	-)	710	(1)				7	
	1 (4		EF	(1)	(I)	-90	F-4	1-9	: •				
					Ent												
					1		10	B	6	20	25	90					
				,	Sampled by	nber	196										
) à	8	l		Sarr	Lab ID Number	16(٠	
		6			Use >		DH	_									
		000			Office Use Only		10-75F1PO ITMS										
tion:		せっ			rix.	(Mo	_	_	,)		R					
orma			1		Matrix*	Below	R	7	7	,	>	6)					
Info	ite, Zij	lame	S	ate, Zip	Date	Sample	11/6					11/6	-				
illing Information:	ddress ity, State, Zip	Client Name	Address	City, State, Zip	Time Date Matrix*	ampled											
- w	D = 1	- 10	15	10	1	ñ			1					ī	1	. !	 1

REMARKS:

CH NOT CA

Signature	Print Name	Company ·	Date	Time
Relinquished by				
Received by	Chara Bance	1) July 14 (1) D	0561 34/11/19	05C1
Relinquished by		AAT	0/18/81/6	0421
Received by	1-4056KH	SBM, NOC.	9/18/96/12/10	0/12/
quished by				
la,				

P-Plastic * Nes are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense.



Alpha Analytical, Inc.

255 Glendale Avenue, Suite 21 Sparks, Nevada 89431 (702) 355-1044

FAX: 702-355-0406 1-800-283-1183

e-mail: alpha@powernet.net http://www.powernet.net/~alpha 2505 Chandler Avenue, Suite 1 Las Vegas, Nevada 89120 (702) 498-3312 FAX: 702-736-7523

1-800-283-1183

ANALYTICAL REPORT

Battelle 505 King Ave

Columbus Ohio 43201

Job#: G462201-30C0301 Phone: (614) 424-6199

Attn: Al Pollock

Sampled: 09/11/96

Received: 09/17/96 Analyzed: 09/21/96

[] Water] Waste Matrix: [X] Soil

Total Petroleum Hydrocarbons-Purgeable Analysis Requested: TPH -

Quantitated As Gasoline

BTEX - Benzene, Toluene, Ethylbenzene, Xylenes

Methodology:

Modified 8015/DHS LUFT Manual/BLS-191 TPH -

BTEX - Method 624/8240

Results:

Client ID/ Lab ID	Parameter	Concentration		ction
EAFB-2 10.5- 11.0 /BMI091796-01	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	4,500 9,100 1,200 22,000 120,000	500 1,000 1,000 1,000 1,000	mg/Kg ug/Kg ug/Kg ug/Kg ug/Kg
EAFB-2 11.0- 11.5 /BMI091796-02	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	2,600 5,700 ND 12,000 62,000	500 1,000 1,000 1,000 1,000	mg/Kg ug/Kg ug/Kg ug/Kg ug/Kg
EAFB-2 11.5- 12.0 /BMI091796-03	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	3,600 11,000 ND 20,000 110,000	500 1,000 1,000 1,000 1,000	mg/Kg ug/Kg ug/Kg ug/Kg ug/Kg
Facility 160- 14.0-14.5 /BMI091796-04	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	24,000 170 1,900 480 2,500	5,000 10 10 10 10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg



Alpha Analytical, Inc. 255 Glendale Avenue, Suite 21 Sparks, Nevada 89431 (702) 355-1044

FAX: 702-355-0406 1-800-283-1183

e-mail: alpha@powernet.net http//www.powernet.net/~alpha 2505 Chandler Avenue, Suite 1 Las Vegas, Nevada 89120 (702) 498-3312 FAX: 702-736-7523 1-800-283-1183

Continued:

Client ID/ Lab ID	Parameter	Concentration		ction mit
Facility 160- 14.5-15.0 /BMI091796-05	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	26,000 200 2,400 580 3,200	5,000 10 10 10 10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg
Facility 160- 15.0-15.5 /BMI091796-06	TPH (Purgeable) Benzene Toluene Ethylbenzene Total Xylenes	33,000 240 2,600 670 3,600	5,000 10 10 10 10	mg/Kg mg/Kg mg/Kg mg/Kg mg/Kg

ND - Not Detected

Approved by:

Roger L. Scholl, Ph.D.

Laboratory Director

Page 2 of 2

Laboratory Analysis Report

Sierra Environmental Monitoring, Inc.

Date : 10/04/96 Client : ALP-855

Taken by: CLIENT Report : 17533

PO# :

Sample	Colle Date	cted Time	MG/L CACUS	PH S.U.	MOISTURE CONTENT %	KJELDAHL-N MG/L	PHOSPHORUS -TOTAL MG/L	IRON, TOTAL
BMI091796-01-EAFB-2 10.5-11.0 BMI091796-02-EAFB-2 11.0-11.5 BMI091796-03-EAFB-2 11.5-12.0 BMI091796-04-FAC 160 14.0-14.5 BMI091796-05-FAC 160 14.5-15.0 BMI091796-06-FAC 160 15.0-15.5	9/11/96 9/11/96 9/11/96 9/11/96 9/11/96 9/11/96	:	750 mg/kg* 660 mg/kg* 730 mg/kg* 320 mg/kg* 340 mg/kg* 380 mg/kg*	9.46 9.62 9.54 9.40 9.54 9.50	23.6 23.1 23.3 12.2 14.6 14.3	278 mg/kg 388 mg/kg 347 mg/kg 263 mg/kg 209 mg/kg 194 mg/kg	232mg/kg 319mg/kg 244mg/kg 23mg/kg 60mg/kg 46mg/kg	15 mg/g 14 mg/g 16 mg/g 5.1 mg/g 8.4 mg/g 4.2 mg/g
Sample	Collec	ted Time	DIGESTION- TOTAL METALS	AQUEOUS EXTRACT	DENSITY G/CM3	PARTICLE SIZE DISTIBUTION FRACTION %	POROSITY	
BMI091796-01-EAFB-2 10.5-11.0 BMI091796-02-EAFB-2 11.0-11.5 BMI091796-03-EAFB-2 11.5-12.0 BMI091796-04-FAC 160 14.0-14.5 BMI091796-05-FAC 160 14.5-15.0 BMI091796-06-FAC 160 15.0-15.5	9/11/96 9/11/96 9/11/96 9/11/96 9/11/96 9/11/96	:	yes yes yes yes yes	yes yes yes yes yes	1.25 1.25 1.26 1.61 1.73 1.62	REPORT REPORT REPORT REPORT REPORT REPORT	52.8 52.8 52.4 39.2 34.7 38.9	

poroved By:

ALPHA ANALYTICAL

SPARKS NV 89431

255 GLENDALE AVENUE, SUITE 21

is report is applicable only to the sample received by the laboratory. The liability of the laboratory is limited to the amount paid for this report. This report is for the exclusive use of the client to whom it is addressed and upon the condition that the client assumes all liability for the further distribution of the report or its contents.

Laboratory Analysis Report

ALPHA ANALYTICAL 255 GLENDALE AVENUE, SUITE 21 SPARKS NV 89431



Sierra Environmental Monitoring, Inc.

Date

Client : ALP-855 Taken by: CLIENT Report : 17533

PO# :

Page: 2

Alkalinity is milligrams of CaCO3 extractable per kilogram of soil.

This report is applicable only to the sample received by the laboratory. The liability of the laboratory is limited to the amount paid for this report. This report is for the exclusive use of the client to whom it is addressed and upon the condition that the client assumes all liability for the further distribution of the report or its contents.



September 26, 1996

TO:

Alpha Analytical

FROM:

Sierra Environmental Monitoring, Inc.

RE:

Particle Size Distribution Analysis for Samples:

SEM 9609-0711

BMI 091796-01-EAFB-160 10.5-11.0

SEM 9609-0712

BMI 091796-02-EAFB-2 11.0-11.5

SEM 9609-0713

BMI 091796-03-EAFB-2 11.5-12.0

As per your request, we have performed particle size analysis on the samples submitted to our laboratory. Test results are as follows:

9609-0711

Clay: 21.7 %

Silt: 55.8 %

Sand: 22.5 %

9609-0712

Clay: 19.2 %

Silt: 51.3 %

Sand: 29.2 %

9609-0713

Clay: 19.1 %

Silt: 50.9 %

Sand: 30.0 %

The samples were passed through a #10 sieve prior to analysis as per procedure. All results are based on oven dry sample weights.

We appreciate this opportunity to provide our laboratory testing services. If you have any questions or require further testing, please feel free to contact us at your convenience.

Sincerely,

SIERRA ENVIRONMENTAL MONITORING, INC.

John Seher

Laboratory Manager

1135 Financial Blvd. Reno, NV 89502 Phone (702) 857-2400 FAX (702) 857-2404



September 26, 1996

TO:

Alpha Analytical

FROM:

Sierra Environmental Monitoring, Inc.

RE:

Particle Size Distribution Analysis for Samples:

SEM 9609-0714

BMI 091796-04-FAC-160 14.0-14.5

SEM 9609-0715

BMI 091796-05-FAC-160 14.5-15.0

SEM 9609-0716

BMI 091796-06-FAC-160 15.0-15.5

As per your request, we have performed particle size analysis on the samples submitted to our laboratory. Test results are as follows:

9609-0714

Clay: 2.8 %

Silt: 7.5 %

Sand: 89.7 %

9609-0715

Clay: 7.5 %

Silt: 11.1 %

Sand: 81.4 %

9609-0716

Clay: 3.9 %

Silt: 5.7 %

Sand: 90.4 %

The samples were passed through a #10 sieve prior to analysis as per procedure. All results are based on oven dry sample weights.

We appreciate this opportunity to provide our laboratory testing services. If you have any questions or require further testing, please feel free to contact us at your convenience.

Sincerely,

SIERRA ENVIRONMENTAL MONITORING, INC.

John Seher

Laboratory Manager

APPENDIX C
SYSTEM CHECKLIST

Checklist for System Shakedown

Site: EAKER AFB, Site # 160

Operator's Initials:

٠	Check	
	#	
Equipment	Okay	Comments
Liquid Ring Pump	7	
Aqueous Effluent Transfer Pump	1	
Oil/Water Separator		
Vapor Flow Meter	7	
Fuel Flow Meter		
Water Flow Meter		
Emergency Shut off Float Switch -Effluent Transfer Tank	7	
Analytical Field Instrumentation -GasTechtor O ₂ /CO ₂ Analyzer -TraceTechtor Hydrocarbon Analyzer -Oil/Water Interface Probe -Magnehelic Boards -Thermocouple Thermometer	7	

APPENDIX D DATA SHEETS FROM THE SHORT-TERM PILOT TEST

Bioslurper Pilot Test Monitoring Well Data Sheet

Site: EAKER AFB/Site 160

Test Type (Skimmer, Bioslurper Vacuum Extraction, Drawdown): Bioslurpe &

Depth to Groundwater: 15.5 Tot

Depth to Fuel: 15.5 Toc

Depth of Slurper Tube: 15.58 Toc

Date at Start of Test: 12 SEP 96

Time at Start of Test: 1056 HRS

Operator's Initials: IK

	Vonor Extr	notion Flour			11/11			-
	vapor extr	vapor extraction filow	INAPI	Groundwater	Well- Head			
	Pressure (in H ₂ O)	Flowrate (scfm)	Totalizer (gal)	Totalizer (gal)	Vacuum (in the column	Comments (include samples collection/analysis information)	ats (analysis information)	
	O.01" DP				16" Hg	Soul water lang = 147.66 F		
	0.015" 20				18" Hg	Seed water tay = 133°F		
, ,	6,015" DP		6.2 GAL	mo, Small	18" 49	Seal water teny = 129°F		
	0.0125" DF		8.8 GAL	745 09	18" 149	Soft water tenp = 126°F	11.2 GPHWATER	
	o.01" DP		21.1 GAL	75 Gar		SEAl water temp=121,6F		
	0.00 65" DR		42,0 GAL	RATE 3.6 BPH	18.5" 149	18.5" Ha Seal water temp=118.6%		
	90.00\$" کامل		49.6 GAL	1	18" Hq	18" Hg SEA WATER TEMP = 118.8" F		
	0,012" DP		59.7 GAL	145 GAL	18" 143	18" Hg SEAL WATER TEMP= 136°F	24 \$ 5.5 GAL/ 1R water	
-	0.01" Jr		64.0 GAL	150 GAL	19.5" Hay	19,5" Hg SEA! WATER TEMP= 111,0°F	Rute 4.8 GAL/HR.	Hove meter

Bioslurper Pilot Test Monitoring Well Data Sheet

Site: EHKER AFB 15.45 # 160

WELL TWINS

Test Type (Skimmer, Bioslurper Vacuum Extraction, Drawdown): Bioslurping

Depth to Groundwater: 15.5 70.0

Depth to Fuel: 15,5 70c

Depth of Slurper Tube: 15,58 700

Date at Start of Test: 12 SEP 96

Adapter pipe = 0.55 Above original TOC. DIW

Time at Start of Test: 1056 HWRS

Stopped 91,4 Hours, DIE

Operator's Initials:

	l						F
Vapor Extraction Flow	actio	n Flow			Well-		
Dracellra		Flournta	LNAPL	Groundwater	Head		
		(scfm)	(gal)	(gal)	V acuuiii	(include samples collection/analysis information)	
0.06" DP			66.8	17064	16.5"Hg	See water temp 1110 F / 140 Air Bispyss UMANE	Ralen
System off after th	4	is reading,	Reprise Dumit	after this reading, Reprise rump and install after cooler unit	Her coolea	Unit struct pases/1030 HES 130 US	
C. C. S." DP			70.1 GAL	206 GAL	17,5" 1/8	Seal water temp = 130.8°F	
0,005" PP			79.3 GAL	262 CAL	18.5"149	wite temp = 120,4°F / 15 SEO /0845 HRS.	ì
	7	VAPOR E	Emmission	SAMPles	•	CAN # 12286-EAK-160-1 CAN # 11629-EAK-160-2	
VERY WINDY CANNOT ZEPO MAENETHELIC	mhe	NEHELIC	85 GAL	307 CAL	20" Hg	WATER FEM = 1210 F 1845 HRS.	\ \frac{1}{2}
6,005" DP			93,7 GAL	368 GAL	20" 143	water temp=106,6F	
Supplem Stoppied	Jak	4	94,3 6AL	373 GAL	20"Hg	Stopped Sturping 1100 HRS 16 SEP 96	
2			V	-DOES NCT	Include vo	Enolule volume for filter box ows prime	ī
		•		Could be	an Adition	Covid be an Additional 7-10 GALLENS	

Bioslurper Pilot Test Monitoring Well Data Sheet

Site: EAKER AFB / S. HE # 160 WE

WELL TW/105

Test Type (Skimmer, Bioslurper Vacuum Extraction, Drawdown): DRAWDOWN (Atmospheric)

Depth to Groundwater: 16,56

Depth to Fuel: 16.56

Depth of Slurper Tube: 18,70

Date at Start of Test: 17 SEP 96

Time at Start of Test: 1535 HRS

Operator's Initials:

	Vapor Ext	Vapor Extraction Flow			Welk	
Time	Pressure (in H ₂ O)	Flowrate (scfm)	LNAPL Totalizer (gal)	Groundwater Totalizer (gal)	Puv acuum	Comments (include samples collection/analysis information)
T=0	90 "SH10		0	0	17"Hs	water trup = 41.2°C / water Rate 32/11K
370 mix	O.145" DP	No pulling	water	or fuel, g	SEAL Wate	water on fuel, SEAI water tANK level has deepper
					Yorddt/	4" WE ARE EVAPORATION WATER
					Jano	cumy fuel which might be recorded,
						System off until 18 ser when
						a vacuum drawdown fest will be dong
			•			
		٠				

Baildown Test Record Sheet

Site: EAKER AFB, Site #160

Well Identification: TW 1105

Well Diameter (OD/ID): 2" PUC

Date at Start of Test: 0956796

Sampler's Initials:

Time at Start of Test: 1704

Initial Readings

Depth to	Depth to LNAPL (ft)	LNAPL	Total Volume
Groundwater (ft)		Thickness (ft)	Bailed (L
19.05	13.05	5.83'	9.0 Liters

Test Data

Sample Collection Time	Depth to Groundwater (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)
1704 HR	18.07'	17,941	0.13
1902 HR	15.725	14.91	0.815
105EP 96 0715 HR	15,51	14.91	0.815

Bioslurping Pilot Test (Data Sheet 3) Fuel and Water Recovery Data

Page	1	of	1

Site: EAKER AFB, SITE # 160

Start Date: 10 SEP 96

Test Type: Skimming

Operators: J. EASTEP/S. WALTON

Date/Time	Run Time	LNAPL Recovery (volume collected in time period)	Groundwater Recovery (volume collected in time period)
10SEP/ 0800	0	0	0
10 SER/ 1700	540 min	450 ec	3.0 gallous
10 42/ 2140	Kim OS8	less than 10 cc	the 1.5 gallons
11 SEP/ 0930	1530 min	no additional fuel recovered	3,2 GALLONS
	GC	TO SLURPING MODE	•
16 SEP 96	STAR	+ SKIMMING AT 1130	HRS.
165EP96/1130	0	6	0
16SEP96/1805	395 min	NO MEASURABLE PEOPLET	9.5 Liters
16 SEP 96/2150	620min	70 ec of fuel RELOVERED	5.0 liters (14.5P)
175EP96/1045	1395min	Stop9 No Additional fuel recovered	15 liters (29.5P)

J. mr.

FUEL AND WATER RECOVERY DATA

Site: 160

Start Date: 9 12.96

Test Type: Bisloper

Operators: Eastep + Walton

Date/Time	Time	LNAPL Recovery	Groundwater Recovery
9-12-96 1056	0	٥	0
1;00 pm	·	"Shotalown for	1 hr
Zem		restant	
6 pm	40.0	6.2 gal	lamina
Fam	F0.F	8.8 Jal	
2218	10,37	21, 1 gal	
9.13.96 0500	F0.F1	4Z gal	40 gal
0820	20.4	49.6 gal	
1415	26.3	59.7	145
1900	31.07	Pump of	
SIOD	31.57	restant	
974 96 BAD		64 gal (cum)	150 gal
9.14.96 0900	43.07	2.8 gal	150 gal
5907	43,19	System of	\
10:30	43.19	System on	
1800	50.69	75.1 (total)	206 gal.
9-15-96 0845	65.4	79.3	Z6Z cal
1845 0956	6606 7°	,4 85	307 gal
4700	St	Ep ster	

9.16.96 0830 89.2 93.7

368

1150 91.7 stop

94.3

373

FUEL AND WATER RECOVERY DATA

Site: 160	Start Date: 49.17.96
Test Type: <u>Diawdown</u>	Operators: CH 13E/SW

	1 uli @ 18.7 Z6" diourdown						
Date/7	Date/Time		LNAPL Recovery	Groundwater Recovery			
9.17.96	1535	D	D	0/3L/m			
	2145	6.2	0	1.12			
			·				

FUEL AND WATER RECOVERY DATA

Site: EAKER AFB/SITE 160

VACUUM ENHANCED

Test Type: DRAWDOWN

Start Date: 18 SEP 96

Operators: 6H/JE/SW

DTW = 15,485'

PRODUCT layer = 0.005

DROP tobe depth = 18.7'

DTP = 15,48"	(May tone (14))) = 18,1				
Date/Time	Time	LNAPL Recovery	Groundwater Recovery		
18 SEP 96/1030 AR	D	6	0		
185EP / 1315 HR		0	Pate = 0.3 fpm +19.5		
18 SEP / 15 30 HR	300 min	0	Rate = 300 cc/min		
1540 HR	DTP = 18.25	DTW= 18.35'	Air Flow Aug= 0.005" PP		
Peset.	drop tube	at 15.58' w.	here		
it ran	durina	slurping test,			
will	begin e	extended testing	18 SEP 96 - 2030 HRS		
after	installation	~ of oir storage	ge tank.		

Baildown Test Record Sheet

Site: Eaker AFB Site 2
Well Identication: MW316

Well Diameter: 4"

Date at Start of Test: 09/10/96
Time at Start of Test: 1425
Sampler's Initials: JK, GH

Initial Readings:	Depth to	Depth to	LNAPL	Total Volume
Time: N/R	Groundwater (ft)	LNAPL (ft)	Thickness (ft)	Bailed (gallons)
	19.21	15.46	3.750	N/R

Test Data: MW306	Depth to Groundwater (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Sample Time (hrs)
Notes:	18.820	18.730	0.090	1425
	18.540	18.000	0.540	1441
	17.890	17.110	0.780	1544
	17.560	16.780	0.780	1632
Date: 09/11/96	17.180	16.090	1.090	O925

Baildown Test Record Sheet

Site: Eaker AFB Site 2
Well Identication: MW306

Well Diameter: 4"

Date at Start of Test: 09/10/96
Time at Start of Test: 1008
Sampler's Initials: JK, GH

Initial Readings:	Depth to	Depth to	LNAPL	Total Volume	
Time: N/R	Groundwater (ft)	LNAPL (ft)	Thickness (ft)	Bailed (gallons)	
	19.27	14.1	5.170	3.17	

Test Data: MW306	Depth to Groundwater (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Sample Time (hrs)
Notes:	17.120	16.510	0.610	1008
	17.000	15.900	1.100	1012
	16.950	15.270	1.680	1019
	17.030	14.830	2.200	1033
	17.180	14.630	2.550	1252
	17.200	14.600	2.600	1415
Bail downed again	15.890	15.800	0.090	1422
Ü	15.300	15.200	0.100	1444
·	15.310	15.135	0.175	1635
Date: 09/11/96	15.980	15.100	0.880	O920
	15.990	14.990	1.000	1444

Fuel And Water Recovery Data

Site: Eaker AFB, AR Site II

Start Date: 09/11/96

Test Type: Skimmer (peristaltic pump)

Operators: GH, JK, JE, SW

	10:20	Ö		NAPL Recovery	I .	undwater Recovery
Date	Time	Run Time	(volume	collected in time period)	(volume	collected in time period)
09/11/96	1028hrs	Initial	4.66	1.22 gallons	,5L	0.13 gallons
09/11/96	1100hrs	0.533hrs	.96	0.24 gallons	ì	0.26 gallons
09/11/96	1132hrs	1.066hrs	,31L	0.08 gallons	١	0.26 gallons
09/11/96	1248hrs	2.333hrs	.4 L	0.11 gallons	Z	0.53 gallons
09/11/96	1335hrs	3.116hrs	.15 L	0.04 gallons	1.5	0.40 gallons
09/11/96	1430hrs	4.033hrs	.2L	0.05 gallons	7.	0.53 ggallons
09/11/96	1547hrs	5.316hrs	,25L	0.07 gallons	3, 2	0.85 gallons
09/11/96	1650hrs	6.366hrs	, 15L	0.04 gallons	Z	0.53 gallons
09/12/96	1325hrs	27.950hrs	4.45 L	1.18 gallons	13,5	3.57 gallons
09/13/96	0915hrs	46.783hrs	7,56	1.98 gallons	10 gal	10.00 gallons
	Total	46.783hrs		5.01 gallons	-	17.06 gallons
		Ave./Day		2.57 gal/day		8.75 gal/day

Site: Eaker AFB, AR Site II

Test Type: Vacuum Enhanced (full vacuum)

Start Date: 09/13/96

Operators: GH, JK, JE, & SW

Date	Time	Run Time	LNAPL Recovery (volume collected in time period)	Groundwater Recovery (volume collected in time period)
9/13/96	1045hrs	Initial	N/A	N/A
9/13/96	1915hrs	8.500hrs	N/D	145 gallons
9/14/96	0830hrs	21.750hrs	N/D	95 gallons
9/14/96	1900hrs	32.250hrs	Sheen in filter tank	170 gallons
9/15/96	1030hrs	47.750hrs	Thin layer in filter tank	256 gallons
9/15/96	1830hrs	55.250hrs	/ Thin layer in separator	157 gallons
9/16/96	0930hrs	70.250hrs	,	258 gallons
9/16/96	1340hrs	74.416hrs	. ⊌ L ✓ 0.158 gallons	91 gallons
9/16/96	1730hrs	78.249hrs	None in storage area since 1340hrs	51 gallons
9/17/96	1100hrs	95.749hrs	しららられた 0.172 gallons ✓	275 gallons
H.	Total	95.749hrs	0.330 gallons	1,498 gallons
		Ave./Day	0.083 gal/day	375.48 gal/day

Site: Eaker AFB, AR Site II

Test Type: Skimmer (peristaltic pump)

Start Date: 09/17/96 Operators: GH, JE, & SW

Date	Time	Run Time	LNAPL Recovery (volume collected in time period)	Groundwater Recovery (volume collected in time period)
9/17/96	1145hrs	Initial	N/A	N/A
9/18/96	0010hrs	12.416hrs	0.158 gallons 💪 സ് 🏎 🐛	4.80 gallons
	Total	12.416hrs	0.158 gallons	4.80 gallons
		Ave./Day	0.305 gal/day	9.28 gal/day

Site: Eaker AFB, AR Site II Test Type: Drawdown Start Date: 09/18/96

Operators: GH, JE, & SW

Date	Time	Run Time	LNAPL Recovery (volume collected in time period)	Groundwater Recovery (volume collected in time period)
9/18/96	0940hrs	Initial	N/A	N/A
9/18/96	1818hrs	8.633hrs	N/D	little water recovery (evaporating)
	Total	23.75hrs	N/A	N/A
		Ave./Day	N/A	N/A

Baildown Test Record Sheet

Site: FAK # 2	
Well Identification:	
Well Diameter (OD/ID): Line Pipe	(2.2)
Date at Start of Test: 09/10/96	Sampler's Initials: 5K
Time at Start of Test: 1425 has	·

Initial Readings

Depth to Groundwater (ft)	<u> </u>		Total Volume Bailed (L
19.21'	15,46	3.75	

Test Data

Sample- Collection Time	Depth to Groundwater (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)
1425	18.82	18.73	
1441	18.54	18.00	
1544	17.89	17.11	
1632	17.56	16.78	
0925	17.18	16.09	

Bioslurping Pilot Test (Data Sheet 3) Fuel and Water Recovery Data

Page	of	•
Lago	OI	

Site:	Spx	S/102	l	Mw316	Start Date:	4	7	 _
Test T	ype: <u>5</u>	Ki 1.	1k, !	brastoltie Pump)	Operators:			

Date/Time	Run Time	LNAPL Recovery (volume collected in time period)	Groundwater Recovery (volume collected in time period)
09-11/1020	0	0	0
09-11/1028	Emin	· 41.6 Q	0.5.
09-7/1100	32 100	0.96	1.01
09.11/1132	32min	0.311	1.02
39.1/1248	1.26hrs	0.40.6	2.01
04.11/1775	.783hrs	o.15 (4.5.(
09-11/1430	.916 hrs	0.2 l	3.01
09-11/1547	1,283h,	0.751	3.21
09-11/1650	1,05hrs	0.15 4	2.01
			·
		-	

APPENDIX E SOIL GAS PERMEABILITY TEST RESULTS

SIZE OF BLOWER (HP): 7.5 SIZE OF BLOWER (HP): 7.5 SITE: EAKER AFB / S.T.E. GAS WATER FLOW TEMP Avace 103.8° A 1.5° Hg Trace 103.8° A 2.5° Hg	BATTELLE	ORD SI	HEET FOR AIR PERMEABILITY TEST	ABILITY TEST	DATE/TIME: 12567 96	16/1056
WELL OFF Seal RECORDED BY: 3eff K WACOUM THOW TEMP (#81)"// #9 "H20 CPE So G 27 o" H3 24" H30 Have So G 27 o" H3 21" H41 Have 100 H20 21" H42 Have 100 H20 21" H43 Have 100 H20 21" H44 Have 100 H20 10" H30 H30 H30 10" H30 H30 H30 10" H30 H30 H30 10" H30 H30 H30 H30 H30 10" H30 H30 H30 H30 H30 H30 10" H30	TYPE OF BLOWER.	Lianio Ring	SIZE OF BLOWER	(HP): 7.5		15:TE #160
### ### HLOW TEMP ##### ##### ########################	TIME FROM	WELL VACUOIM	OFF GAS	SEAL WATER	RECORDED BY: Seft	K:HE!
21.8° 27.0° Hq 21.8° 21.8° 36.8° Hq 1.2° 25.5° Hq 1.2° 25.5° Hq 1.2° 25.5° Hq 1.2° 25.5° Hq 21° Hq 10°	START-UP (MIN.)		FLOW (SCFM) (HZO (ped tolk)	TEMP (SS)(°F)		ENTS ROP TUBE VAC
10 21.8" 42 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D min	34"HG	trace	80,6		4.5" 4
1 21" Hg trace 103,8° 2.6" Hg 21" Hg trace 121.4° 255" Hg 16" Hg O.01" Hz 147.0° 225" Hg	10 min	21.8" 44	+1200	92,80	かけい5198	24.0"Ha
1 21" Hg trace 112° 25.5" Hg 21" Hg trace 120.4° 25.5" Hg 16" Hg 0.01" Hz0 147.0° 225" Hg	20 min	411 11 EX	trace	103,8°	26"Hg	21.5"14
16" Hay trace 12" Ho 25" Hq o	30 min	21" Hq	trave	1120	25.5" Hg	22.5" Hg
142° 142° 325"Hg	40 mid	21" 14%	trace	121.40	255" Hq	21.8"14
	100 min	×1,91	0.01" 1120	147.00	22,5".Hg	18,2" Ha
					•	

Liquid ring pump size: 7.5 HP Depth of points: Green = 4.0' Blue = 8.0' Red = 12.6' Time Green Blue Red Time Green Blue Red / mind 0.07" 0.33" 0.47" 2 min 0.17" 0.42 — 3 min 0.24" 0.49" 0.75" 4 mind 0.26" 0.60" 0.80" 5 min 0.26" 0.60" 0.80" 7 min 0.27" 0.60" 0.80" 8 min 0.27" 0.60" 0.80" 9 min 0.25" 0.60" 0.80" 15 min 0.25" 0.60" 0.80" 9 min 0.25" 0.60" 0.85" 15 min 0.75" 0.65" 0.80" 9 min 0.75" 0.65" 0.85" 15 min 0.75" 0.65" 1.2" 30 min 0.42" 0.85" 1.5" 25 min 0.44" 0.85" 1.2" 35 min 0.47" 1.0" 1.4" 107 min 0.8" 1.2" 2.25" 3.1"	Site: Fare	e AFR/c	ZTE # 160		Monitoring	Point: A		
Depth of points: Green = 4,0' Recorded by: S. walter								
Blue = 8.0' Red = 12.6' Time Green Blue Red Time Green Blue Red 1 min 0.07" 0.33" 0.47" 2 min 0.17" 0.49" 0.75" 4 min 0.24" 0.49" 0.80" 5 min 0.26" 0.60" 0.80" 7 min 0.27" 0.60" 0.80" 8 min 0.27" 0.60" 0.80" 9 min 0.28" 0.60" 0.80" 10 min 0.36" 0.65" 0.85" 15 min 0.36" 0.85" 15 min 0.36" 0.85" 15 min 0.42" 0.85" 15 min 0.44" 0.85" 1.5" 25 min 0.44" 0.85" 1.2" 30 min 0.47" 1.0" 1.4" 35 min 0.47" 1.0" 1.4" 107 min 0.8" 1.2" 2.0"								
Time Green Blue Red Time Green Blue Red I min	op o. pc						_	
Time Green Blue Red Time Green Blue Red / mind 0.07					3,2.	12 361 1	71102	
2 min 0.17" 0.42 — 3 min 0.24" 0.49" 0.75" 4 min 0.26" 0.60" 0.80" 5 min 0.26" 0.60" 0.80" 6 min 0.27" 0.60" 0.80" 8 min 0.275" 0.60" 0.80" 9 min 0.28" 0.60" 0.85" 10 min 0.36" 0.85" 15 min 0.42" 0.85" 1.5" 25 min 0.44" 0.85" 1.2" 30 min 0.47" 1.0" 1.4" 107 min 0.8" 1.2" 20 min 0.47" 1.0" 1.4"	Time	Green		Red	Time	Green	Blue	Red
2 min 0.17" 0.42 — 3 min 0.24" 0.49" 0.75" 4 min 0.26" 0.60" 0.80" 5 min 0.26" 0.60" 0.80" 6 min 0.27" 0.60" 0.80" 8 min 0.275" 0.60" 0.80" 9 min 0.28" 0.60" 0.85" 10 min 0.36" 0.85" 15 min 0.42" 0.85" 1.5" 25 min 0.44" 0.85" 1.2" 30 min 0.47" 1.0" 1.4" 107 min 0.8" 1.2" 20 min 0.47" 1.0" 1.4"	1 mind	0.07 1	0,33"	0.47"				
3 min 0,24" 0,49" 0.75" 4 min 0,26" 0,60" 0,80" 5 min 0,26" 0,60" 0,80" 6 min 0,27" 0,60" 0,80" 7 min 0,27" 0,60" 0,80" 9 min 0,28" 0,60" 0,80" 10 min 0,36" 0,80" 1,0" 20 min 0,42" 0,85" 1,5" 25 min 0,44" 0,85" 1,2" 30 min 0,48" 1,0" 1,4" 35 min 0,47" 1,0" 1,4" 107 min 0,8" 1,2" 2,0"	2 min	0.17"				·		
4 mind 0,26" 0,60" 0,80" 5 min 0,26" 0,60" 0,80" 16 min 0,26" 0,60" 0,80" 7 min 0,27" 0,60" 0,80" 8 min 0,275" 0,60" 0,80" 9 min 0,28" 0,60" 0,80" 10 min 0,36" 0,85" 1,5" 25 min 0,44" 0,85" 1,2" 35 min 0,47" 1,0" 1,4" 107 min 0,8" 1,2" 2,0"	3 min	0,24 "		0.75"				
5 min 0,26" 0.60" 0.80" b min 0,26" 0.60" 0.80" 7 min 0,27" 0.60" 0.80" 8 min 0,275" 0.60" 0.80" 9 min 0,28" 0.60" 0.85" 10 min 0,36" 0.85" 1.5" 25 min 0,42" 0.85" 1.2" 30 min 0,48" 1.0" 1.4" 35 min 0,47" 1.0" 1.4" 107 min 0,8" 1.2" 2.0"	4 min			0.80"				
7min 0.27" 0.60" 0.80" 8 min 0.275" 0.60" 0.80" 9 min 0.28" 0.60" 0.88" 10 min 0.30" 0.65" 0.85" 15 min 0.42" 0.85" 1.5" 25 min 0.44" 0.85" 1.2" 35 min 0.48" 1.0" 1.4" 107 min 0.8" 1.2" 107 min 0.8" 1.2"	5 min	0,26"		0.80"				
8 min 0.275" 0.60" 0.80" 9 min 0.78" 0.60" 0.80" 10 min 0.30" 0.65" 0.85" 15 min 0.36" 0.85" 1.5" 25 min 0.44" 0.85" 1.2" 35 min 0.47" 1.0" 1.4" 107 min 0.8" 1.2" 2.0"	bmin	0.26"						
9 min 0.28" 0.60" 0.80" 10 min 0.30" 0.65" 0.85" 15 min 0.36" 0.85" 1.5" 25 min 0.44" 0.85" 1.2" 30 min 0.48" 1.0" 1.4" 107 min 0.8" 1.2" 2.0"	7 min							
10 min 0.30" 0.65" 0.85" 1.0"	8 min							-
15 min 0.36" 0.80" 1.0" 20 min 0.42" 0.85" 1.5" 25 min 0.44" 0.85" 1.2" 30 min 0.48" 1.0" 1.4" 35 min 0.47" 1.0" 1.4" 107 min 0.8" 1.2" 2.0"	9 min			0.80"				
26 min 0,42" 0.85" 1.5" 25 min 0,44" 0.85" 1.2" 30 min 0,48" 1.0" 1.4" 35 min 0,47" 1.0" 1.4" 107 min 0,8" 1.2" 2.0"	10 min			0.85"				
25 min 0.44" 0.85" 1.2" 30 min 0.48" 1.0" 1.4" 35 min 0.47" 1.0" 1.4" 107 min 0.8" 1.2" 2.0"	15 min		0,80"	1.0"				
30 min 0,48" 1,0" 1,4" 35 min 0,47" 1,0" 1,4" 107 min 0,8" 1,2" 2,0"	20 min		0.85"					
35 min 0,47" 1,0" 1,4" 107 min 0,8" 1,2" 2,0"	25 min							
107 min 0.8" 1.2" 2.0"			1.0"					
1804 min 1.0" 2.25" 3.1"	35 min	0,47"	1.0"	1.4"				
1804 min 1.0" 2.25" 3.1"		0.8"	1.2"	2,0"				
	1804 min	1.0"	2.25"	3.1"				
								7

Remarks:		
-		

Site: EAKER AFB/SITE #160				Monitoring Point: B			
			Distance from recovery well: 20'				
			Recorded by: JE				
	Blue =	8.0		1	12 SEP9(0 / 1102	14,2
Red = 13,7'							
Time	Green	Blue	Red	Time	Green	Blue	Red
IMIN	0.03"	0.05"	0.10"				
2 min	0.10"	0.12"	0.14"				
3 min	0.14"	0,14"	0,20"				
4 min	0.15"	0.18"	0.20"				
5 min	0.16"	0.175"	0.22"				
bmin	0.175"	0.20"	0.24"				
7 mis	0.175 11	0.21"	0.24"				
8 min	0.18"	0.21"	0.245"				
9 min	0.18"	0.22"	0.25"				
10 min	0.20"	01235"	0.25"				
15 mial	0.25"	0.25"	0.30"				
25 min	0,30"	0.35"	0,40"				
38 min	0,30"	0.35"	0.40"				
107min	0,40"	0,40"	0.45"				
1804 min	0.70"	0.78"	0.80"				
Romarks:							

Remarks:		 	
	`.	 · · · · · · · · · · · · · · · · · · ·	

Site: EAKE	R AFB/	Site #16	0	Monitoring	Point: C		
			Distance from recovery well: 35 feet				
				Recorded by: &\(\text{H}\)			
	Blue =	12.0		DATE:	12 SEP 9	6/1102	HR
	Red =	16.5					
Time	Green	Blue	Red	Time	Green	Blue	Red
2 min	0.0"	0.0"	0,0"				
3 min	0.03"	0,03"	0.04"		•		
4 min	0.06"	0.06"	0.06"				
5 min	0.07"	6.06"	0.05"				
7 min	0.06"	0.06"	0.05"				
8 min	0.06"	0.06"	0.055"				
9 min			_				
10 min	0.07"	0,07"	0.055"				
12 min	0.07"	0.07"	0.04"				
18 min	0.11"	0.10"	0.09"				
26 min	0.10"	0.09"	0.072"				
38 min	0.125"	0.105"	0.09"				
107 min	0.14"	0.112"	0.095"				
1804 minl	0.31"	030"	0,28"				
				nted 1			

Remarks: Monitoring Point C located very close
to the tank ewity where tanks were removed.

It is possible that some short circuiting may
be taking place.

Site: Eaker A	AFB, Site 2			Monitoring Point: A					
Liquid ring p	oump size: 7	'.5 HP		Distance fro	om recovery	well: 10	Oft		
Depth of poi	nts: Green :	= 3.5'-4.0'		Recorded by: Shane Walton					
	Blue =7.5'-8.0'				Date/Time: Sept 13 '96 / 1045hrs				
Red =11.5'-12.0'									
Time(min)	Green	Blue	Red	Time	Green	Blue	Red		
1	0.070	0.800	4.800						
2	0.145	0.015	6.000						
3	0.160	0.050	7.000						
4	0.230	0.060	9.500						
5	0.300	0.090	10.000						
6	0.350	N/R	10.000						
7	0.350	0.080	10.500						
8	0.350	0.090	11.000						
9	0.350	0.100	11.000						
10	0.350	0.090	11.000						
12	0.350	0.080	11.000						
14	0.350	0.075	11.000						
16	0.350	0.070	11.000						
18	0.350	0.075	11.000						
20	0.350	0.075	11.000						
25	0.350	0.750	11.500						
30	0.350	0.750	11.500						
50	0.350	0.700	11.500						
372	0.400	0.650	11.000						

****NOTE: Measurements for Green, Blue, and Red in "H2O

****NOTE: N/R = No Reading Taken

Remarks: MP A, Blue, unusual reading initially were perhaps caused by a saturated or plugged point (screen area); however, later readings became more normal.

Site: Eaker <i>A</i>	AFB, Site 2			Monitoring	Point: B				
Liquid ring p	oump size: 7	7.5 HP		Distance fro	Distance from recovery well: 20ft				
Depth of poi	nts: Green	= 3.5'-4.0'		Recorded b	Recorded by: Jon Eastep				
	Blue =7.	5'-8.0'	****	Date/Time: Sept 13 '96 / 1045hrs					
Red =11.5'-12.0'									
Time(min)	Green	Blue	Red	Time	Green	Blue	Red		
1	0.000	0.140	3.000						
2	0.010	0.650	4.000						
3	0.010	1.000	5.000						
4	0.010	1.500	7.000						
5	0.005	2.000	8.000						
6	0.005	2.000	8.500						
7	0.000	2.500	9.000						
8	0.005	2.800	9.500						
9	0.010	2.400	10.000						
10	0.005	2.600	9.900						
12	0.005	3.800	10.000						
14	0.005	3.700	10.000						
16	0.005	3.500	10.000						
18	0.005	3.400	10.000						
20	0.005	3.100	10.000						
25	0.005	4.800	10.500						
30	0.005	4.800	10.500				-		
50	0.005	5.000	10.000						
372	0.005	4.700	10.000						
		A							

****NOTE: Measurements for Green, Blue, and Red in " H_2O

****NOTE: N/R = NO Reading Taken

Remarks:

Eak. MP C Record Sheet for Air Permeability Test

Site: Eaker AFB, Site 2			Monitoring Point: C						
Liquid ring p	oump size: 7	7.5 HP		Distance from	om recovery	well: 30	ft		
Depth of poi	ints: Green	= 3.5'-4.0'		Recorded b	y: Greg Head	dington			
	Blue =7.	5'-8.0'		Date/Time: Sept 13 '96 / 1045hrs					
Red =11.5'-12.0'									
Time(min)	Green	Blue	Red	Time	Green	Blue	Red		
1	0.000	0.020	0.500						
2	0.000	0.050	1.500						
3	0.000	0.080	2.200						
4	0.000	0.130	3.000						
5	0.000	0.190	3.800						
6	0.000	0.240	4.200						
7	0.000	0.280	4.500						
8	0.000	0.340	4.650						
9	0.000	0.350	4.800						
10	N/R	N/R	N/R						
12	0.000	1.400	5.000						
14	0.000	1.200	5.000						
16	0.000	1.100	5.000						
18	0.000	1.100	5.000						
20	0.000	1.100	5.100						
25	0.000	1.700	5.200						
30	0.000	1.700	5.200						
50	0.000	1.000	5.400						
372	0.000	0.600	4.800						
****NOTE	Magazza	anta fan Ca	nam Dluc	and Red in	"II O				

Remarks:		
****NOTE:	N/R = No Reading Taken	
NOIE.	Measurements for Green, blue, and Red in Ti ₂ O	

APPENDIX F IN SITU RESPIRATION TEST RESULTS

In Situ Respiration Test: Data Analysis

Date: 9/17/96

Site Name: Eaker AFB

Monitoring Point: MPA

Depth of MP (ft): 12.6'

											ノ
	Helium (%)	1.20	1.30	1.10	1.30	1.30	1.30				
	Carbon Dioxide (%)	0.30	0:30	0.40	09.0	0.80	08.0				
9	Oxygen (%)	18.50	16.40	13.00	9.10	5.80	4.90				
	Time (hr)	0.0	2.3	4.8	6.3	8.61	22.1				
	Date/Time (mm/dd/yr hr:min)	9/17/96 12:15	9/17/96 14:30	9/11/96 17:00	9/17/96 21:30	0/18/96 8:00	9/18/96 10:20				

↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑	◆ Oxygen Conc■-02 Regression × C02 Conc. **-C02 Regression
3 4 ★ 20.0	
0.61	Time (hr)
4 9	F
9.5	
0 ± 0 ± 0 0 ± 0 0 0 0 0 0 0 0 0 0 0 0 0	
O ₂ and CO ₂ (%)	

Regression Lines	0,	CO
Slope	-1.0332	0.0344
Intercept	18.4473	0.2601
Determination Coef.	0.9918	0.9330
No. of Data Points	4	4

O2 Utilization Rate	Ko 0.017 %/min	1.033 %/hr	24.797 %/day
Biodegradation	Rate (mg/kg/day)		17.079

In Situ Respiration Test: Data Analysis

Date: 9/17/96

Site Name: Eaker AFB

Monitoring Point: MPA

Depth of MP (ft): 8.0'

8 6 4 5 6 8

nehr		(%)	2 00	pu) ₂ 3) 				
	Helium (%)	1.20	1.30	1.20	1.40	1.40	1.40				
V 111	Carbon Dioxide (%)	0.50	0.70	08.0	1.80	3.50	3.80				
9 - 0 - 11	Oxygen (%)	16.50	12.00	9.30	7.30	2.60	2.20				
	Time (hr)	0.0	2.3	4.8	9.3	8.61	22.1				
	Date/Time (mm/dd/yr hr:min)	9/17/96 12:15	9/17/96 14:30	9/11/96 17:00	9/17/96 21:30	9/18/96 8:00	9/18/96 10:20				

9

(%) muileH

0.2

Regression Lines	0_{i}	CO
Slope	-0.9438	0.1396
Intercept	15.1090	0.3827
Determination Coef.	0.8840	0.9108
No. of Data Points	4	4

X CO2 Conc.

* CO2 Regression

Helium

Oxygen Conc.

Oxygen Conc.

25.0

20.0

15.0

10.0

5.0

Time (hr)

O2 Utilization Rate	0.016 %/min	0.944 %/hr	22.650 %/day
0	Ko		
Biodegradation	Rate (mg/kg/day)		15.600

In Situ Respiration Test: Data Analysis

Date: 9/17/96

Site Name: Eaker AFB

Monitoring Point: MPB

13.7	
Ξ	
of MP	
Depth o	
\Box	

Helium (%)	1.20	1.20	1.10	1.30	1.30	1.30					
Carbon Dioxide (%)	0:30	0.50	08.0	0.50	1.50	1.50					
 Oxygen (%)	19.00	16.70	14.60	11.50	5.20	5.00	·				
Time (hr)	0.0	2.3	4.8	9.3	8.61	22.1					
Date/Time (mm/dd/yr hr:min)	9/17/96 12:15	9/17/96 14:30	00:L1 96/L1/6	9/11/96 21:30	9/18/96 8:00	9/18/96 10:20				·	

	25.0	Oxygen Conc. O2 Regression	CO2 Conc.	—CO2 Regression Helium
*	20.0	* 🛉	×	* ◀
	15.0	Time (hr)		•
• •	10.0	Time		
*	5.0			
(%) _s OO bns _s O © \$\omega\$ 4 \$\omega\$ \omega\$ \omega\$ 4 \$\omega\$ \omega\$ \omega\$ 0 Hard 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.0			

Regression Lines	\mathbf{O}_2	202
Slope	-0.8005	0.0216
Intercept	18.7022	0.4373
Determination Coef.	0.9915	0.1726
No. of Data Points	4	4

Biodegradation

O₂ Utilization Rate

0.013 %/min

₹ 0

Rate (mg/kg/day)

13.233

0.801 %/hr 19.213 %/day

Record Sheet For In Situ Respiration Test

Site: Eaker AFB, AR; Site II Recorded by: SW, GH, & JE Shutdown Date: 09/18/96 Shutdown Time: 0855hrs

Monitoring Point: A (Red)

Date	Time	O ₂ (%)	CO ₂ (%)	TPH (ppm)	He (%)	Temperature (°F)	Notes
09/18/96	0855	18.200	0.500	1,300	0.50	N/A	
09/18/96	1400	4.000	0.500	1,000	0.41	N/A	

Monitoring Point: B (Red)

		O ₂	CO ₂	TPH	He	Temperature	
Date	Time	(%)	(%)	(ppm)	(%)	(°F)	Notes
09/18/96	0855	16.800	0.700	1,400	0.53	N/A	
09/18/96	1400	1.500	1.000	6,400	0.58	N/A	

Monitoring Point: C (Red)

Date	Time	O ₂ (%)	CO ₂ (%)	TPH (ppm)	He (%)	Temperature (°F)	Notes
09/18/96	0855	15.000	0.600	2,000	0.53	N/A	
09/18/96	1400	0.030	1.000	8,000	0.58	N/A	

11/15/964:32 PM EAKAFBHe.tst